



1112 Manatee Avenue West
Bradenton, FL 34205
purchasing@mymanatee.org

Solicitation Addendum

Addendum No.: 1
Solicitation No.: IFBC No. 22-TA004032RP
Solicitation Title: Cortez Road at 43rd Street West Intersection Improvements
Addendum Date: April 15, 2022
Procurement Contact: Rodrigo Pasion

IFBC No. 22-TA004032RP is amended as set forth herein. Responses to questions posed by prospective bidders are provided below. This Addendum is hereby incorporated in and made a part of IFBC No. 22- TA004032RP.

The deadline to submit all inquiries concerning interpretation, clarification or additional information pertaining to this IFBC was April 11, 2022.

REPLACE:

APPENDIX K, BID FORM

Replace Appendix K, Bid Form, with the Revised Appendix K, Bid Form attached in this Addendum No. 1 and available for upload as a separate attachment in excel on mymanatee.org and Periscope S2G.

QUESTIONS AND RESPONSES:

Q1. Can you provide the bid form in excel format?

R1. Revised Bid Form is available for upload on mymanatee.org and Periscope S2G as separate attachments.

Q2. What is the budget for this project?

R2. The estimated construction cost is \$961,200.00.

Q3. When is the anticipated start date for this project?

R3. Refer to Section A, Information for Bidders, A.50 Solicitation Schedule.

Q4. Is there a budget/engineers estimate?

R4. Refer to R2.

Q5. Can you please provide the Appendix K Bid Form in excel format?

R5. Refer to R1.

Q6. Would you be able to provide us with a plan list or guide me to the location it can be found.

R6. Refer to Bid Attachments 5, 6, and 7 that are available for upload on mymanatee.org and Periscope S2G as separate attachments.

Q7. In the invitation for bid package page 39 lists the bid form. Bid item # 19 has FC-9.5 Friction course at 109 tons. The typical section on the plan sheet 3 does not show where this is. Please clarify.

R7. The friction course limits are shown in the typical section and the shading in the construction plans. There is a legend on the plan sheet that defines what each shade is.

Q8. The MOT plan included in this bid package does not list any lane closure restrictions at the 43rd st. and Cortez Rd. intersection. Can the proposed improvements in the FDOT ROW be completed during the day time hours.?

R8. The successful bidder will coordinate with FDOT on temporary lane closer requirements.

Q9. Will the West bound outside lane on Cortez Road be able to be shut down during day time hours?

R9. Refer to R8.

Q10. Is the contractor responsible for any permits on this project?

R10. Yes, you will need a ROW use permit from the County and coordinate with FDOT on any work for Cortez Road.

NOTE:

Deleted items will be ~~struck through~~, added or modified items will be underlined. All other terms and conditions remain as stated in the IFBC.

INSTRUCTIONS:

Receipt of this Addendum must be acknowledged as instructed in the solicitation document. Failure to acknowledge receipt of this Addendum may result in the response being deemed non-responsive.

END OF ADDENDUM

AUTHORIZED FOR RELEASE

REVISED APPENDIX K BID FORM						
CORTEZ ROAD AT 43RD STREET WEST INTERSECTION IMPROVEMENTS						
BID 'A' BASED ON COMPLETION TIME OF 275 CALENDAR DAYS						
Bidder must provide prices for each line items for their bid to be considered responsive						
LINE NO.	FDOT ITEM NO.	DESCRIPTION	QTY	U/M	UNIT PRICE	EXTENDED PRICE
MOBILIZATION & MAINTENANCE OF TRAFFIC						
1.	101-1	MOBILIZATION	1	LS	\$ -	\$ -
2.	102-1	MAINTENANCE OF TRAFFIC	1	LS	\$ -	\$ -
SUBTOTAL MOBILIZATION & MAINTENANCE OF TRAFFIC						\$ -
ROAD WORK						
3.	0102 60	WORK ZONE SIGN	7,770.00	ED	\$ -	\$ -
4.	0102 71 13	TEMPORARY BARRIER, F&I, LOW PROFILE, CONCRETE	696.00	LF	\$ -	\$ -
5.	0102 74 1	CHANNELIZING DEVICE	2,000.00	ED	\$ -	\$ -
6.	0102 74 8	CHANNELIZING DEVICE - PEDEDSTRIAN LCD	22,500.00	FD	\$ -	\$ -
7.	0102 99	PORTABLE CHANGEABLE MESSAGE SIGN, TEMP.	628.00	ED	\$ -	\$ -
8.	104-10-3	SEDIMENT BARRIER	1,270	LF	\$ -	\$ -
9.	104-18	INLET PROTECTION SYSTEM	3	EA	\$ -	\$ -
10.	110-1-1	CLEARING & GRUBBING	1.0	AC	\$ -	\$ -
11.	0120-1	REGULAR EXCAVATION	487	CY	\$ -	\$ -
12.	0120-4	SUBSOIL EXCAVATION	20	CY	\$ -	\$ -
13.	0120-6	EMBANKMENT	13	CY	\$ -	\$ -
14.	0160-4	TYPE B STABILIZATION (STABILIZED SUBBASE, 12" THICK LBR 60)	1,380	SY	\$ -	\$ -
15.	0285-709	OPTIONAL BASE, BASE GROUP 09 (10" THICK)	1,046	SY	\$ -	\$ -
16.	0327-70-1	MILLING EXIST ASPH PAVT, 1" AVG DEPTH	2,250	SY	\$ -	\$ -
17.	334-1-53	SUPERPAVE ASPHALTIC CONC, TRAFFIC C, SP-12.5, SURFACE COURSE W/TACK COAT, 2"	113	TN	\$ -	\$ -
18.	0337-7-83	ASPHALT CONCRETE FRICTION COURSE,TRAFFIC C, FC-12.5, PG 76-22 W/TACK COAT, 1.5"	279	TN	\$ -	\$ -
19.	425-1-521	TYPE C INLET WITH TRAVERSABLE SLOT	1	EA	\$ -	\$ -
20.	0430-174-218	PIPE CULVERT, OPTIONAL MATERIAL, OTHER SHAPE - ELLIP/ARCH, 18"SD (14"X23")	79	LF	\$ -	\$ -
21.	0520-1-10	CONCRETE CURB & GUTTER, TYPE F	164	LF	\$ -	\$ -
22.	0522-1	CONCRETE SIDEWALK, 4" THICK (INCLUDING HANDICAP RAMPS and BUS LANDINGS)	296	SY	\$ -	\$ -
23.	0527-2	DETECTABLE WARNINGS	70	SF	\$ -	\$ -
24.	0570-1-2	PERFORMANCE TURF, SOD (BAHIA SOD)	1,075	SY	\$ -	\$ -
25.	0710 11 101	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID, 6"	1,260.00	LF	\$ -	\$ -
26.	0710 11 125	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID, 24"	19.00	LF	\$ -	\$ -
27.	0710 11 201	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID, 6"	1,260.00	LF	\$ -	\$ -
SUBTOTAL ROAD WORK						\$ -
SIGNALS						
28.	0630 2 11	CONDUIT, FURNISH & INSTALL, OPEN TRENCH	60.00	LF	\$ -	\$ -
29.	0632 7 1	SIGNAL CABLE- NEW OR RECONSTRUCTED INTERSECTION, FURNISH & INSTALL	1.00	PI	\$ -	\$ -
30.	0635 2 11	PULL & SPLICE BOX, F&I, 17" x 30" COVER SIZE	1.00	EA	\$ -	\$ -
31.	0646 1 40	ALUMINUM SIGNALS POLE, RELOCATE	2.00	EA	\$ -	\$ -
32.	0650 1 14	TRAFFIC SIGNAL, FURNISH & INSTALL ALUMINUM, 3 SECTION, 1 WAY	4.00	AS	\$ -	\$ -
33.	0650 1 16	TRAFFIC SIGNAL, FURNISH & INSTALL ALUMINUM, 4 SECTION, 1 WAY	4.00	AS	\$ -	\$ -
34.	0650 1 19	TRAFFIC SIGNAL, FURNISH & INSTALL ALUMINUM, 5 SECTION CLUSTER, 1 WAY	1.00	AS	\$ -	\$ -
35.	0650 1 60	TRAFFIC SIGNAL, REMOVE - POLES TO REMAIN	6.00	AS	\$ -	\$ -
36.	0660 3 11	VEHICLE DETECTION SYSTEM- MICROWAVE, FURNISH & INSTALL CABINET EQUIPMENT	1.00	EA	\$ -	\$ -
37.	0660 3 12	VEHICLE DETECTION SYSTEM- MICROWAVE, FURNISH & INSTALL, ABOVE GROUND EQUIPMENT	2.00	EA	\$ -	\$ -
38.	0660 4 42	VEHICLE DETECTION SYSTEM - VIDEO, RELOCATE ABOVE GROUND EQUIPMENT	2.00	EA	\$ -	\$ -
39.	0670 5 400	TRAFFIC CONTROLLER ASSEMBLY, MODIFY	1.00	AS	\$ -	\$ -
40.	0678 1 104	CONTROLLER ACCESSORIES, REPLACE EXISTING - FURNISH AND INSTALL, LOAD SWITCH	1.00	EA	\$ -	\$ -
41.	0700 3 201	SIGN PANEL, FURNISH & INSTALL OVERHEAD MOUNT, UP TO 12 SF	2.00	EA	\$ -	\$ -
42.	0700 5 50	INTERNALLY ILLUMINATED SIGN, RELOCATE	2.00	EA	\$ -	\$ -
SUBTOTAL SIGNALS						\$ -
LIGHTING						
43.	0630 2 11	CONDUIT, FURNISH & INSTALL, OPEN TRENCH	25.00	LF	\$ -	\$ -
44.	0635 2 11	PULL & SPLICE BOX, F&I, 17" x 30" COVER SIZE	1.00	EA	\$ -	\$ -
45.	0715 1 12	LIGHTING CONDUCTORS, FURNISH AND INSTALL, INSULATED, NO. 8-6	300.00	LF	\$ -	\$ -
46.	0715 1 60	LIGHTING CONDUCTORS, REMOVE AND DISPOSE, CONTRACTOR OWNS	300.00	LF	\$ -	\$ -
47.	0715 4 60	LIGHT POLE COMPLETE, RELOCATE	1.00	EA	\$ -	\$ -
48.	0715 500 1	POLE CABLE DISTRIBUTION SYSTEM, CONVENTIONAL	1.00	EA	\$ -	\$ -
SUBTOTAL LIGHTING						\$ -
SIGNING & PAVEMENT MARKINGS						
49.	0700 1 11	SINGLE POST SIGN, F&I GROUND MOUNT, UP TO 12 SF	5.00	AS	\$ -	\$ -
50.	0700 1 50	SINGLE POST SIGN, RELOCATE	1.00	AS	\$ -	\$ -
51.	0700 1 60	SINGLE POST SIGN, REMOVE	2.00	AS	\$ -	\$ -
52.	0706 1 3	RAISED PAVEMENT MARKER, TYPE B	86.00	EA	\$ -	\$ -
53.	0710 90	PAINTED PAVEMENT MARKINGS, FINAL SURFACE	1.00	LS	\$ -	\$ -
54.	0711 11123	THERMOPLASTIC, STANDARD, WHITE, SOLID, 12" FOR CROSSWALK AND ROUNDABOUT	136.00	LF	\$ -	\$ -
55.	0711 11125	THERMOPLASTIC, STANDARD, WHITE, SOLID, 24" FOR STOP LINE	52.00	LF	\$ -	\$ -
56.	0711 11141	THERMOPLASTIC, STANDARD, WHITE, 2-4 DOTTED GUIDELINE/ 6-10 GAP EXTENSION, 6"	0.015	GM	\$ -	\$ -
57.	0711 11160	THERMOPLASTIC, STANDARD, WHITE, MESSAGE OR SYMBOL	4.00	EA	\$ -	\$ -
58.	0711 11170	THERMOPLASTIC, STANDARD, WHITE, ARROW	13.00	EA	\$ -	\$ -
59.	0711 11224	THERMOPLASTIC, STANDARD, YELLOW, SOLID, 18" FOR DIAGONAL OR CHEVRON	37.00	LF	\$ -	\$ -
60.	0711 16101	THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SOLID, 6"	0.324	GM	\$ -	\$ -
61.	0711 16201	THERMOPLASTIC, STANDARD-OTHER SURFACES, YELLOW, SOLID, 6"	0.291	GM	\$ -	\$ -
SUBTOTAL SIGNING & PAVEMENT MARKINGS						\$ -
SUBTOTAL (PROJECT NO. 6076861) - Based on Completion Time of 275 Calendar Days						\$ -
CONTRACT CONTINGENCY WORK (USED ONLY WITH COUNTY APPROVAL) - 10%						\$ -
TOTAL (PROJECT NO. 6076861) with Contract Contingency - Based on Completion of 275 Calendar Days						\$ -

Bidder Name: _____

Authorized Signature: _____

REVISED APPENDIX K BID FORM						
CORTEZ ROAD AT 43RD STREET WEST INTERSECTION IMPROVEMENTS						
BID 'B' BASED ON COMPLETION TIME OF 245 CALENDAR DAYS						
Bidder must provide prices for each line items for their bid to be considered responsive						
LINE NO.	FDOT ITEM NO.	DESCRIPTION	QTY	U/M	UNIT PRICE	EXTENDED PRICE
MOBILIZATION & MAINTENANCE OF TRAFFIC						
1.	101-1	MOBILIZATION	1	LS	\$ -	\$ -
2.	102-1	MAINTENANCE OF TRAFFIC	1	LS	\$ -	\$ -
SUBTOTAL MOBILIZATION & MAINTENANCE OF TRAFFIC						\$ -
ROAD WORK						
3.	0102 60	WORK ZONE SIGN	7,770.00	ED	\$ -	\$ -
4.	0102 71 13	TEMPORARY BARRIER, F&I, LOW PROFILE, CONCRETE	696.00	LF	\$ -	\$ -
5.	0102 74 1	CHANNELIZING DEVICE	2,000.00	ED	\$ -	\$ -
6.	0102 74 8	CHANNELIZING DEVICE - PEDEDSTRIAN LCD	22,500.00	FD	\$ -	\$ -
7.	0102 99	PORTABLE CHANGEABLE MESSAGE SIGN, TEMP.	628.00	ED	\$ -	\$ -
8.	104-10-3	SEDIMENT BARRIER	1,270	LF	\$ -	\$ -
9.	104-18	INLET PROTECTION SYSTEM	3	EA	\$ -	\$ -
10.	110-1-1	CLEARING & GRUBBING	1.0	AC	\$ -	\$ -
11.	0120-1	REGULAR EXCAVATION	487	CY	\$ -	\$ -
12.	0120-4	SUBSOIL EXCAVATION	20	CY	\$ -	\$ -
13.	0120-6	EMBANKMENT	13	CY	\$ -	\$ -
14.	0160-4	TYPE B STABILIZATION (STABILIZED SUBBASE, 12" THICK LBR 60)	1,380	SY	\$ -	\$ -
15.	0285-709	OPTIONAL BASE, BASE GROUP 09 (10" THICK)	1,046	SY	\$ -	\$ -
16.	0327-70-1	MILLING EXIST ASPH PAVT, 1" AVG DEPTH	2,250	SY	\$ -	\$ -
17.	334-1-53	SUPERPAVE ASPHALTIC CONC, TRAFFIC C, SP-12.5, SURFACE COURSE W/TACK COAT, 2"	113	TN	\$ -	\$ -
18.	0337-7-83	ASPHALT CONCRETE FRICTION COURSE,TRAFFIC C, FC-12.5, PG 76-22 W/TACK COAT, 1.5"	279	TN	\$ -	\$ -
19.	425-1-521	TYPE C INLET WITH TRAVERSABLE SLOT	1	EA	\$ -	\$ -
20.	0430-174-218	PIPE CULVERT, OPTIONAL MATERIAL, OTHER SHAPE - ELLIP/ARCH, 18"SD (14"X23")	79	LF	\$ -	\$ -
21.	0520-1-10	CONCRETE CURB & GUTTER, TYPE F	164	LF	\$ -	\$ -
22.	0522-1	CONCRETE SIDEWALK, 4" THICK (INCLUDING HANDICAP RAMPS and BUS LANDINGS)	296	SY	\$ -	\$ -
23.	0527-2	DETECTABLE WARNINGS	70	SF	\$ -	\$ -
24.	0570-1-2	PERFORMANCE TURF, SOD (BAHIA SOD)	1,075	SY	\$ -	\$ -
25.	0710 11 101	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID, 6"	1,260.00	LF	\$ -	\$ -
26.	0710 11 125	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID, 24"	19.00	LF	\$ -	\$ -
27.	0710 11 201	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID, 6"	1,260.00	LF	\$ -	\$ -
SUBTOTAL ROAD WORK						\$ -
SIGNALS						
28.	0630 2 11	CONDUIT, FURNISH & INSTALL, OPEN TRENCH	60.00	LF	\$ -	\$ -
29.	0632 7 1	SIGNAL CABLE- NEW OR RECONSTRUCTED INTERSECTION, FURNISH & INSTALL	1.00	PI	\$ -	\$ -
30.	0635 2 11	PULL & SPLICE BOX, F&I, 17" x 30" COVER SIZE	1.00	EA	\$ -	\$ -
31.	0646 1 40	ALUMINUM SIGNALS POLE, RELOCATE	2.00	EA	\$ -	\$ -
32.	0650 1 14	TRAFFIC SIGNAL, FURNISH & INSTALL ALUMINUM, 3 SECTION, 1 WAY	4.00	AS	\$ -	\$ -
33.	0650 1 16	TRAFFIC SIGNAL, FURNISH & INSTALL ALUMINUM, 4 SECTION, 1 WAY	4.00	AS	\$ -	\$ -
34.	0650 1 19	TRAFFIC SIGNAL, FURNISH & INSTALL ALUMINUM, 5 SECTION CLUSTER, 1 WAY	1.00	AS	\$ -	\$ -
35.	0650 1 60	TRAFFIC SIGNAL, REMOVE - POLES TO REMAIN	6.00	AS	\$ -	\$ -
36.	0660 3 11	VEHICLE DETECTION SYSTEM- MICROWAVE, FURNISH & INSTALL CABINET EQUIPMENT	1.00	EA	\$ -	\$ -
37.	0660 3 12	VEHICLE DETECTION SYSTEM- MICROWAVE, FURNISH & INSTALL, ABOVE GROUND EQUIPMENT	2.00	EA	\$ -	\$ -
38.	0660 4 42	VEHICLE DETECTION SYSTEM - VIDEO, RELOCATE ABOVE GROUND EQUIPMENT	2.00	EA	\$ -	\$ -
39.	0670 5 400	TRAFFIC CONTROLLER ASSEMBLY, MODIFY	1.00	AS	\$ -	\$ -
40.	0678 1 104	CONTROLLER ACCESSORIES, REPLACE EXISTING - FURNISH AND INSTALL, LOAD SWITCH	1.00	EA	\$ -	\$ -
41.	0700 3 201	SIGN PANEL, FURNISH & INSTALL OVERHEAD MOUNT, UP TO 12 SF	2.00	EA	\$ -	\$ -
42.	0700 5 50	INTERNALLY ILLUMINATED SIGN, RELOCATE	2.00	EA	\$ -	\$ -
SUBTOTAL SIGNALS						\$ -
LIGHTING						
43.	0630 2 11	CONDUIT, FURNISH & INSTALL, OPEN TRENCH	25.00	LF	\$ -	\$ -
44.	0635 2 11	PULL & SPLICE BOX, F&I, 17" x 30" COVER SIZE	1.00	EA	\$ -	\$ -
45.	0715 1 12	LIGHTING CONDUCTORS, FURNISH AND INSTALL, INSULATED, NO. 8-6	300.00	LF	\$ -	\$ -
46.	0715 1 60	LIGHTING CONDUCTORS, REMOVE AND DISPOSE, CONTRACTOR OWNS	300.00	LF	\$ -	\$ -
47.	0715 4 60	LIGHT POLE COMPLETE, RELOCATE	1.00	EA	\$ -	\$ -
48.	0715 500 1	POLE CABLE DISTRIBUTION SYSTEM, CONVENTIONAL	1.00	EA	\$ -	\$ -
SUBTOTAL LIGHTING						\$ -
SIGNING & PAVEMENT MARKINGS						
49.	0700 1 11	SINGLE POST SIGN, F&I GROUND MOUNT, UP TO 12 SF	5.00	AS	\$ -	\$ -
50.	0700 1 50	SINGLE POST SIGN, RELOCATE	1.00	AS	\$ -	\$ -
51.	0700 1 60	SINGLE POST SIGN, REMOVE	2.00	AS	\$ -	\$ -
52.	0706 1 3	RAISED PAVEMENT MARKER, TYPE B	86.00	EA	\$ -	\$ -
53.	0710 90	PAINTED PAVEMENT MARKINGS, FINAL SURFACE	1.00	LS	\$ -	\$ -
54.	0711 11123	THERMOPLASTIC, STANDARD, WHITE, SOLID, 12" FOR CROSSWALK AND ROUNDABOUT	136.00	LF	\$ -	\$ -
55.	0711 11125	THERMOPLASTIC, STANDARD, WHITE, SOLID, 24" FOR STOP LINE	52.00	LF	\$ -	\$ -
56.	0711 11141	THERMOPLASTIC, STANDARD, WHITE, 2-4 DOTTED GUIDELINE/ 6-10 GAP EXTENSION, 6"	0.015	GM	\$ -	\$ -
57.	0711 11160	THERMOPLASTIC, STANDARD, WHITE, MESSAGE OR SYMBOL	4.00	EA	\$ -	\$ -
58.	0711 11170	THERMOPLASTIC, STANDARD, WHITE, ARROW	13.00	EA	\$ -	\$ -
59.	0711 11224	THERMOPLASTIC, STANDARD, YELLOW, SOLID, 18" FOR DIAGONAL OR CHEVRON	37.00	LF	\$ -	\$ -
60.	0711 16101	THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SOLID, 6"	0.324	GM	\$ -	\$ -
61.	0711 16201	THERMOPLASTIC, STANDARD-OTHER SURFACES, YELLOW, SOLID, 6"	0.291	GM	\$ -	\$ -
SUBTOTAL SIGNING & PAVEMENT MARKINGS						\$ -
SUBTOTAL (PROJECT NO. 6076861) - Based on Completion Time of 245 Calendar Days						\$ -
CONTRACT CONTINGENCY WORK (USED ONLY WITH COUNTY APPROVAL) - 10%						\$ -
TOTAL (PROJECT NO. 6076861) with Contract Contingency - Based on Completion of 245 Calendar Days						\$ -

Bidder Name: _____

Authorized Signatur: _____