



1112 Manatee Avenue West  
Bradenton, FL 34205  
[purchasing@mymanatee.org](mailto:purchasing@mymanatee.org)

### Solicitation Addendum

---

Addendum No.:	2
Solicitation No.:	21-TA003701DJ
Project No.:	6080560
Solicitation Title:	Honore Avenue at Cooper Creek Boulevard Traffic Signal
Addendum Date:	June 1, 2021
Procurement Contact:	Dave Janney Senior Procurement Agent

**IFBC 21-TA003701DJ is amended as set forth herein. Responses to questions posed by prospective bidders are provided below. This Addendum is hereby incorporated in and made a part of IFBC 21-TA003701DJ.**

### CHANGE TO:

#### **ADVERTISEMENT, SECOND PARAGRAPH, DATE, TIME AND PLACE DUE:**

The Due Date and Time for submission of Bids in response to this IFBC is June 18, 2021 at 11:00 AM ET. Bids must be delivered to the following location: Manatee County Administration Building, 1112 Manatee Ave. W., Suite 803, Bradenton, FL 34205 prior to the Due Date and Time.

### QUESTIONS AND RESPONSES:

#### **Q1. Please provide Proposal Budget Estimate for bid bond.**

R1. The engineers estimated opinion of cost is \$941,671.06. Per Bid Attachment 1, Insurance and Bond Requirements, Bond Requirements;

*A Bid Bond in the amount of 5% of the total offer. Bid bond shall be submitted with the sealed response and shall include project name, location, and / or address and project number. In lieu of the bond, the bidder may file an alternative form of security in the amount of 5% of the total offer, in the form of a money order, a certified check, a cashier's check, or an irrevocable letter of credit issued to Manatee County. NOTE: A construction project over \$200,000 requires a Bid Bond in the amount of 5% of the total bid offer.*

**NOTE:**

Items that are ~~struck through~~ are deleted. Items that are underlined have been added or changed. All other terms and conditions remain as stated in the IFBC.

**INSTRUCTIONS:**

Receipt of this Addendum must be acknowledged as instructed in the solicitation document. Failure to acknowledge receipt of this Addendum may result in the response being deemed non-responsive.

**END OF ADDENDUM**

AUTHORIZED FOR RELEASE