

PRELIMINARY SITE PLAN / FINAL SITE PLAN / CONSTRUCTION PLANS FOR

FT. HAMER PARK, PHASE II

PART OF SECTION 17, TOWNSHIP 34 SOUTH, RANGE 19 EAST,
MANATEE COUNTY, FLORIDA


A PROJECT BY

MANATEE BOARD OF COUNTY COMMISSIONERS


1112 MANATEE AVENUE, SUITE 803
BRADENTON, FLORIDA 34205
PHONE: (941) 748-4501

NOTES

1. TOTAL PROPERTY BOUNDARY AREA: 10.23± AC
2. TOTAL SWFWMD ERP PROJECT AREA = 8.26± AC
3. BOUNDARY DATA SHOWN IS FOR INFORMATIONAL PURPOSES ONLY AND DOES NOT CONSTITUTE A BOUNDARY SURVEY.
4. THE PROJECT WILL CONSIST OF A PUBLIC RECREATIONAL/PARK FACILITY.
5. PRESENT ZONING IS PLANNED DEVELOPMENT-RESIDENTIAL (PD-R). THE SITE IS LOCATED WITHIN THE NORTH CENTRAL OVERLAY DISTRICT (NCO).
6. THE PROJECT IS 100% OPEN SPACE/RECREATIONAL.
7. THE EXISTING LAND USE IS RECREATIONAL/VACANT/AGRICULTURAL.
8. PROJECT IS LOCATED WITHIN FLOOD ZONES AE AND X AS PER LATEST FEMA FIRM. COMM. PANEL NO. 120153/02200, REVISED TO REFLECT LOMR (EFFECTIVE 3/13/08).
9. SANITARY SEWER AND POTABLE WATER SERVICE IS PROVIDED VIA EXISTING FACILITIES MAINTAINED BY MANATEE COUNTY. NO NEW SANITARY SEWER OR POTABLE WATER EXTENSIONS OR SERVICES ARE PROPOSED AT THIS TIME.
10. THE DEVELOPMENT SHALL ADHERE TO SECTION 715 OF THE MANATEE COUNTY LAND DEVELOPMENT CODE (LDC). REPLACEMENT TREES SHALL BE INCLUDED IN THE REQUIRED LANDSCAPING. LANDSCAPE AND BUFFER AREAS WILL BE PROVIDED IN ACCORDANCE WITH THE MANATEE COUNTY LDC. SEE LANDSCAPE PLANS ENCLOSED.
11. ALL REQUIRED SITE IMPROVEMENTS SHALL BE CONSTRUCTED IN ACCORDANCE WITH SECTION 722, "INSTALLATION OF REQUIRED IMPROVEMENTS", OF THE MANATEE COUNTY LDC.
12. THERE ARE NO KNOWN EXISTING PLATS AND/OR HISTORIC SITES ON THIS SITE. ALL EXISTING EASEMENTS AND BUILDINGS ARE SHOWN ON THE SITE PLAN. THE EXISTING FORT HAMER ROAD PUBLIC RIGHT-OF-WAY WILL BE VACATED WITHIN THE PROJECT LIMITS AND WILL BECOME PART OF THE PUBLIC PARK PROPERTY.
13. THERE ARE NO KNOWN EXISTING COVENANTS OR DEED RESTRICTIONS WHICH WOULD AT THIS TIME AFFECT THE PROPOSED DEVELOPMENT.
14. THIS PROJECT HAS BEEN DESIGNED TO PROVIDE REASONABLE ASSURANCE THAT ALL APPLICABLE PERMITS CAN BE OBTAINED.
15. THE STORMWATER MANAGEMENT SYSTEM FOR THIS DEVELOPMENT WILL BE MAINTAINED BY MANATEE COUNTY.
16. THE EXISTING WETLANDS WILL HAVE A POST-DEVELOPED 30' AVERAGE BUFFER. WETLANDS AND WETLAND BUFFERS WITHIN THE PROPERTY WILL BE PLACED IN A CONSERVATION EASEMENT.
17. CONSTRUCTION SCHEDULE:
APPROXIMATE START DATE: JAN 2013
APPROXIMATE END DATE: JAN 2016
18. TOPOGRAPHY IS COMPILED FROM FIELD INFORMATION OBTAINED BY ZOLLER, NAJJAR, & SHROYER, L.C., MANATEE COUNTY, AND WILSONMILLER STANTEC. ALL EXISTING AND PROPOSED ELEVATIONS ARE IN NATIONAL GEODETIC VERTICAL DATUM (1929).
19. PARKING LOT LIGHTING IS PROPOSED AND WILL BE IN ACCORDANCE WITH SECTION 709 OF THE MANATEE COUNTY LDC.
20. ALL COMMON IMPROVEMENTS AND OPEN SPACE WITHIN THE SITE WILL BE MAINTAINED BY MANATEE COUNTY.
21. THE STORMWATER MANAGEMENT SYSTEM HAS BEEN DESIGNED IN ACCORDANCE WITH MANATEE COUNTY REQUIREMENTS, AND CHAPTER 62-343 F.A.C. REQUIREMENTS.
22. ALL EXISTING WETLANDS ON-SITE HAVE BEEN LOCATED AND ARE SHOWN ON THE PLANS. SWFWMD AND USACE PERMITS WILL BE OBTAINED AS REQUIRED.
23. IN ORDER TO MEET THE PARKING DEMANDS ANTICIPATED BY MANATEE COUNTY, THE FOLLOWING PARKING SPACES ARE PROPOSED:
74 VEHICLE PARKING SPACES (INCLUDES 4 HANDICAP SPACES - 5.4%)
17 BOAT TRAILER PARKING SPACES
4 TEAM ROWING TRAILER PARKING SPACES
24. NO NEW BUILDING SQUARE FOOTAGE/GROSS FLOOR AREA IS PROPOSED WITH THIS PROJECT.
25. THERE ARE NO KNOWN WELLS ON SITE.
26. THERE ARE NO KNOWN PERENNIAL STREAMS ON SITE. THE MANATEE RIVER IS LOCATED ADJACENT TO THE PROJECT ALONG THE SOUTHERN PROPERTY LINE.
27. ALL PROPOSED SIGNAGE WILL BE IN ACCORDANCE WITH THE MANATEE COUNTY LAND DEVELOPMENT CODE.
28. DRAINAGE AND UTILITY EASEMENTS WILL BE PROVIDED AS REQUIRED BY THE MANATEE COUNTY LAND DEVELOPMENT CODE.
29. ALL SEDIMENT AND EROSION CONTROL DEVICES SHALL BE IN PLACE PRIOR TO CONSTRUCTION ACTIVITIES.
30. ALL EXISTING FEATURES ARE LABELED AS EXISTING ON THE SITE PLAN SHEETS. ALL OTHER FEATURES NOT LABELED EXISTING, ARE PROPOSED.
31. ALL PROPOSED SETBACKS AND BUFFERS ARE SHOWN ON THE SITE PLAN.
32. ALL DRIVEWAYS AND DRIVE AISLES WILL BE CONSTRUCTED IN ACCORDANCE WITH THE MANATEE COUNTY LDC AND WILL BE MAINTAINED BY MANATEE COUNTY. ALL TRAFFIC CONTROL SIGNAGE AND PAVEMENT MARKINGS, SHALL CONFORM TO FDOT AND MUTCD STANDARDS.
33. SOLID WASTE WILL BE STORED IN A DUMPSTER ENCLOSURE ON-SITE AND COLLECTED BY MANATEE COUNTY WASTE MANAGEMENT.
34. THE SITE IS LOCATED WITHIN THE MAPPED MANATEE COUNTY 25-YEAR FLOODPLAIN.



LOCATION MAP



SITE MAP

INDEX TO SHEETS - SITE WORK

SHEET NO.	DESCRIPTION
1	COVER SHEET
2	AERIAL LOCATION MAP/KEY SHEET
3	SITE PLAN
4	PAVING AND DRAINAGE PLAN - WEST
5	PAVING AND DRAINAGE PLAN - EAST
5A	OFFSITE FLOODPLAIN COMPENSATION PLAN AND DETAILS
6	FLOATING DOCK PLAN AND DETAILS
7	TYPICAL SECTIONS AND CONSTRUCTION DETAILS
8	PAVING DETAILS
9	DRAINAGE DETAILS
10	DRAINAGE DETAILS
11	CROSS SECTIONS
12	BEST MANAGEMENT PRACTICES PLAN
13	BEST MANAGEMENT PRACTICES DETAILS
LP-101	LANDSCAPE PLANTING PLAN
LP-401	LANDSCAPE TREE REMOVAL / CONSERVATION PLAN
LP-601	LANDSCAPE PLANTING NOTES & DETAILS
LS-401	LANDSCAPE GROUNDCOVER / SURFACES PLAN
LI-101	LANDSCAPE IRRIGATION PLAN
LI-501	LANDSCAPE IRRIGATION DETAILS
LI-502	LANDSCAPE IRRIGATION DETAILS & NOTES

INDEX TO SHEETS - SITE LIGHTING

SHEET NO.	DESCRIPTION		
E0.0	ELECTRICAL LEGEND, NOTES, AND PANEL SCHEDULE		
E0.1	ELECTRICAL DETAILS		
E1.1	SITE PHOTOMETRIC PLAN – FC VALUES AT 0' AFG		
E1.2	SITE PHOTOMETRIC PLAN – FC VALUES AT 5' AFG		
E1.3	SITE PLAN – ELECTRICAL		
</			

STATUS : REVISIONS

ENGINEER TECHNICIAN ANATOLY OLIMPIYUK	PROJECT MANAGER J. MICHAEL BELL, P.E. FLORIDA LICENSE NO. 40874	PROJECT ENGINEER DANIEL J. BOND, P.E. FLORIDA LICENSE NO. 57969
--	---	---

PRELIMINARY SITE PLAN/FINAL SITE PLAN/CONSTRUCTION PLANS
PROJECT NAME: FT. HAMER PARK, PHASE II

APPROVED _____ Date _____ File Number _____	Project Planner (PD) _____ Project Engineer (PW) _____ Concurrency (PD) _____ Environmental Planning (PD) _____ Environmental Health _____ Fire District _____ Owner/Agent _____	Attention: A copy of this approved plan and the approval letter must be provided to the contractor and submitted with your application for a building permit.
---	--	---


RESERVED FOR STATUS AND DATE STAMPS

PROJECT NUMBER 215610582 220
--


DATE NOVEMBER 2011	INDEX NUMBER D-215610582-001
------------------------------	--



6900 Professional Parkway East, Sarasota, FL 34240
Phone 941-907-6900 • Fax 941-907-6910
Certificate of Authorization #43 • FL Lic. # LC-C000170 • www.stantec.com



				ACTIVITY		INITIALS/EMP. NO.	DATE	WilsonMiller Stantec 6900 Professional Parkway East, Sarasota, FL 34240 Phone 941-907-6900 • Fax 941-907-6910 Certificate of Authorization #43 • FL Lic. # LC-0000170 • www.stantec.com	CLIENT:		MANATEE BOARD OF COUNTY COMMISSIONERS		DATE: NOVEMBER 2011	TITLE:		DANIEL J. BOND, P.E. FLORIDA LICENSE NO. 57969 INDEX NUMBER: D-215610582-002 SHEET NUMBER: 2 OF 13	
E	REVISE OFFSITE FLOODPLAIN COMPENSATION AREA			10/29/13	ATO/89520	DESIGNED BY:			ATO/89520	12/14/11	PROJECT:		FT. HAMER PARK, PHASE II	VERTICAL SCALE: 1"=60'	AERIAL LOCATION MAP/KEY SHEET		
B	UPDATE BASE LINEWORK PER COUNTY COMMENTS			10/18/12	DJB/89366	DRAWN BY:					CROSS REFERENCE FILE NO.:			PROJECT NUMBER:	215610582 220		
A	REVISED FLOODPLAIN COMPENSATION AREA			9/19/12	DJB/89366	CHECKED BY:					SHEET NUMBER:				2 OF 13		
ΔREV NO.	REVISION			DATE	DRAWN BY / EMP. NO.	CHECKED BY / EMP. NO.	WM APPROVED BY:										



MATCH LINE -- SEE SHEET 5

REV.	REVISION	DATE	DRAWN BY / EMP. NO.	CHECKED BY / EMP. NO.	WM APPROVED BY:	ACTIVITY	INITIALS/EMP. NO.	DATE	CUSTOMER:	PROJECT:	DATE:	TITLE:	DRAWN BY:	INDEX NUMBER:	SHEET NUMBER:
B	ADD NOTE 10; ADD BUFFER ENCRHMT AND COMP AREAS FOR SW; ADD CONC PVMT FOR PED. CROSSING	10/18/12	DJB/89366			DESIGNED BY:			MANATEE BOARD OF COUNTY COMMISSIONERS	FT. HAMER PARK, PHASE II	NOVEMBER 2011	PAVING AND DRAINAGE PLAN -- WEST			
A	ADD TOB AREA TO DRY RETENTION AREA #1; ADD FLOODPLAIN COMP LAKE BC INFORMATION	9/7/12	DJB/89366			DRAWN BY:	ATO/89520	12/14/11							
						CHECKED BY:									
						CONTRACT ADMIN. BY:									

WilsonMiller **Stantec**

6900 Professional Parkway East, Sarasota, FL 34240
Phone 941-907-6900 • Fax 941-907-6910
Certificate of Authorization #43 • FL Lic. # LC-C000170 • www.stantec.com

CUSTOMER:

MANATEE BOARD OF COUNTY COMMISSIONERS

PROJECT:

FT. HAMER PARK, PHASE II

DATE:

NOVEMBER 2011

TITLE:

PAVING AND DRAINAGE PLAN -- WEST

DRAWN BY:

DANIEL J. BOND, P.E.

INDEX NUMBER:

D-215610582-004

SHEET NUMBER:

4 OF 13

- NOTES:
- ALL PVC STORM PIPE SHALL BE SDR 35 & WHITE IN COLOR.
 - THE LOCATION AND DEPTH OF ALL EXISTING UTILITIES AS SHOWN ARE APPROXIMATE. CONTRACTOR TO LOCATE ALL EXISTING UTILITIES PRIOR TO CONSTRUCTION AND PROTECT THEM FROM DAMAGE.
 - ALL STORM GRATES SHALL CONSIST OF EITHER CAST IRON OR GALVANIZED STEEL.
 - ALL DISTURBED AREAS SHALL BE STABILIZED AS SOON AS POSSIBLE TO MINIMIZE EROSION.
 - CONTRACTOR SHALL COORDINATE THE REMOVAL/RELOCATION OF EXISTING FACILITIES (FENCING, GATES, POSTS, SIGNAGE, ETC.) WITH THE COUNTY.
 - THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ANY REQUIRED TEMPORARY DEWATERING PERMITS THROUGH THE FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION (FDEP).
 - ANY TREE ROOTS INADVERTENTLY DAMAGED IN THE DEMOLITION, REMOVAL, AND RE-GRADING PROCESS SHALL BE CLEANLY SEVERED USING A SHARP PRUNING SAW OR LOPPERS TO PRESENT A CLEAN SMOOTH FACE. NO FRAYED OR SPLIT ROOTS SHALL BE LEFT WITHOUT CORRECTION.
 - TREE ROOTS EXPOSED DURING CONSTRUCTION SHALL HAVE A SUITABLE BROAD SPECTRUM FUNGICIDE APPLIED SUCH AS "SUBDUCE MAXX" (Mefenoxam) OR APPROVED EQUAL. THIS APPLICATION SHALL BE APPLIED AT LABELED RATES AND ACCORDING TO LABELED DIRECTIONS PRIOR TO THE INTRODUCTION OF ANY BACKFILL.
 - 1/2" WASHED SHELL SHALL BE A MINIMUM OF 6" THICK, WITH THE EXCEPTION OF THE DRIVEWAY/PARKING AREA WHICH SHALL BE 1-1/2" THICK (SEE WASHED SHELL PAVEMENT SECTION DETAIL).
 - THE CONTRACTOR MAY PLACE MULCH DIRECTLY ON TOP OF EXISTING SHELL MATERIAL ONCE FINISHED GRADE IS ESTABLISHED. WHERE SOD IS PROPOSED, THE EXISTING SHELL SHALL BE MINIMALLY EXCAVATED WHERE NEEDED TO PROVIDE A 3" LAYER OF CLEAN TOP SOIL UNDERNEATH THE SOD.

- TOPOGRAPHIC LEGEND
- 00.00BC = BACK OF CURB
 - 00.00CL = CENTER LINE
 - 00.00DD = EDGE OF DRIVE
 - 00.00EC = EDGE OF CONCRETE/WALK
 - 00.00EP = EDGE OF PAVEMENT
 - 00.00ES = EDGE OF SHELL/LUMBEROCK
 - 00.00EW = EDGE OF WATER
 - 00.00FB = FENCE, BARB WIRE
 - 00.00FW = FENCE, WOOD
 - 00.00FL = FLOW LINE
 - 00.00GB = GRADE BREAK
 - 00.00HW = HEADWALL
 - 00.00IN = INVERT OF PIPE
 - 00.00LB = RIVER BOTTOM
 - 00.00MC = MISCELLANEOUS
 - 00.00MW = MEAN HIGH WATER LINE
 - 00.00SW = EDGE OF CONCRETE/WALK
 - 00.00TB = TOP OF BANK
 - 00.00TS = TOE OF SLOPE
 - 00.00WD = WOOD DECK
 - 00.00 = GROUND ELEVATION
- NOTE: 00.0(0) denotes an elevation in feet with the decimal point being the location of the elevation (NGVD 1929).

- SYMBOLS LEGEND FOR EXISTING FACILITIES
- Electrical Panel
 - Clean Out
 - Valve Box
 - Fire Hydrant
 - Mitered End
 - Sign
 - Telephone Riser/Meter
 - Concrete Utility Pole
 - Electrical Box


- CONFLICTS LEGEND
- Construct Storm Sewer Under Existing Water & Sewer Services
 - Construct Storm Sewer Over Existing Sanitary Sewer Service
 - Construct Storm Sewer Under Existing Sanitary Sewer Service
 - Construct Storm Sewer Under Existing Water & Fire Services
 - Construct Storm Sewer Over Existing Water Services

- LEGEND
- POND/ DRY RETENTION AREA
 - EXISTING POND
 - WETLAND
 - LITTORAL ZONE
 - CONCRETE PAD/SIDEWALK
 - EXISTING CONCRETE SIDEWALK
 - EXISTING SHELL DRIVE
 - PERVIOUS CONCRETE PLAZA
 - EXISTING BUILDING
 - 1/2" WASHED SHELL (SEE NOTE 9)
 - EXISTING SHELL TO BE REMOVED & REPLACED WITH MULCH/SOD. SEE LANDSCAPE PLANS FOR SOD/MULCH LOCATIONS. (SEE NOTE 10)
 - EXISTING DITCHES TO BE FILLED
 - EXISTING ASPHALT, BASE & SUBGRADE (TO BE REMOVED)
 - EXISTING ASPHALT TO BE MILLED AND REPLACED WITH A MINIMUM OF 1-1/2" TYPE S-III ASPHALT

- STRUCTURE NOTES
- STR # 11 STORM MANHOLE (4' DIA.) FOOT TYPE 'J-7' (ALT A) INDEX #200 & 201 (USF 170-E "STORM") RIM ELEV = 9.90 INV NW = 1.17 INV NE = 6.68 INV S = 0.67
 - STR # 18 FOOT TYPE 'C' INLET (INDEX 232) GRATE ELEV = 6.00 INV S = 3.00 INV NE = 2.90
 - STR # 19 TYPE 'J' INLET GRATE ELEV = 7.40 INV E = 3.27 INV N = 3.17
 - STR # 24 12" DRAIN BASIN (STD. GRATE) GRATE ELEV = 6.65 INV N = 2.05 INV S = 0.39
 - STR # 25 STORM MANHOLE (4' DIA.) FOOT TYPE 'J-7' (ALT A) INDEX #200 & 201 (USF 170-E "STORM") RIM ELEV = 7.60 INV N = 0.29 INV S = 1.00 INV S = 0.39
 - STR # 4 MITERED END INV = 4.20
 - STR # 5 TYPE 'J' INLET GRATE ELEV = 9.00 INV W = 5.50
 - STR # 9 12" DRAIN BASIN (STD. GRATE) GRATE ELEV = 8.10 INV E = 4.10
 - STR # 10 12" DRAIN BASIN (STD. GRATE) GRATE ELEV = 8.30 INV W = 4.04 INV SE = 1.70
 - STR # 7 MITERED END INV = 8.70
 - STR # 6 MITERED END INV = 8.85

- STRUCTURE NOTES
- STR # 11 STORM MANHOLE (4' DIA.) FOOT TYPE 'J-7' (ALT A) INDEX #200 & 201 (USF 170-E "STORM") RIM ELEV = 9.90 INV NW = 1.17 INV NE = 6.68 INV S = 0.67
 - STR # 18 FOOT TYPE 'C' INLET (INDEX 232) GRATE ELEV = 6.00 INV S = 3.00 INV NE = 2.90
 - STR # 19 TYPE 'J' INLET GRATE ELEV = 7.40 INV E = 3.27 INV N = 3.17
 - STR # 24 12" DRAIN BASIN (STD. GRATE) GRATE ELEV = 6.65 INV N = 2.05 INV S = 0.39
 - STR # 25 STORM MANHOLE (4' DIA.) FOOT TYPE 'J-7' (ALT A) INDEX #200 & 201 (USF 170-E "STORM") RIM ELEV = 7.60 INV N = 0.29 INV S = 1.00 INV S = 0.39
 - STR # 4 MITERED END INV = 4.20
 - STR # 5 TYPE 'J' INLET GRATE ELEV = 9.00 INV W = 5.50
 - STR # 9 12" DRAIN BASIN (STD. GRATE) GRATE ELEV = 8.10 INV E = 4.10
 - STR # 10 12" DRAIN BASIN (STD. GRATE) GRATE ELEV = 8.30 INV W = 4.04 INV SE = 1.70
 - STR # 7 MITERED END INV = 8.70
 - STR # 6 MITERED END INV = 8.85

MATCH LINE – SEE SHEET 4



- NOTES:**
1. ALL PVC STORM PIPE SHALL BE SDR 35 & WHITE IN COLOR.
 2. THE LOCATION AND DEPTH OF ALL EXISTING UTILITIES AS SHOWN ARE APPROXIMATE. CONTRACTOR TO LOCATE ALL EXISTING UTILITIES PRIOR TO CONSTRUCTION AND PROTECT THEM FROM DAMAGE.
 3. ALL STORM GRATES SHALL CONSIST OF EITHER CAST IRON OR GALVANIZED STEEL.
 4. ALL DISTURBED AREAS SHALL BE STABILIZED AS SOON AS POSSIBLE TO MINIMIZE EROSION.
 5. CONTRACTOR SHALL COORDINATE THE REMOVAL/RELOCATION OF EXISTING FACILITIES (FENCING, GATES, POSTS, SIGNAGE, ETC.) WITH THE COUNTY.
 6. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ANY REQUIRED TEMPORARY DEWATERING PERMITS THROUGH THE FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION (FDEP).
 7. ANY TREE ROOTS INADVERTENTLY DAMAGED IN THE DEMOLITION, REMOVAL, AND RE-GRADING PROCESS SHALL BE CLEANLY SEVERED USING A SHARP PRUNING SAW OR LOPPERS TO PRESENT A CLEAN SMOOTH FACE. NO FRAYED OR SPLIT ROOTS SHALL BE LEFT WITHOUT CORRECTION.
 8. TREE ROOTS EXPOSED DURING CONSTRUCTION SHALL HAVE A SUITABLE BROAD SPECTRUM FUNGICIDE APPLIED SUCH AS "SUBDUE MAXX" (Mefenoxam) OR APPROVED EQUAL. THIS APPLICATION SHALL BE APPLIED AT LABELED RATES AND ACCORDING TO LABELED DIRECTIONS PRIOR TO THE INTRODUCTION OF ANY BACKFILL.
 9. 1/2" WASHED SHELL SHALL BE A MINIMUM OF 6" THICK, WITH THE EXCEPTION OF THE DRIVEWAY/PARKING AREA WHICH SHALL BE 1-1/2" THICK (SEE WASHED SHELL PAVEMENT SECTION DETAIL).
 10. THE CONTRACTOR MAY PLACE MULCH DIRECTLY ON TOP OF EXISTING SHELL MATERIAL ONCE FINISHED GRADE IS ESTABLISHED. WHERE SOD IS PROPOSED, THE EXISTING SHELL SHALL BE MINIMALLY EXCAVATED WHERE NEEDED TO PROVIDE A 3" LAYER OF CLEAN TOP SOIL UNDERNEATH THE SOD.

TOPOGRAPHIC LEGEND

- 00.00BC = BACK OF CURB
- 00.00CL = CENTER LINE
- 00.00DW = EDGE OF DRIVE
- 00.00EC = EDGE OF CONCRETE/WALK
- 00.00EP = EDGE OF PAVEMENT
- 00.00ES = EDGE OF SHELL/LIMEROCK
- 00.00EW = EDGE OF WATER
- 00.00FB = FENCE, BARB WIRE
- 00.00FW = FENCE, WOOD
- 00.00FL = FLOW LINE
- 00.00GB = GRADE BREAK
- 00.00HW = HEADWALL
- 00.00IN = INVERT OF PIPE
- 00.00LB = RIVER BOTTOM
- 00.00MC = MISCELLANEOUS
- 00.00MW = MEAN HIGH WATER LINE
- 00.00SW = EDGE OF CONCRETE/WALK
- 00.00TB = TOP OF BANK
- 00.00TS = TOE OF SLOPE
- 00.00WD = WOOD DECK
- 00.0 = GROUND ELEVATION

NOTE: 00.0(0) denotes an elevation in feet with the decimal point being the location of the elevation (NGVD 1929).

SYMBOLS LEGEND FOR EXISTING FACILITIES

- ELECTRICAL PANEL
- CLEAN OUT
- VALVE BOX
- FIRE HYDRANT
- METER
- SIGN
- TELEPHONE RISER/METER
- CONCRETE UTILITY POLE

LEGEND

- POND/ DRY RETENTION AREA
- EXISTING POND
- WETLAND
- LITTORAL ZONE
- CONCRETE PAD/SIDEWALK
- EXISTING CONCRETE SIDEWALK
- EXISTING SHELL DRIVE
- EXISTING BUILDING
- 1/2" WASHED SHELL (SEE NOTE 9)
- EXISTING SHELL TO BE REMOVED & REPLACED WITH MULCH/SOD. SEE LANDSCAPE PLANS FOR SOD/MULCH LOCATIONS. (SEE NOTE 10).
- EXISTING DITCHES TO BE FILLED
- EXISTING ASPHALT, BASE & SUBGRADE (TO BE REMOVED)
- EXISTING ASPHALT TO BE MILLED AND REPLACED WITH A MINIMUM OF 1-1/2" TYPE S-III ASPHALT

- INLET
- ENDWALL
- STORM CLEANOUT
- YARD DRAIN
- CONTROL STRUCTURE
- DIRECTION OF STORM FLOW
- MITERED END SECTION
- WHEEL STOP
- EDGE OF PAVEMENT GRADE = E.P.
- SIDEWALK GRADE = SW
- GROUND GRADE = GND
- HIGH POINT GRADE = HP
- LOW POINT GRADE = LP
- SWALE FLOWLINE GRADE = FL
- MATCH EXISTING = M.E.
- BUILDING FINISH FLOOR ELEVATION
- POND #X
- NWL = XX.XX
- DHWL (25 YR) = XX.XX
- TOB = XX.XX
- DIRECTION OF DRAINAGE FLOW
- DIRECTIONAL ARROW
- PAVEMENT MARKINGS
- PAVEMENT INVERTED CROWN


E				REVISION	DATE	DESIGNED BY	INITIALS/EMP. NO.	DATE	ACTIVITY			
B				ADD NOTE 10	10/29/13	ATO/89520			DRAWN BY			
A				ADD TOB AREA TO POND #2 AND POND #3; REVISED FLOODPLAIN COMP AREA	10/18/12	DJB/89366			CHECKED BY			
					9/7/12	DJB/89366			CONTRACT ADMIN. BY			
									WM APPROVED BY			

CLIENT:	MANATEE BOARD OF COUNTY COMMISSIONERS	DATE:	NOVEMBER 2011	TITLE:	PAVING AND DRAINAGE PLAN – EAST	DRAWN BY:	DJB/89366	CHECKED BY:	DJB/89366	DATE:	12/14/11
PROJECT:	FT. HAMER PARK, PHASE II	VERTICAL SCALE:	1"=30'	CROSS REFERENCE FILE NO.:	215610582 220	SEC.:	17	TWP.:	34S	R.:	19E

Wilson Miller Stantec

6800 Professional Parkway East, Sarasota, FL 34240
Phone 941.907.6900 • Fax 941.907.6910
Certificate of Authorization #43 • FL Lic. # LC-0000170 • www.stantec.com


DANIEL J. BOND, P.E.
FLORIDA LICENSE NO. 57969
D-215610582-005
SHEET NUMBER
5 OF 13



- LEGEND**
- POND/ DRY RETENTION AREA
 - WETLAND
 - LITTORAL ZONE
 - EXISTING SHELL DRIVE

- INLET
ENDWALL
GROUND GRADE = GND
MATCH EXISTING = M.E.

- TOPOGRAPHIC LEGEND**
- 00.00BC = BACK OF CURB
 - 00.00CL = CENTER LINE
 - 00.00DW = EDGE OF DRIVE
 - 00.00EC = EDGE OF CONCRETE/WALK
 - 00.00EP = EDGE OF PAVEMENT
 - 00.00ES = EDGE OF SHELL/LIMEROCK
 - 00.00EW = EDGE OF WATER
 - 00.00FB = FENCE, BARB WIRE
 - 00.00FW = FENCE, WOOD
 - 00.00FL = FLOW LINE
 - 00.00GB = GRADE BREAK
 - 00.00HW = HEADWALL
 - 00.00INV = INVERT OF PIPE
 - 00.00LB = LITTORAL ZONE
 - 00.00MC = MISCELLANEOUS
 - 00.00MW = MEAN HIGH WATER LINE
 - 00.00SW = EDGE OF CONCRETE/WALK
 - 00.00TB = TOP OF BANK
 - 00.00TS = TOE OF SLOPE
 - 00.00WD = WOOD DECK
 - 00.0 = GROUND ELEVATION
- NOTE: 00.0(0) denotes an elevation in feet with the decimal point being the location of the elevation (NGVD 1929).



CONSTRUCTION SURFACE WATER MANAGEMENT PLAN (CSWMP) CERTIFICATION

OWNER/APPLICANT SIGNATURE _____ DATE _____

OWNER: CHARLIE BISHOP
TITLE: DIRECTOR
COMPANY: MANATEE COUNTY PROPERTY MANAGEMENT DEPARTMENT

				ACTIVITY	INITIALS/EMP. NO.	DATE	WilsonMiller Stantec 6900 Professional Parkway East, Sarasota, FL 34240 Phone 941-907-6900 • Fax 941-907-6910 Certificate of Authorization #43 • FL Lic. # LC-C000170 • www.stantec.com	CLIENT:	MANATEE BOARD OF COUNTY COMMISSIONERS		DATE:	JUNE 2012		TITLE:	OFFSITE FLOODPLAIN COMPENSATION PLAN AND DETAILS		DANIEL J. BOND, P.E. FLORIDA LICENSE NO. 57969			
				DESIGNED BY:				PROJECT:	FT. HAMER PARK, PHASE II		HORIZONTAL SCALE:	1" = 30'		VERTICAL SCALE:	N/A		INDEX NUMBER:	D-215610582-005A		
E				REVISE FLOODPLAIN COMPENSATION AREA	10/29/13	ATO/89520		CHECKED BY:			SECTION:	TWP:	RGE:	CROSS REFERENCE FILE NO.:			PROJECT NUMBER:	215610582 220		
A				REVISE FLOODPLAIN COMP BOTTOM ELEV; REVISE SECTION V-V; ADD STRS 26/27	9/19/12	DJB/89366		CONTRACT ADMIN. BY:			17	345	19E					SHEET NUMBER:	5A OF 13	
ΔREV. NO.		REVISION		DATE	DRAWN BY / EMP. NO.			CHECKED BY / EMP. NO.	WM APPROVED BY:											