



1112 Manatee Avenue West
Bradenton, FL 34205
purchasing@mymanatee.org

Solicitation Addendum

| | |
|----------------------|---|
| Addendum No.: | 4 |
| Solicitation No.: | 21-TA003713AJ |
| Project No.: | 6105280 |
| Solicitation Title: | Bradenton Beach Gravity Sewer Replacement |
| Addendum Date: | August 18, 2021 |
| Procurement Contact: | Abigail Jenkins |

IFBC No. 21-TA003713AJ is amended as set forth herein. Responses to questions posed by prospective bidders are provided below. This Addendum is hereby incorporated in and made a part of IFBC No. 21-TA003713AJ.

CHANGE TO:

APPENDIX A, MINIMUM QUALIFICATIONS, ITEM NO 3.

Must have possessed a General Contractor license or Underground Utility Contractor Licenses issued by the Florida Department of Business and Professional Regulation for a period of at least three (3) consecutive years since ~~June 1, 2018~~ June 1, 2016. License must be current and valid through the Due Date for submission of bids for this IFBC.

Provide a copy of Bidder's General Contractor license or Underground Utility Contractor Licenses issued by the Florida Department of Business and Professional Regulation and documentation confirming Bidder has been licensed and/or certified for the period of ~~June 1, 2018~~ June 1, 2016, through the date of submission of the Bid.

CHANGE TO:

APPENDIX A, MINIMUM QUALIFICATIONS, ITEM NO 4.

Bidder has provided gravity sewer rehabilitation for at least three (3) projects since ~~June 1, 2018~~ June 1, 2016 in which each project included the following components: (i) gravity sewer rehabilitation; (ii) connection of service laterals, bypass pumping; (iii) restoration of manholes, sidewalks and pavement. Project clients must be agreeable to responding to an inquiry by the County.

Provide the following information for the three (3) qualifying project references.

- a) Name of client**
- b) Project name**
- c) Location (City/State)**
- d) Client contact name**
- e) Contact phone**

- f) **Contact email**
- g) **Service dates (Start/End)**

REPLACE:

SECTION B, BID FORMS APPENDIX K REVISED BID PRICING FORM

Replace Section B Appendix K, Revised Bid Pricing Form issued with Addendum 3 with the Attachment Appendix K, Revision No. 2 Bid Pricing Form issued with this Addendum 4.

REPLACE:

ELECTRONIC BID PRICING FORM APPENDIX K REVISED

Replace Electronic Bid Pricing Form Appendix K, Revised issued with Addendum 3 with the Electronic Bid Pricing Form Appendix K, Revision No. 2 issued with this Addendum 4 and available for download as a separate document.

QUESTIONS AND RESPONSES:

- Q1. Reference Bid Form, Bid Item 25, Connection to Existing Manhole, bid form shows 3-each, plans show 2-each, one at Existing MH #1 and one at Existing MH #3, where is the third one?**
 - R1. Bid item 25 has been reduced to 2-each revised in Appendix K, Revision No. 2, Addendum 4.
- Q2. Reference Addendum Three, QUESTIONS AND RESPONSES, response R3 to question Q3, the thicknesses of material given in this response does not agree with the thickness the Measurement and Payment description for Bid Item No. 31 gives us, please review.**
 - R2. The thickness of the FDOT bank run shell in measurement and payment does match Q3 response, Addendum 3.
- Q3. Reference plan sheets C-05 – C-11, the 16-inch water main shown in profile view along the east side of Gulf Drive, what type of pipe is this, ductile iron, PVC, or asbestos cement?**
 - R3. Cast Iron Pipe.
- Q4. Reference plan sheet C-10, at the west side of Gulf Drive, opposite of 8th Street South, there is a recently installed large FPL transformer and the Addendum Three plans do not show it, why?**
 - R4. The transformer concrete pad and new conduit are shown on sheet C-10.
- Q5. Reference Addendum Three, QUESTIONS AND RESPONSES, responses to Q44 – Q46, obviously the responses issued for these questions were not professionally reviewed and are not acceptable. With the recent installation of the buried electric lines, that we do not know how deep they are, makes connecting to the Close Tolerance directional drilled pipe and installing the 6-inch service pipe in the F.D.O.T. R/W even worse. Since the properties these connections are intended to serve, are currently being served and functioning, why not make a design change and use the pipe that is already providing service? It will be impossible to excavate to the necessary depth and maintain a safe trench with these other utilities buried in the right-of-way.**

- R5. The Contractor shall use the means and methods necessary to construct the 6-inch service laterals in the areas shown in the Plans and Specifications. If temporary relocation of utilities or sheeting/shoring is required, the Contractor shall reflect these methods in their unit pricing.
- Q6. Reference Bid Form, Bid Item 32, the Measurement and Payment description for this item does not specify a thickness the shell material is to be installed or reference a detail we are to follow, please clarify thickness and or provide a detail.**
- R6. Contractor to match existing shell/rock material and thickness.
- Q7. Our Company currently holds both a General Contractors License and Underground Utilities Contractors Licenses. These 2 professional licenses should be more than adequate to qualify us to bid this sewer project. The minimum qualifications indicated in the specifications are too restrictive given the limited number of sewer projects available in the marketplace. We are respectfully requesting the elimination of the “gravity sewer replacement for at least 3 projects since June 1, 2018.....” requirements from the qualifications.**
- R7. Requirements changed to 3 projects within 5 years.

NOTE:

Items that are ~~struck through~~ are deleted. Items that are underlined have been added or changed. All other terms and conditions remain as stated in the IFBC.

INSTRUCTIONS:

Receipt of this Addendum must be acknowledged as instructed in the solicitation document. Failure to acknowledge receipt of this Addendum may result in the response being deemed non-responsive.

END OF ADDENDUM

AUTHORIZED FOR RELEASE

Jacob Erickson, Digitally signed by
MBA, CPPO, Jacob Erickson, MBA,
NIGP-CPP CPPO, NIGP-CPP
 Date: 2021.08.17
 13:18:03 -04'00'

| APPENDIX K REVISION NO. 2 | | | | | |
|--|--|----------|----|------------|-------------|
| BID FORM | | | | | |
| BRADENTON BEACH GRAVITY REPLACEMENT | | | | | |
| Bid "A" BASED ON 670 CALENDAR DAY FOR COMPLETION | | | | | |
| Bidder must provide a prices for each line item for their bid to be considered responsive. | | | | | |
| ITEM | DESCRIPTION | QUANTITY | | UNIT PRICE | AMOUNT |
| I. MISCELLANEOUS | | | | | |
| 1 | Mobilization (10%) | 1 | LS | | |
| 2 | Maintenance of Traffic | 1 | LS | | |
| 3 | Erosion and Sediment Control | 1 | LS | | |
| 4 | Clearing and Grubbing | 1 | LS | | |
| 5 | Preconstruction Video | 1 | LS | | |
| 6 | Project Signs | 1 | LS | | |
| 7 | Record Drawings | 1 | LS | | |
| SUBTOTAL | | | | | \$ - |
| II. PROPOSED IMPROVEMENTS | | | | | |
| 8 | 12" PVC SDR 26 Sanitary Sewer Main (Open Cut) | 190 | LF | | |
| 9 | 8" PVC SDR 26 Sanitary Sewer Main (Open Cut) | 2050 | LF | | |
| 10 | 10" PVC C900 DR 25 Sanitary Sewer Main (Open Cut) | 1000 | LF | | |
| 11 | 8" PVC C900 DR 25 Sanitary Sewer Main (Open Cut) | 975 | LF | | |
| 12 | 8" PVC C900 DR 18 Certalok (Close Tolerance HDD) | 550 | LF | | |
| 13 | Cap and Replace Service Lateral (Right of Way) - 8-inch x 6-inch SDR 26 WYE (Addendum No. 3) | 69 | EA | | |
| 14 | Cap and Replace Service Lateral (Right of Way) - 8-inch x 6-inch PVC C900 WYE (6" Branch to fit SDR 26 Service) CTHDD Tie-Ins (Addendum No. 3) | 9 | EA | | |
| 15 | Cap and Replace Service Lateral (Right of Way) - 8-inch x 6-inch PVC C900 WYE (6" Branch to fit SDR 26 Service) 13th Street Tie-Ins (Addendum No. 3) | 8 | EA | | |
| 16 | Cap and Replace Service Lateral (Right of Way) - 12-inch x 6-inch PVC SDR 26 WYE | 7 | EA | | |
| 17 | Construct and Connect Service Lateral (Private Property) | 34 | EA | | |
| 18 | Construct Service Lateral (Private Property) (Addendum No. 3) | 200 | LF | | |
| 19 | Cut In Manhole | 1 | EA | | |
| 20 | Precast Polymer Concrete Manhole (Addendum No. 3) | 3 | EA | | |
| 21 | Standard Precast Concrete Manhole | 14 | EA | | |

Bidder Name:

Bidder Signature:

| APPENDIX K REVISION NO. 2 | | | | | |
|--|---|----------|----|------------|--------|
| BID FORM | | | | | |
| BRADENTON BEACH GRAVITY REPLACEMENT | | | | | |
| Bid "A" BASED ON 670 CALENDAR DAY FOR COMPLETION | | | | | |
| Bidder must provide a prices for each line item for their bid to be considered responsive. | | | | | |
| ITEM | DESCRIPTION | QUANTITY | | UNIT PRICE | AMOUNT |
| 22 | Precast Polymer Concrete Drop Manhole (Addendum No. 3) | 5 | EA | | |
| 23 | Connection to Existing 4" Force Main, Manhole Tie In, Below Grade Air Release Valve, Fittings, and Associated Appurtenances | 1 | LS | | |
| 24 | Connection to Existing Lift Station Wet Well | 1 | EA | | |
| 25 | <u>Connection to Existing Manhole (Addendum No. 4)</u> | <u>2</u> | EA | | |
| 26 | Demolish Existing Manhole Cone, Ring, and Cover and Fill Abandoned Manhole with Compacted Soil | 25 | EA | | |
| 27 | Pavement Full Depth Road Restoration (Addendum No. 3) | 4940 | SY | | |
| 28 | Sidewalk & Concrete Driveway Restoration | 400 | SY | | |
| 29 | Brick Driveway Restoration | 120 | SY | | |
| 30 | Sodding | 900 | SY | | |
| 31 | Shell Road Restoration (Addendum No. 3) | 4100 | SY | | |
| 32 | Shell Restoration (Addendum No. 3) | 920 | SY | | |
| 33 | Mailbox Removal and Replacement | 20 | EA | | |
| 34 | Grout Fill and Abandon Existing Sanitary Sewer & 4" Force Main | 100 | CY | | |
| 35 | Modify Existing Sanitary Service Lateral | 13 | EA | | |
| 36 | Relocate Existing Water Main Service Lateral | 3 | EA | | |
| 37 | Removal and Replacement of Unsuitable Material, Including Limerock, Brick, Concrete, Mucky Sand (Addendum No. 3) | 1045 | CY | | |
| 38 | FDOT Pavement Repair and Restoration: Mill and Resurfacing (Addendum No. 3) | 360 | SY | | |
| 39 | FDOT Full Depth Road Restoration (Addendum No. 3) | 60 | SY | | |
| 40 | Bypass Pumping | 1 | LS | | |

Bidder Name:

Bidder Signature:

| APPENDIX K REVISION NO. 2 BID FORM BRADENTON BEACH GRAVITY REPLACEMENT Bid "A" BASED ON 670 CALENDAR DAY FOR COMPLETION Bidder must provide a prices for each line item for their bid to be considered responsive. | | | | | |
|---|----------------------------|----------|----|------------|--------|
| ITEM | DESCRIPTION | QUANTITY | | UNIT PRICE | AMOUNT |
| PROPOSED IMPROVEMENTS SUBTOTAL | | | | | \$ - |
| SUBTOTAL TOTAL BASE BID | | | | | \$ - |
| 41 | Contract Contingency (10%) | 10% | LS | | \$ - |
| TOTAL BID "A" PRICE INCLUDING TOTAL CONSTRUCTION COSTS | | | | | \$ - |
| BASED ON 670 CALENDAR DAY COMPLETION | | | | | \$ - |
| | | | | | |
| | | | | | |

Bidder Name:

Bidder Signature:

| APPENDIX K REVISION NO. 2 | | | | | |
|--|--|----------|----|------------|-------------|
| BID FORM | | | | | |
| BRADENTON BEACH GRAVITY REPLACEMENT | | | | | |
| Bid "B" BASED ON 760 CALENDAR DAY FOR COMPLETION | | | | | |
| Bidder must provide a prices for each line item for their bid to be considered responsive. | | | | | |
| ITEM | DESCRIPTION | QUANTITY | | UNIT PRICE | AMOUNT |
| I. MISCELLANEOUS | | | | | |
| 1 | Mobilization (10%) | 1 | LS | | |
| 2 | Maintenance of Traffic | 1 | LS | | |
| 3 | Erosion and Sediment Control | 1 | LS | | |
| 4 | Clearing and Grubbing | 1 | LS | | |
| 5 | Preconstruction Video | 1 | LS | | |
| 6 | Project Signs | 1 | LS | | |
| 7 | Record Drawings | 1 | LS | | |
| SUBTOTAL | | | | | \$ - |
| II. PROPOSED IMPROVEMENTS | | | | | |
| 8 | 12" PVC SDR 26 Sanitary Sewer Main (Open Cut) | 190 | LF | | |
| 9 | 8" PVC SDR 26 Sanitary Sewer Main (Open Cut) | 2050 | LF | | |
| 10 | 10" PVC C900 DR 25 Sanitary Sewer Main (Open Cut) | 1000 | LF | | |
| 11 | 8" PVC C900 DR 25 Sanitary Sewer Main (Open Cut) | 975 | LF | | |
| 12 | 8" PVC C900 DR 18 Certalok (Close Tolerance HDD) | 550 | LF | | |
| 13 | Cap and Replace Service Lateral (Right of Way) - 8-inch x 6-inch SDR 26 WYE (Addendum No. 3) | 69 | EA | | |
| 14 | Cap and Replace Service Lateral (Right of Way) - 8-inch x 6-inch PVC C900 WYE (6" Branch to fit SDR 26 Service) CTHDD Tie-Ins (Addendum No. 3) | 9 | EA | | |
| 15 | Cap and Replace Service Lateral (Right of Way) - 8-inch x 6-inch PVC C900 WYE (6" Branch to fit SDR 26 Service) 13th Street Tie-Ins (Addendum No. 3) | 8 | EA | | |
| 16 | Cap and Replace Service Lateral (Right of Way) - 12-inch x 6-inch PVC SDR 26 WYE | 7 | EA | | |
| 17 | Construct and Connect Service Lateral (Private Property) | 34 | EA | | |
| 18 | Construct Service Lateral (Private Property) (Addendum No. 3) | 200 | LF | | |
| 19 | Cut In Manhole | 1 | EA | | |
| 20 | Precast Polymer Concrete Manhole (Addendum No. 3) | 3 | EA | | |
| 21 | Standard Precast Concrete Manhole | 14 | EA | | |

Bidder Name:

Bidder Signature:

| APPENDIX K REVISION NO. 2 BID FORM BRADENTON BEACH GRAVITY REPLACEMENT Bid "B" BASED ON 760 CALENDAR DAY FOR COMPLETION Bidder must provide a prices for each line item for their bid to be considered responsive. | | | | | |
|---|---|----------|----|------------|--------|
| ITEM | DESCRIPTION | QUANTITY | | UNIT PRICE | AMOUNT |
| 22 | Precast Polymer Concrete Drop Manhole (Addendum No. 3) | 5 | EA | | |
| 23 | Connection to Existing 4" Force Main, Manhole Tie In, Below Grade Air Release Valve, Fittings, and Associated Appurtenances | 1 | LS | | |
| 24 | Connection to Existing Lift Station Wet Well | 1 | EA | | |
| 25 | <u>Connection to Existing Manhole (Addendum No. 4)</u> | <u>2</u> | EA | | |
| 26 | Demolish Existing Manhole Cone, Ring, and Cover and Fill Abandoned Manhole with Compacted Soil | 25 | EA | | |
| 27 | Pavement Full Depth Road Restoration (Addendum No. 3) | 4940 | SY | | |
| 28 | Sidewalk & Concrete Driveway Restoration | 400 | SY | | |
| 29 | Brick Driveway Restoration | 120 | SY | | |
| 30 | Sodding | 900 | SY | | |
| 31 | Shell Road Restoration (Addendum No. 3) | 4100 | SY | | |
| 32 | Shell Restoration (Addendum No. 3) | 920 | SY | | |
| 33 | Mailbox Removal and Replacement | 20 | EA | | |
| 34 | Grout Fill and Abandon Existing Sanitary Sewer & 4" Force Main | 100 | CY | | |
| 35 | Modify Existing Sanitary Service Lateral | 13 | EA | | |
| 36 | Relocate Existing Water Main Service Lateral | 3 | EA | | |
| 37 | Removal and Replacement of Unsuitable Material, Including Limerock, Brick, Concrete, Mucky Sand (Addendum No. 3) | 1045 | CY | | |
| 38 | FDOT Pavement Repair and Restoration: Mill and Resurfacing (Addendum No. 3) | 360 | SY | | |
| 39 | FDOT Full Depth Road Restoration (Addendum No. 3) | 60 | SY | | |
| 40 | Bypass Pumping | 1 | LS | | |

Bidder Name:

Bidder Signature:

| APPENDIX K REVISION NO. 2 | | | | | |
|--|----------------------------|----------|----|------------|--------|
| BID FORM | | | | | |
| BRADENTON BEACH GRAVITY REPLACEMENT | | | | | |
| Bid "B" BASED ON 760 CALENDAR DAY FOR COMPLETION | | | | | |
| Bidder must provide a prices for each line item for their bid to be considered responsive. | | | | | |
| ITEM | DESCRIPTION | QUANTITY | | UNIT PRICE | AMOUNT |
| PROPOSED IMPROVEMENTS SUBTOTAL | | | | | \$ - |
| SUBTOTAL TOTAL BASE BID | | | | | \$ - |
| 41 | Contract Contingency (10%) | 10% | LS | | \$ - |
| TOTAL BID "B" PRICE INCLUDING TOTAL CONSTRUCTION COSTS BASED ON 760 CALENDAR DAY COMPLETION | | | | | \$ - |
| | | | | | |
| | | | | | |

Bidder Name:

Bidder Signature: