

FRONT SECTION/ELEVATION

RIGHT-SIDE SECTION/ELEVATION

CONTROLLER SCHEDULE

ZONE NO.	GPM	VALVE SIZE	TYPE
1	10.1	1"	DRIP
2	8.3	1"	DRIP
3	SPARE		

1. HUNTER PRO-C SERIES MODEL PC 3001 WALL MOUNT IRRIGATION CONTROLLER
   ANCHOR SECURELY TO WALL
2. 1/2" CONDUIT FOR ELECTRICAL POWER CONDUCTORS PER LOCAL AND NATIONAL CODES
3. 2" CONDUIT FOR REMOTE CONTROL VALVES AND SENSOR WIRES
   SECURE TO WALL WITH APPROPRIATE PIPE CLAMPS
4. FINISHED SURFACE

HUNTER PRO-C SERIES CONTROLLER

NTS



TRENCHING DETAIL

NTS



HUNTER ICV SERIES CONTROL VALVE

NTS

NOTE:

1. TECHLINE TUBING TO BE ROUTED IN THE PLANT MATERIAL BED WITH AT MAXIMUM LATERAL SPACING OF 12 INCHES.

2. TECHLINE TUBING TO BE INSTALLED IN A GRID PATTERN, TECHLINE TUBING SHALL NOT BE INSTALLED IN A LONG CONTINUOUS RUN.



* NOT TO EXCEED 5 GPM OR (300 LF TECHLINE) FOR EACH SUPPLY POINT

NETAFIM TECHLINE CONNECTION POINT "A"

NTS



* NOT TO EXCEED 5 GPM OR (300 LF TECHLINE) FOR EACH SUPPLY POINT

NOTE:

1. TECHLINE TUBING TO BE ROUTED IN THE PLANT MATERIAL BED WITH AT MAXIMUM LATERAL SPACING OF 12 INCHES.

2. TECHLINE TUBING TO BE ROUTED ALONG EACH SIDE OF PLANT MATERIAL WHERE APPLICABLE FOR HEDGE ROW PLANTING.

3. TECHLINE TUBING TO BE INSTALLED IN A GRID PATTERN, TECHLINE TUBING SHALL NOT BE INSTALLED IN A LONG CONTINUOUS RUN.

NETAFIM TECHLINE CONNECTION POINT "A" END FEED

NTS



NOTE:

1. TECHLINE TUBING TO BE ROUTED IN THE PLANT MATERIAL BED WITH AT MAXIMUM LATERAL SPACING OF 12 INCHES.

2. TECHLINE TUBING TO BE INSTALLED IN A GRID PATTERN, TECHLINE TUBING SHALL NOT BE INSTALLED IN A LONG CONTINUOUS RUN.

MULTIPULE TECHLINE CONNECTION SUPPLIES FROM SINGLE CONTROL VALVE

NTS

IRRIGATION NOTES

48 HOURS BEFORE YOU DIG
CALL SUNSHINE
1-800-432-4770
IT'S THE LAW IN FLORIDA

FL STATUE 553.851 (1979) REQUIRES MIN. OF 2 DAYS AND MAX. OF 5 DAYS NOTICE BEFORE YOU EXCAVATE. FDOT MAINTENANCE YARD TO BE CONTACTED 72 HOURS PRIOR TO BEGINNING CONSTRUCTION.

North

Burdette & Associates, Inc.
LANDSCAPE ARCHITECTURE • PLANNING
1304 63rd Street Northwest Bradenton, Florida 34209 941-748-9500
Email: bburdette@burdetteassociates.com Website: www.burdetteassociates.com

This document is for the sole use of the client for the project in which it was prepared. Reuse of any part of this drawing for any other project without written authorization is prohibited and Burdette & Associates, Inc. shall not be held liable. Consent is hereby granted specifically to governmental agencies to reproduce this document in compliance with F.S. Chapter 119.

IRRIGATION DETAILS FOR:
LINCOLN SPLASH PARK
17TH STREET EAST
MANATEE COUNTY, FLORIDA

Job #: 9015
Date: 8/16/2010
Revisions: 8/20/2010

Sheet #
L-3
of 3

Date

Beverly Zoller Burdette
Registered Landscape Architect
FL License No. LA 0001685