

1112 Manatee Avenue West Bradenton, FL 34205 purchasing@mymanatee.org

Solicitation Addendum

| Addendum No.: Solicitation No.: Project No.: Solicitation Title: | 3 21-TA003637DJ 6097270 Cortez Gardens Subdivision Water Main Replacement March 17, 2021 |
|---|--|
| Addendum Date: | March 17, 2021 |
| Procurement Contact: | Dave Janney |
| | Senior Procurement Agent |

IFBC 21-TA003637DJ is amended as set forth herein. Responses to questions posed by prospective bidders are provided below. This addendum is hereby incorporated in and made a part of IFBC 21-TA003637DJ.

REPLACE:

SECTION B, BID FORMS, REVISED APPENDIX K, PRICING FORM

Replace Revised Appendix K, Pricing Form, with the Revised 2 Appendix K that is issued with this Addendum No. 3.

QUESTIONS AND RESPONSES:

- Q1. In addendum # 1 question # 10 was asked if any backflow preventers were needed and the response was yes that Manatee County would provide them.
 - a. How many backflows?
 - b. Will a licensed plumber be required to hook them up and certify them for the first year?
- R1. a. Backflow preventers will be required at each water service connection for a total of 31 backflow preventers.

b. Yes, the backflow preventers will need to be certified to ensure the backflow preventers are functioning properly.

- Q2. If there are no permits required for the backflows and hook ups to the meter and homeowners then why would the contractor need a licensed plumber? The contractor obtains a license in underground utilities to work on these projects.
- R2. Manatee County Cross Connection Control, Utilities Department: CERTIFIED BACKFLOW PREVENTER TESTERS, Testing must be completed by a contractor registered with the Cross Connection Control office. The contractor must possess a valid, up-to-date plumbing license, current insurance, backflow preventer testing certification, and currently calibrated test kit. For testing of Fireline backflow preventers, the State's Fire Marshal certificate is required.

Q3. In addendum # 1 revised bid form, items 20,21, 22 & 23 do not add up. Should item # 21 be 223 tons and item 22 be 49 tons? Please clarify.

R3. The quantities for each bid item are specified below.

Bid Item 20 – 5,407 SY Bid Item 21 – 223 TN Bid Item 22 – 49 TN Bid Item 23 – 634 SY

The Pricing Form has been revised to reflect these changes, see attached.

NOTE:

Items that are struck through are deleted. Items that are <u>underlined</u> have been added or changed. All other terms and conditions remain as stated in the IFBC.

INSTRUCTIONS:

Receipt of this addendum must be acknowledged as instructed in the solicitation document. Failure to acknowledge receipt of this Addendum may result in the response being deemed non-responsive.

END OF ADDENDUM

AUTHORIZED FOR RELEASE

APPENDIX K, BID PRICING FORM (REVISED 2) 21-TA003637 DJ, CORTEZ GARDENS SUBDIVISION WATER MAIN REPLACEMENT COUNTY PROJECT NO. 6097270 BID A BASED ON 275 CALENDAR DAYS

| ITEM NO. | DESCRIPTION | UNITS | QTY. | UNIT PRICE (\$) | EXTENDED PRICE (\$) |
|----------|--|-------|-------|--------------------|---------------------------|
| 1 | Grout Abandoned 4" Pipe | LF | 1,654 | | |
| 2 | Grout Abandoned 6" Pipe | LF | 45 | | |
| 3 | F&I 4" Caps | EA | 4 | | |
| 4 | F&I 6" Caps | EA | 1 | | |
| 5 | F&I 6" Polyvinyl Chloride (PVC) Pipe | LF | 533 | | |
| 6 | F&I 6" Class 350 Ductile Iron (DIP) Pipe | LF | 720 | | |
| 7 | F&I 6" Gate Valve | EA | 11 | | |
| 8 | F&I 6" Sleeves | EA | 6 | | |
| 9 | F&I Water Services Connection (Short 1" Polyethylene Pipe) | EA | 18 | | |
| 10 | F&I Water Services Connection (Long 1" Polyethylene Pipe) | EA | 13 | | |
| 11 | Remove Water Meter Box Assembly | EA | 70 | | |
| 12 | F&I Fire Hydrant Assembly | EA | 2 | | |
| 13 | F&I Water Meter Box Assembly | EA | 32 | | |
| 14 | F&I 6" X 6" Tee | EA | 5 | | |
| 15 | F&I 6" 45° Bend | EA | 13 | | |
| 16 | F&I 6" 90° Bend | EA | 3 | | |
| 17 | Re-Establish Residential Service Lines | EA | 32 | | |
| 18 | Maintenance of Traffic (MOT) | LS | 1 | | |
| 19 | Erosion And Sedimentation Control | LS | 1 | | |
| 20 | Milling Asphalt Pavement (¾" Average Thickness) | SY | 5,407 | | |
| 21 | F&I Asphaltic Concrete Overlay (³ / ₄ " Average Thickness) | TN | 223 | | |
| 22 | F&I Asphaltic Concrete With Prime Coat (1 ¹ / ₄ " Average Thickness) | TN | 49 | | |
| 23 | F&I Full Base (8" Minimum Thickness) | SY | 634 | | |
| 24 | Removal of Concrete | SY | 555 | | |
| 25 | F&I Concrete Driveway | SY | 481 | | |
| 26 | F&I Concrete Curb and Gutter | LF | 227 | | |
| 27 | F&I Concrete Valley Crossing | LF | 75 | | |
| 28 | F&I SOD | SY | 1,537 | | |
| | | ~ . | 1,007 | | |
| | SubTotal Construction Cost | | | | |
| 29 | Mobilization | LS | 1 | | |
| 30 | Miscellaneous Work & Clean Up | LS | 1 | | |
| 31 | Record Drawings | LS | 1 | | |
| 32 | Contract Contingency (10% of Subtotal Construction Cost) | % | 10% | | |
| | Total Construction Cost | | 2070 | | |

APPENDIX K, BID PRICING FORM (REVISED 2) 21-TA003637 DJ, CORTEZ GARDENS SUBDIVISION WATER MAIN REPLACEMENT COUNTY PROJECT NO. 6097270 BID B BASED ON 365 CALENDAR DAYS

| ITEM NO. | DESCRIPTION | UNITS | QTY. | UNIT PRICE (\$) | EXTENDED PRICE (\$) |
|----------|--|-------|-------|--------------------|---------------------------|
| 1 | Grout Abandoned 4" Pipe | LF | 1,654 | | |
| 2 | Grout Abandoned 6" Pipe | LF | 45 | | |
| 3 | F&I 4" Caps | EA | 4 | | |
| 4 | F&I 6" Caps | EA | 1 | | |
| 5 | F&I 6" Polyvinyl Chloride (PVC) Pipe | LF | 533 | | |
| 6 | F&I 6" Class 350 Ductile Iron (DIP) Pipe | LF | 720 | | |
| 7 | F&I 6" Gate Valve | EA | 11 | | |
| 8 | F&I 6" Sleeves | EA | 6 | | |
| 9 | F&I Water Services Connection (Short 1" Polyethylene Pipe) | EA | 18 | | |
| 10 | F&I Water Services Connection (Long 1" Polyethylene Pipe) | EA | 13 | | |
| 11 | Remove Water Meter Box Assembly | EA | 70 | | |
| 12 | F&I Fire Hydrant Assembly | EA | 2 | | |
| 13 | F&I Water Meter Box Assembly | EA | 32 | | |
| 14 | F&I 6" X 6" Tee | EA | 5 | | |
| 15 | F&I 6" 45° Bend | EA | 13 | | |
| 16 | F&I 6" 90° Bend | EA | 3 | | |
| 17 | Re-Establish Residential Service Lines | EA | 32 | | |
| 18 | Maintenance of Traffic (MOT) | LS | 1 | | |
| 19 | Erosion And Sedimentation Control | LS | 1 | | |
| 20 | Milling Asphalt Pavement (¾" Average Thickness) | SY | 5,407 | | |
| 21 | F&I Asphaltic Concrete Overlay (3/4" Average Thickness) | TN | 223 | | |
| 22 | F&I Asphaltic Concrete With Prime Coat (1 ¹ / ₄ " Average Thickness) | TN | 49 | | |
| 23 | F&I Full Base (8" Minimum Thickness) | SY | 634 | | |
| 24 | Removal of Concrete | SY | 555 | | |
| 25 | F&I Concrete Driveway | SY | 481 | | |
| 26 | F&I Concrete Curb and Gutter | LF | 227 | | |
| 27 | F&I Concrete Valley Crossing | LF | 75 | | |
| 28 | F&I SOD | SY | 1,537 | | |
| | SubTotal Construction Cost | | | | |
| 29 | Mobilization | LS | 1 | | |
| 30 | Miscellaneous Work & Clean Up | LS | 1 | | |
| 31 | Record Drawings | LS | 1 | | |
| 32 | Contract Contingency (10% of Subtotal Construction Cost) | % | 10% | | |
| | Total Construction Cost | | | | |

BIDDER NAME_____

BIDDER SIGNATURE_____