

**MANATEE COUNTY GOVERNMENT**  
***NOTICE OF INTENT TO AWARD***  
**A SINGLE SOURCE CONTRACT**

<b>SUBJECT/TITLE</b>	Stair Chair, Stair-Pro Model 6252	<b>DATE POSTED</b>	MC Website _____
<b>PROCUREMENT REPRESENTATIVE</b>	Stacia Branco	<b>DATE CONTRACT SHALL BE AWARDED</b>	June 1, 2023
<b>DEPARTMENT</b>	Public Safety	<b>REQUISITION NO.</b>	R082039
<b>AUTHORIZED BY</b>	Jacob Erickson, Purchasing Official	<b>SIGNATURE DATE</b>	

**NOTICE OF INTENT TO AWARD A SINGLE SOURCE CONTRACT**

The Manatee County Procurement Division provides notice of its intent to award a single source contract with a value of \$167,016.40 with Stryker for the provision of forty (40) stair chairs, Stair-Pro model 6252 for emergency patient transportation.

**ENABLING/REGULATING AUTHORITY**

**Federal/State law(s), administrative ruling(s), Manatee County Comp Plan/Land Development Code, ordinances, resolutions, policy.**

Manatee County Code of Laws

**BACKGROUND/DISCUSSION**

Manatee County Procurement Division has completed a due diligence review and intends to procure stair chair, Stair-Pro model 6252 from Stryker without conducting a competitive solicitation process for the following reason(s):

The County's Emergency Medical Services needs to replace their current stock of stair chairs that have reached the end of their useful lifespan. Stryker provides technical support, procare service plans, product resources, training, and education on all their products. The stair chair utilizes innovative Stair-Tread system, which allows medical personnel to transport patients downstairs without lifting. Stryker's pricing is consistent with market research on the value of similar stair chairs, which can support comparable weight and the required attachments.

Any company that believes it can provide this good/service, must submit detailed information about its good/service to the Manatee County Procurement Division at [purchasing@mymanatee.org](mailto:purchasing@mymanatee.org) no later than May 31, 2023 for evaluation and consideration.

