

INVITATION FOR BID #09-1403JS REPAIR AND REFURBISH PUMPS AND PUMP MOTORS

Manatee County, a political subdivision of the State of Florida (hereinafter "Manatee County" or the "County") will receive bids from individuals, corporations, partnerships, and other legal entities authorized to do business in the State of Florida.

INFORMATION CONFERENCE

In order to insure that all prospective Bidders have sufficient information and understanding of the County's needs, an <u>information conference</u> will be held <u>June 25</u>, <u>2009 at 10:00 A.M.</u> at the Manatee County Administrative Center, Purchasing Conference Room, 1112 Manatee Avenue West, Suite 803, Bradenton, Florida.

DEADLINE FOR CLARIFICATION REQUESTS: June 30, 2009 at 3:00 P.M.

DATE DUE AND TIME

Bids will be received until <u>July 16, 2009 at 3:00 P.M.</u> at which time they will be <u>publicly</u> <u>opened</u>. All interested parties are invited to attend this opening.

CONTENTS OF THIS INVITATION FOR BID

CONTINUE OF THE STATE OF THE ST	
Section A: Information to Bidders	pages 2 - 9
Section B: General Terms and Conditions	
Section C: Specific Terms and Conditions	pages 11 - 14
Section D: Technical Specifications	pages 15 - 22
Section E: Local preference Law and Vendor Registration	pages 23 - 26
Section F: Basis of Award	pages 27
Section G: Bid Form	pages 28 - 51
Drug Free Work Place Certification	Attachment A
Environmental Crimes Certification	
No Bid Form	Attachment C

Important note: A prohibition of Lobbying has been enacted.

Please review paragraph A.21 carefully to avoid violation and possible sanctions.

FOR INFORMATION CONTACT:

JESSICA SMITH

PHONE (941) 749-3043 FAX (941) 749-3034

EMAIL: jessica.smith@mymanatee.org

AUTHORIZED FOR RELEASE: ___

SECTION A: INFORMATION TO BIDDERS

A.01 OPENING LOCATION

These bids will be <u>publicly opened</u> at Manatee County Purchasing, 1112 Manatee Avenue West, 8th Floor, Suite 803, Bradenton, Florida 34205, in the presence of County officials at the time and date stated on the cover sheet. All Bidders or their representatives are invited to attend.

A.02 BID INFORMATION AND PROPOSAL DOCUMENTS Bids and Proposals on http://www.mymanatee.org

Bid documents and the Notices of Source Selection related to those Bids are available for download in a portable document format (.PDF) file on the Manatee County web page on the Purchasing tab under "Bids and Proposals." You may view and print these files using Adobe Acrobat software. You may download a free copy of Adobe Acrobat from the County's web page if necessary.

Manatee County collaborates with the Manatee Chamber of Commerce on distributing solicitations using the RFP Tool on the Chambers' website, http://www.manateechamber.com to post Bid documents in a portable document format (.PDF) file. This step is in addition to the posting on Manatee County Government web site.

Manatee County may also use an internet service provider to distribute Bids. A link to that service, http://www.DemandStar.com is provided on this website under the Tab "DemandStar". Participation in the DemandStar system is not a requirement for doing business with Manatee County.

Note: The County posts Notice of Source Selection(s) for seven calendar days prior to the effective date of the award for purchases in Category Four and above (greater than \$250,000.00).

IT IS THE RESPONSIBILITY OF EACH VENDOR, PRIOR TO SUBMITTING THEIR BID, TO CONTACT THE MANATEE COUNTY PURCHASING OFFICE (see contact information on page 1 of this document) TO DETERMINE IF ADDENDA WERE ISSUED AND TO MAKE SUCH ADDENDA A PART OF THEIR BID.

A public internet connection is available during regular business hours in the lobby of the Purchasing Division. If you have questions which cannot be answered by these sources, please contact the individual named on the front page of the Bid.

A.03 BID FORM DELIVERY REQUIREMENTS

Any bids received after the stated time and date will not be considered. It shall be the sole responsibility of the Bidder to have their bid delivered to the Manatee County Purchasing office for receipt on or before the stated time and date. If a bid is sent by U.S. Mail, the Bidder shall be responsible for its timely delivery to the Purchasing Office. Bids delayed by mail shall not be considered, shall not be opened at the public opening, and arrangements shall be made for their return at the Bidder's request and expense.

A.04 DEADLINE FOR CLARIFICATION REQUESTS

<u>June 30, 2009 at 3:00 P.M.</u> shall be the deadline to submit all inquiries, suggestions, or requests concerning interpretation, clarification or additional information pertaining to the Invitation for Bid to the Manatee County Purchasing Office.

This deadline has been established to maintain fair treatment for all potential bidders, while maintaining the expedited nature of the Economic Stimulus that the contracting of this work may achieve.

A.05 CLARIFICATION & ADDENDA

Each Bidder shall examine all Invitation for Bids documents and shall judge all matters relating to the adequacy and accuracy of such documents. Any inquiries, suggestions or requests concerning interpretation, clarification or additional information pertaining to the Invitation for Bid shall be made through the Manatee County Purchasing Office. The County shall not be responsible for oral interpretations given by any County employee, representative, or others. The issuance of a written addendum is the only official method whereby interpretation, clarification or additional information can be given.

If any addenda are issued to this Invitation for Bid, the County will BROADCAST THE ADDENDA ON THE MANATEE CHAMBER OF COMMERCE WEB SITE AND ONVIA DEMANDSTAR, IF USED, TO "PLANHOLDERS" IDENTIFIED ON THIS WEB SERVICE; however, it shall be the responsibility of each Bidder, prior to submitting their bid, to contact the Manatee County Purchasing Office (see contact information on page 1) to determine if addenda were issued and to make such addenda a part of their bid.

A.06 SEALED & MARKED

One original and two copies of your bid shall be submitted in one sealed package, clearly marked on the outside "<u>IFB #09-1403JS Repair and Refurbish Pumps and Pump Motors</u>" and addressed to:

Manatee County Purchasing 1112 Manatee Avenue West, Suite 803 Bradenton, FL 34205

A.07 LEGAL NAME

Bids shall clearly indicate the legal name, address and telephone number of the Bidder (company, firm, partnership, individual). Bids shall be signed above the typed or printed name and title of the signer. The signer shall have the authority to bind the Bidder to the submitted bid.

A.08 BID EXPENSES

All expenses for making bids to the County are to be borne by the Bidder.

A.09 IRREVOCABLE OFFER

Any bid may be withdrawn up until the date and time set for opening of the bid. Any bid not so withdrawn shall, upon opening, constitute an <u>irrevocable offer for a period of 90 days</u> to sell to Manatee County the goods or services set forth in the attached specifications until one or more of the bids have been duly accepted by the County.

A.10 DISCLOSURE

Upon receipt, all inquires and responses to inquires related to this Invitation for Bid become "Public Records" and are subject to public disclosure consistent with Chapter 119, Florida Statutes.

Bids become "Public Records" ten (10) days after the bid opening or if an award decision is made earlier than this time as provided by Florida Statue 119.071. No announcement or review of the bid documents shall be conducted at the public opening of the bids.

Based on the above, Manatee County will receive bids at the date and time stated, and will make public at the opening the names of the business entities of all that submitted an offer and any amount presented as a total offer without any verification of the mathematics or the completeness of the offer. Upon the expiration of the statutory term for exemption the actual documents may be inspected or copied. When County staff have completed a mathematic validation and inspected the completeness of the offers, the tabulation shall be posted on www.mymanatee.org.

A.11 RESERVED RIGHTS

The County reserves the right to accept or reject any and/or all bids, to waive irregularities and technicalities, and to request resubmission. Also, the County reserves the right to accept all or any part of the bid and to increase or decrease quantities to meet additional or reduced requirements of the County. Any sole response received by the first submission date may or may not be rejected by the County depending on available competition and current needs of the County. For all items combined, the bid of the lowest responsive, responsible bidder will be accepted, unless all bids are rejected. The lowest responsible bidder shall mean that bidder who makes the lowest bid to sell goods and/or services of a quality which conforms closest to or most exceeds the quality of goods and/or services set forth in the attached specifications or otherwise required by the County, and who is fit and capable to perform the bid as made.

A.11 RESERVED RIGHTS (cont'd)

To be <u>responsive</u>, a bidder shall submit a bid which conforms in all material respects to the requirements set forth in the Invitation for Bid. To be a <u>responsible</u> bidder, the bidder shall have the capability in all respects to perform fully the contract requirements, and the tenacity, perseverance, experience, integrity, reliability, capacity, facilities, equipment, and credit which will assure good faith performance. Also, the County reserves the right to make such investigation as it deems necessary to determine the ability of any bidder to furnish the service requested. Information the County deems necessary to make this determination shall be provided by the bidder. Such information may include, but shall not be limited to: current financial statements, verification of availability of equipment and personnel, and past performance records.

A.12 APPLICABLE LAWS

Bidder must be authorized to transact business in the State of Florida. All applicable laws and regulations of the <u>State of Florida</u> and ordinances and regulations of Manatee County will apply to any resulting agreement. Any involvement with any Manatee County procurement shall be in accordance with <u>Manatee County Purchasing Code Ordinance 08-43</u>, as amended. Any actual or prospective bidder who is aggrieved in connection with the solicitation or award of a contract may protest to the Board of County Commissioners of Manatee County as required in <u>Section 2-26/61 of the Purchasing Code</u>.

A protest with respect to this Invitation for Bid shall be submitted in writing <u>prior to the scheduled opening date</u> of this bid, unless the aggrieved person did not know and could not have been reasonably expected to have knowledge of the facts giving rise to such protest prior to the scheduled opening date of this bid. The protest shall be submitted <u>within seven calendar days</u> after such aggrieved person knows or could have reasonably been expected to know of the facts giving rise thereto.

A.13 CODE OF ETHICS

With respect to this bid, if any Bidder violates or is a party to a violation of the Code of Ethics of Manatee County per Manatee County Purchasing Code Ordinance 08-43, Article 3, Ethics in Public Contracting, and/or the State of Florida per Florida Statutes, Chapter 112, Part III, Code of Ethics for Public Officers and Employees, such Bidder may be disqualified from performing the work described in this bid or from furnishing the goods or services for which the bid is submitted and shall be further disqualified from submitting any future bids for work or for goods or services for Manatee County.

The County anticipates that all statements made and materials submitted in a bid will be truthful. If a Bidder is determined to be untruthful in its bid or any related presentation, such Bidder may be disqualified from further consideration regarding this Invitation for Bid.

A.14 COLLUSION

By offering a submission to this Invitation for Bid the Bidder certifies the Bidder has not divulged to, discussed or compared his bid with other Bidders and has not colluded with any other Bidder or parties to this bid whatsoever. Also, Bidder certifies, and in the case of a joint bid, each party thereto certifies, as to their own organization that in connection with this bid:

- a. any prices and/or data submitted have been arrived at independently, without consultation, communication or agreement, for the purpose of restricting competition, as to any matter relating to such prices and/or cost data, with any other Bidder or with any competitor;
- any prices and/or cost data quoted for this bid have not been knowingly disclosed by the Bidder prior to the scheduled opening directly or indirectly to any competitor;
- no attempt has been made or will be made by the Bidder to induce any other person or firm to submit or not to submit a bid for the purpose of restricting competition;
- d. the only person or persons interested in this bid as principal or principals is/are named therein and that no person other than therein mentioned has any interest in this bid or in the contract to be entered into; and
- no person or agency has been employed or retained to solicit or secure this contract upon an agreement or understanding for a commission, percentage, brokerage, or contingent fee, excepting bona fide employees.

A.15 BID FORMS

Bids must be submitted on attached County forms, although additional pages may be attached. Bidders must fully comply with all bid specifications, terms and conditions. Failure to comply shall result in contract default, whereupon, the defaulting vendor shall be required to pay for any and all reprocurement costs, damages, and attorney fees as incurred by the County.

A.16 DISCOUNTS

Any and all discounts must be incorporated in the prices contained in the bid and not shown separately. The prices as shown on the bid form shall be the price used in determining award(s).

A.17 TAXES

Manatee County is exempt from Federal Excise and State Sales Taxes. (F.E.T. Exempt Cert. No. 59-78-0089K; FL Sales Tax Exempt Cert. No. 51-02-027548-53C); therefore, the vendor is prohibited from delineating a separate line item in his bid for any sales or service taxes. Nothing herein shall affect the vendor's normal tax liability.

A.18 MATHEMATICAL ERRORS

In the event of multiplication/extension error(s), the unit price shall prevail. In the event of addition error(s), the extension totals will prevail. All bids shall be reviewed mathematically and corrected, if necessary, using these standards, prior to additional evaluation.

A.19 DESCRIPTIVE INFORMATION

Unless otherwise specifically provided in the specifications, all equipment, materials and articles incorporated in the work covered by this contract shall be new and of the most suitable grade for the purpose intended. Unless otherwise specifically provided in the specifications, reference to any equipment, material, article or patented process, by trade name, brand name, make or catalog number, shall be regarded as establishing a standard of quality and shall not be construed as limiting competition.

A.20 MODIFICATION OF BID OR PROPOSAL SPECIFICATIONS

If a bidder wishes to recommend changes to the bid specifications, the bidder shall furnish in writing, data and information necessary to aid the County in evaluating the request to modify the specifications. The County is not obligated to make any changes to the bid specifications. Unless an addendum is issued as outlined in paragraph A.05, six calendar days prior to the bid, the bid specifications shall remain unaltered. Bidders must fully comply with the bid specifications, terms, and conditions.

A.21 LOBBYING

After the issuance of any Invitation for Bid, prospective Bidders or any agent, representative or person acting at the request of such Bidder shall not contact, communicate with or discuss any matter relating in any way to the Invitation for Bid with any officer, agent or employee of Manatee County other than the Purchasing Director or as directed in the Invitation for Bid. This prohibition begins with the issuance of any Invitation for Bid and ends upon execution of the final contract or when the request has been canceled. Violators of this prohibition shall be subject to sanctions as provided in the Manatee County Purchasing Code.

The County reserves the right to amend or to add to the names listed as persons to contact. All amendments or additions to the names listed as persons to contact shall be issued by the Purchasing Division, in writing.

A.22 PUBLIC ENTITY CRIMES

In accordance with Section 287.133, Florida Statutes, a person or affiliate who has been placed on the convicted vendor list following a conviction for a public entity crime may not submit a bid on a contract to provide any goods or services to a public entity, may not submit a bid on a contract with a public entity for the construction or repair of a public building or public work, may not submit bids on leases or real property to a public entity, may not be awarded or perform work as a contractor, supplier, subcontractor, or consultant under a contract with any public entity, and may not transact business with any public entity in excess of the threshold amount provided in Section 287.017 for Category Two (as of

1/01/2005 is \$25,000.00) for a period of 36 months from the date of being placed on the convicted vendor list.

A.23 DRUG FREE WORK PLACE

Drug Free Workplace Program: Manatee County Board of County Commissioners adopted a policy regarding maintaining a Drug Free Workplace, Resolution R-93-22. Bidders are asked to review the attached copy of the Resolution and provide either a certification of compliance with the program outlined in this Resolution or describe your firm's policy or program as it relates to maintaining a drug free workplace. This response will be considered with the other criteria described herein.

A.24 PUBLIC CONTRACTING AND ENVIRONMENTAL CRIMES CERTIFICATION

In accordance with Ordinance 08-43, adding Article 5, Manatee County Board of County Commissioners adopted a policy prohibiting the award of County contracts to persons, business entities, or affiliates of business entities who have not submitted written certification to the County that they have not been convicted of bribery, attempted bribery, collusion, restraints of trade, price fixing, and violations of certain environmental laws. A Non-Conviction Certification Form is attached for this purpose.

A.25 AMERICANS WITH DISABILITIES ACT

The Manatee County Board of County Commissioners does not discriminate upon the basis of any individual's disability status. This non-discrimination policy involves every aspect of the County's functions including one's access to, participation, employment, or treatment in its programs or activities. Anyone requiring reasonable accommodation for the **public meetings** specified herein (i.e. Information Conference or Bid Opening), should contact the person named on the first page of this document at least twenty four (24) hours in advance of the activity.

A.26 EQUAL EMPLOYMENT OPPORTUNITY

Manatee County, in accordance with the provisions of Title VI of the Civil Rights Act of 1964 and the Regulations of the Department of Commerce (15 CFR, Part 8) issued pursuant to such Act, hereby notifies all prospective Bidders that they will affirmatively ensure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to participate in response to this advertisement and will not be discriminated against on the grounds of race, color, creed, sex, age or national origin in consideration for an award.

A.27 MBE/WBE

The State of Florida, Office of Supplier Diversity provides the certification process and the database for identifying certified MBE/WBE firms. This service may be directly accessed at http://www.osd.dms.state.fl.us/iframe.htm. If you have any questions regarding this State service, please contact their office at (850) 487-0915.

NOTE: ANY OR ALL STATEMENTS CONTAINED IN THE FOLLOWING SECTIONS: BASIS OF AWARD, TERMS AND CONDITIONS OF THE CONTRACT, OR SPECIFICATIONS WHICH VARY FROM THE INFORMATION TO BIDDERS SHALL HAVE PRECEDENCE.

SECTION B: GENERAL TERMS AND CONDITIONS

B.01 CONTRACT FORMS

The agreement resulting from the acceptance of a bid shall be in the form of a purchase order and shall be bound by the terms and conditions herein.

B.02 ASSIGNMENT OF CONTRACT

Contractor shall not assign, transfer, convey, sublet or otherwise dispose of this contract or of his right, title, or interest therein, or his power to execute such contract, or to assign any monies due or to become due thereunder to any other person, firm or corporation unless first obtaining the written consent of the County. The giving of such consent to a particular subcontractor assignment shall not dispense with the necessity of such consent to any further or other assignment.

B.03 QUALITY GUARANTEE

If any product/service delivered does not meet performance representations or other quality assurance representations as published by manufacturers, producers or distributors of such products or the specifications listed in this bid, County reserves the right to reject any or all materials if, in its judgment, the item reflects unsatisfactory workmanship or manufacturing or shipping damage. Also, the vendor shall refund to Manatee County any money which has been paid for same. The vendor will be responsible for attorney fees in the event the supplier defaults and court action is required.

B.04 ROYALTIES AND PATENTS

The vendor shall pay all royalties and license fees for equipment or processes in conjunction with the equipment and/or services he is furnishing. Vendor shall defend all suits or claims for infringement of any patent, trademark or copyright, and shall save the County harmless from loss on account thereof, including costs and attorney's fees.

B.05 INDEMNIFICATION

The successful vendor covenants and agrees to indemnify and save harmless the County, its agents and employees, from and against all claims, suits, actions, damages, causes of action, or judgments arising out of the terms of the resulting agreement for any personal injury, loss of life, or damage to the property sustained as a result of the performance or non-performance of services or delivery of goods; from and against any orders, judgments, or decrees, which may be entered against the County, its agents or employees; and from and against all costs, attorney's fees, expenses and other liabilities incurred in the defense of any such claim, suit or action, and the investigation thereof. Nothing in the award, resulting agreement, contract or Purchase Order shall be deemed to affect the rights, privileges and immunities of the County as set forth in Florida Statute Section 768.28.

B.06 REGULATIONS

It shall be the responsibility of the bidder to assure compliance with any OSHA, EPA and/or other Federal or State of Florida rules, regulations or other requirements, as each may apply.

SECTION C: SPECIFIC TERMS AND CONDITIONS

C.01 PURPOSE

It is the intent of The Manatee County Utilities Department to secure an annual contract for the repair and refurbish of pumps and pump motors on an 'as required' basis and to secure the cost and availability of the services for procurement, which serves these primary purposes:

- to have electric pump motors on sewage and effluent pumps repaired/refurbished and/or rewound;
- and where the pump and motor are one unit, to have the pump repaired/refurbished as required.

Work will be done at various locations throughout Manatee County, primarily the Bayshore Lift Stations & Collections, 2003 69th Ave. W., Bradenton, FL; the Southwest Regional Wastewater Treatment Plant, 5101 65th St. W., Bradenton, FL; and the Water Treatment Plant, 17915 Waterline Road, Bradenton, FL.

C.02 BLANKET ORDER

Blanket Purchase Order(s) shall be issued as a result of this bid. A Blanket Purchase Order number, when accompanied by a valid Release order number provided by an authorized County department, will authorize purchases on an 'as required' basis. (Note: The quantities shown on the Bid Form are estimates only. There is no guarantee that these quantities will be released.)

For payment, each invoice must indicate the six digit Blanket Purchase Order number followed by a valid five digit Release Order number.

C.03 QUANTITIES

The quantities listed on the Bid Form represent the County's best estimate of the current number of pumps to be serviced per year and may be used by the Bidder as a guide; however, no warranty or guarantee of quantities to be serviced is given or implied. It is understood that the contractor will furnish the County's needs as they arise. Release Orders shall be issued on an 'as required' basis, covering all or part of the specified items on the Bid Form.

C.04 DELIVERY SCHEDULE

Vendor shall pick up equipment requiring repair within 48 hours after being notified by an authorized County representative. Repairs shall be completed within five (5) working days after pickup by the vendor for electric motors only and within ten (10) working days after pickup where pump and motor is one unit (sewage, effluent and lift station pumps) and both require repair/refurbishment.

Note: Any emergency repairs required shall be completed by the successful vendor within forty-eight (48) hours and returned to the pickup location.

C.05 PRICES & TERM

Bidders shall bid a unit price (per pump), including all discounts, that will include all cost associated with repair and refurbishing. The prices bid shall be firm for a period of one year and shall include payment in full for all transportation, labor, and equipment used in providing the required services.

C.06 RENEWAL

This contract is for one (1) year and shall be renewable for two (2) additional years as determined by Manatee County and based on the availability of funds for each year. If not cancelled by the contractor or the County, this contract shall be automatically extended/renewed beyond the first 12 month contract period for two additional 12 month period not to exceed a total contract duration of 36 months providing there are no changes of prices, terms or conditions. Written notice of intention not to renew must be submitted by the successful bidder 90 days prior to the end of a contract period.

C.07 PAYMENT

The contractor shall be paid according to bid costs for services rendered. Payment shall be made upon completion of service after an invoiced description of all repairs has been reviewed. The contractor will submit each invoice in sufficient detail to document the completed work. Invoices shall contain the following information: blanket purchase order number, release order number, copy of service reports including description of work and location, and total cost.

C.08 CANCELLATION

Any failure of the contractor to furnish or perform the Work (including, but not limited to, commencement of the Work, failure to supply sufficient skilled workers or suitable materials or equipment) in accordance with the contract, the County may order the stop of the Work, or any portion thereof, until the cause for such order has been eliminated. If the contractor persistently fails to perform the Work in accordance with the contract, the County reserves the right to terminate the contract and select the next qualified bidder or re-advertise this procurement in part or in whole. The County reserves the right to cancel all or any undelivered or unexecuted portion of this contract with or without cause.

C.09 WARRANTY AND GUARANTEE PROVISIONS

All work, materials, and equipment furnished as defined herein shall be guaranteed and warranted by the contractor for a minimum period of <u>one year</u>, unless otherwise specified, from final acceptance by the Owner to be free from defects due either to faulty materials or equipment or faulty workmanship.

C.10 INSURANCE

The contractor will not commence work under a contract until <u>all insurance</u> under this section and such insurance coverage as might be required by the County has been obtained. The contractor shall obtain, and submit to Purchasing within 15 calendar days of request, at his expense, the following minimum amounts of insurance (inclusive of any amounts provided by an umbrella or excess policy):

a. Workers' Compensation/Employers' Liability

<u>Part One</u> - There shall be no maximum limit (other than as limited by the applicable statute) for liability imposed by Florida Worker's Compensation Act or any other coverage required by the contract documents which are customarily insured under Part One of the standard Worker's Compensation Policy.

<u>Part Two</u> - The minimum amount of coverage required by the contract documents which are customarily insured under Part Two of the standard Workers' Compensation Policy shall be:

\$100,000	(Each Accident)
\$500,000	(Disease-Policy Limit)
\$100,000	(Disease-Each Employee)

b. <u>Commercial General Liability</u>

The limits are to be applicable only to work performed under this contract and shall be those that would be provided with the attachment of the Amendment of Limits of Insurance (Designated Project or Premises) endorsement (ISO Form CG 25 03) to a Commercial General Liability Policy with the following minimum limits.

General Aggregate:

Products/Completed Operations Aggregate	\$1,000,000
Personal and Advertising Injury	\$300,000
Each Occurrence	\$300,000
Fire Damage (Any One Fire)	\$ Nil
Medical Expense (Any One Person)	\$ Nil

c. Business Auto Policy

Each Occurrence Bodily Injury and	
Property Damage Liability Combined	\$300,000
Annual Aggregate (if applicable):	\$1,000,000

d. Owners Protective Liability Coverage

The minimum OPC Policy limits per occurrence and, if subject to an aggregate, annual aggregate to be provided by the contractor shall be the same as the amounts shown above as the minimum per occurrence and general policy aggregate limits respectively required for the Commercial General Liability coverage. The limits afforded by the OPC Policy and any excess policies shall apply only to the Owner and the Owner's officials, officers, agents and employees and only to claims arising out of or in connection with the work under this contract.

C.10 INSURANCE (cont'd)

e. <u>Certificates of Insurance and Copies of Polices</u>

Certificates of Insurance in triplicate evidencing the insurance coverage specified in the six above paragraphs a., b., c., and d., shall be filed with the Purchasing Director before operations are begun. The required certificates of insurance shall name the types of policy, policy number, date of expiration, amount of coverage, companies affording coverage, and also shall refer specifically to the bid number, project title and location of project. Insurance shall remain in force at least one year after completion and acceptance of the project by the County, in the amounts and types as stated herein, with coverage for all products and services completed under this contract.

ADDITIONAL INSURED: - The contractor shall name Manatee County as additional insured in each of the applicable policies.

If the initial insurance expires prior to the completion of operations and/or services by the contractor, renewal certificates of insurance and required copies of policies shall be furnished by the contractor and delivered to the Purchasing Director 30 days prior to the date of their expiration.

SECTION D: TECHNICAL SPECIFICATIONS

D.01 SCOPE OF WORK

The successful vendor shall provide all transportation, labor; materials, tests and equipment pick up of pumps and/or pump motors and perform any recondition/rewind necessary to return them to the point of delivery fully operational.

- a. All work shall be in accordance with the Electrical Apparatus Service Association's (EASA) Recommended Practice, January, 1998 Revision, Section 1 (Electrical Apparatus), Section 2 (Mechanical Repair – Rotating Apparatus), Section 3 (Rewinding – Rotating Apparatus) and Section 4 (Testing) and the National Electrical Manufacturers Association (NEMA) standards for service and repair of electrical apparatus.
- b. Work shall also be in compliance with standards set by the following developmental organizations:
 - 1. Underwriters Laboratories (UL)
 - a. Underwriters Laboratories Certified motors shall be recertified after repair.
 - Successful vendor's shop or his sub-contractor's shop shall be UL-certified to rebuild explosion-proof electric motors for use in hazardous environments.
 - 2. American National Standards Institute (ANSI)
 - 3. American Society for Testing & Materials (ASTM)
 - 4. National Electrical Code (NEC)
 - 5. National Fire Protection Agency (NFPA)
 - 6. National Electrical Motor Association (NEMA)
- Pickup and delivery of installed motors shall be accomplished at no charge.

D.02 RECONDITION/REPAIR OF ELECTRIC MOTORS DEFINED

(Test, Disassemble and Inspect, Clean, Dip and Bake Windings, Replace Bearings, Assemble, Test and Paint)

a. Pre-Disassembly Test

- 1. Using a 1000V meg-ohm meter, conduct verification of insulation integrity. Acceptable criteria is 1.5 meg-ohms or higher.
- 2. Verify that heaters are operational and that other attached features, such as thermocouples, have continuity.
- 3. Single-phase test to check for open rotors. (After disassembly, rotors will be inspected for evidence of damaged, cracked or open circuit bars or end rings. If there is evidence of faults, the rotor will be growltested.) The detection of any defect during testing shall be reported promptly to the Authorized County representative.
- 4. Pre-disassembly documentation shall include the condition of mechanical fits (i.e. shaft run out), cracked, broken or missing parts, test run at full voltage, current readings, meg reading and surge comparison test as received. The Authorized County representative listed on the work order shall be notified if acceptable criteria are not met.

b. Motor Disassembly

- Completely disassemble motor and steam clean all mechanical parts using a mild detergent compatible with winding insulation; thoroughly rinse; bake dry.
- 2. Disassembly documentation shall include the cause of failure and/or conditions contributing to failure.

c. Motor Inspection

- Visually inspect coils and windings for excessive wear, signs of conductor overheating or fatigue that possibly would not be apparent during an electrical test.
- All stators shall be surge-tested with an electronic surge tester specifically designed to apply a surge voltage street test simultaneously between turns of a coil, between phases, from winding to ground and to detect short-circuited turns in winding under test.

D.02 RECONDITION/REPAIR OF ELECTRIC MOTORS DEFINED (CONT'D.)

Mechanical Fit

- 1. Measure the bearing bores, shells, housings and shaft journals using a micronometer. Outside diameter of bore of housing shall have 0.000" to -0.001" loose fit. Repairs are necessary when tolerance exceeds 0.0015". Machine work shall be approved by the Authorized County representative before being performed or machine work may not be paid for. Bearings journals, seal surfaces and bearing housing restoration shall be done by metalizing and machining or boring and busing. Documentation of before and after measurements shall be made.
- 2. Replace bearings per manufacturer's specifications. All grease fittings, plugs, etc. shall be replaced unless otherwise indicated by the Authorized County representative. Bearings shall be properly lubricated and bearing oil reservoirs shall be filled where practical. All equipment shall be tagged with information as to whether or not bearing oil reservoirs were filled and what type of lubricant was used.

e. Rotor Balancing

- All rotors of motors rated at 50 HP/3600/1800 RPM and above shall be dynamically balanced, with the rotor running at rated speed where practical, but no less than 350 RPM in the balance stand.
- A printout tape from the balance/analyzer shall be furnished detailing the final balance values. This tape will be attached to the recondition/repair/rewind documents when the motor is delivered.

f. Motor Leads

Motor leads shall be permanently tagged with non-magnetic markers. Motor lead configuration shall not be altered.

g. Insulation

- Windings shall be double-dipped with Class H varnish and baked.
- Machine-finished surfaces bore of the stator lamination and periphery of the rotor laminations shall be cleaned of all varnish and foreign materials. Documentation of this process shall be made.

D.02 RECONDITION/REPAIR OF ELECTRIC MOTORS DEFINED (CONT'D.)

h. Final Test

- 1. A 1000 volt meg-ohm meter shall be used to verify insulation continuity. This reading shall be documented. After reassembly, motor shall be test-run at rated voltage and frequency. No load voltage and phase currents shall be recorded. Vibration mils displacement shall be measured and recorded in the horizontal, vertical and axial planes on both ends of the motor, or top and bottom of vertical motors and documentation of current reading and vibration readings shall be provided to the end user.
- A 5KV meg-ohm meter shall be used to verify insulation continuity of all 4160V motors.

i. Paint

- Exterior of motor shall be properly cleaned of rust and foreign material, prime painted and finish painted with a good grade of machinery enamel, the same color as received unless otherwise specified. Nameplates, machined surfaces and internal parts shall be protected from paint.
- 2. When needed, the interiors of motor frames and parts shall be painted with an insulating paint. This includes rotors, bearing brackets, frame interiors and air deflectors. Windings shall not be painted.

D.03 REWIND OF ELECTRIC MOTORS DEFINED

NOTE: When rewind is done in conjunction with a recondition/repair, many of the items below will be redundant and shall not be performed or charged for twice. The items below apply to stator only (including all labor, materials and testing necessary for "ready-for County-use").

a. Pre-Disassembly Test

- 1. Using a 1000V meg-ohm meter, conduct verification for insulation integrity. Acceptable criteria is 1.5 meg-ohms or higher.
- A 5KV meg-ohm meter shall be used to verify insulation integrity of all 4160V motors.
- 3. Verify that heaters are operational and other attached features such as thermocouples have continuity.

D.03 REWIND OF ELECTRIC MOTORS DEFINED (CONT'D.)

- 4. Pre-disassembly documentation shall include the condition of mechanical fits (i.e. shaft run-out), cracked, broken or missing parts, test run at full voltage, current readings, meg reading and surge comparison test as received.
- 5. Authorized County representative listed on the work order shall be notified if acceptable criteria are not met.

b. Stripping

- Windings shall be removed by temperature-controlled burnout with oven temperature suppression. Burn-out temperature shall not exceed 750 degrees Fahrenheit.
- Windings shall be removed in such a fashion as not to damage or distort the core iron. Upon removal of the old windings and insulation, the core shall be thoroughly cleaned and inspected for burrs, etc.

c. Winding

- 1. General: Rewound motors shall meet or exceed all O.E.M. operating characteristics, unless otherwise specified by the County. Class F insulation shall be used, unless otherwise specified. Magnet wire shall be a dual-coated, insulated wire of domestic manufacture that is hermetic-approved and meets or exceeds NEMA specification MW-35A. After winding and prior to resin treatment, windings will be surge-comparison tested and the results documented.
- 2. Resin Treatment: Windings shall be double-dipped with Class H varnish and baked.
- d. Motor Leads: Motor leads that are replaced must be the same length and configuration as the original leads. Leads will be permanently tagged with non-magnetic markers.
- e. Insulation: Windings shall be double-dipped with Class H varnish and baked.
- f. Final Test: A 1000 volt meg-ohm meter shall be used to verify insulation continuity. This reading shall be documented. After reassembly, motor shall be test-run at full voltage and documentation of current reading and vibration readings shall be provided to the end user. (NOTE: a 5 KV meg-ohm meter shall be used on all 4160V motors.)

D.04 PUMP RECONDITION DEFINED

- Disassemble and clean.
- b. Replace seals and ball bearings per EASA Standards. Vendor shall use only manufacturer-recommended ball bearings and mechanical seals.
- c. Change oil.
- Test windings and rewind as necessary.
- e. Reassemble and test.

D.05 SERVICE CALL DEFINED

Any labor required to uninstall, reinstall, rewire or repair on-site.

Note: Based on past usage, service calls are rarely required.

D.06 MACHINE WORK DEFINED

Machine work, as defined herein, shall apply to the drilling and tapping of broken bolts, the repairing of damaged locking rings and stators, the replacing of power cords, power cord assemblies and power cord connectors and repairs to impellers, covers, volutes, mounting rails, bearing journals, pump shafts and anything else not listed in D.02, above.

D.07 REFURBISH/REPAIR, REWIND AND MACHINE WORK ESTIMATES

- a. Successful vendor shall provide Owner or Owner's authorized representative with a written cost estimate on each pump/motor picked up for repair. Estimate may be delivered by facsimile, or phoned in and a hard copy mailed. Estimate shall be provided within 48 hours of pickup and shall be authorized or rejected by Owner's authorized representative at that time and prior to commencement of work.
- b. Additionally, the Authorized County representative shall be notified of any repairs which may be needed over and above the contract price of the recondition/repair and/or rewind and at that time Contact person will either authorize or reject the additional work.
- c. Should there be a lapse of time between presentation by Vendor of an estimate and approval of estimate by Owner, time elapsed will be added to the amount of time allocated for repair in Paragraph C.04 of the Specific Terms and Conditions.

D.08 EMERGENCY REPAIRS

a. As stated in Paragraph C.04 of the Specific Terms and Conditions, all emergency work shall be completed by the Vendor within forty-eight (48) hours and returned to the pick-up location.

D.08 EMERGENCY REPAIRS (CONT'D.)

b. Bidder shall include <u>all costs</u> for transportation, labor, materials, testing and equipment in the "Emergency Repair Mark-Up Percentage" indicated on the Bid Form. This percentage times the listed price of the pump/motor recondition/rewind shall be the basis for reimbursement for that work.

<u>D.09</u> <u>REFURBISH/REPAIR AND/OR REWIND OF PUMPS, MOTORS NOT INCLUDED ON BID FORM</u>

Work not itemized on the Bid Form may be authorized by County's contact person if the cost of the work is the same as that for similar equipment that is listed on the Bid Form.

D.10 QUALIFICATIONS OF THE VENDOR

- Vendor shall have been registered with the Florida Department of State for at least six (6) continuous years.
- b. Vendor or Vendor's subcontractor shall have been certified as an "Explosion-Proof, UL Facility" for at least six (6) continuous years and shall provide a copy of his certification with his Bid submittal.
- Vendor shall be responsible for obtaining O.E.M. technical documents, drawings and parts when necessary.
- d. Vendor shall have all engineering, design, metalizing, welding, heattreating, machining, balancing, calibrating and testing capabilities necessary to completely refurbish/rewind any pumps/motors listed on the Bid Form.
 - Above will include but not be limited to: Curing and burnout oven(s), both with controlled temperature gauges; shop cranes; despoiling device(s); winding system.
 - Equipment used for inspecting, calibrating and testing pumps and motors shall be up-to-date and have calibration certificates traceable to NIST standards where applicable.
 - Calibration equipment that shall include, at a minimum: gage blocks, micrometers, dial indicators, colt meters, amp meters, test panels and vibration analyzers.
 - Vendor's shop, or the shop of the vendor's subcontractor, shall be UL certified to rebuild explosion-proof electric motors for use in hazardous environments.
- e. The County reserves the right to verify all of the vendor qualifications.

f. Availability

The successful vendor shall provide the County's representative with cell phone and/or pager number(s) by which the vendor can be reached twenty-four hours a day, seven days a week, including holidays. Should the awarded vendor not be available to do emergency work that must be accomplished in less than forty-eight hours, County reserves the right to have work done by a vendor of choice.

SECTION E: LOCAL PREFERENCE LAW AND VENDOR REGISTRATION

E.01 VENDOR REGISTRATION

All vendors are encouraged to register with Manatee County using the on-line "Vendor Registration" web page on www.mymanatee.org.

Enclosed is a copy of the current Manatee County law that details the County's Local Preference and definition of a Local Business.

If you assert that your firm meets the stated definition of a Local Business, we ask that in addition to registering on the County's Web page, you fill out the attached "Affidavit As To Local Business Form" that is included in this section of the bid, have the completed document notarized, and mail the original to the following address: Manatee County Administrative Center, Purchasing Division, 1112 Manatee Avenue West, Suite 803, Bradenton, FL 34205.

Your cooperation in registering your business with Manatee County will enhance our opportunities to identify sources for goods and services, plus identify Local Businesses. This information is used for soliciting quotations up to \$250,000.00 and for competitive solicitations of larger purchases.

You will note that Manatee County collaborates with the Manatee Chamber of Commerce, posting bids on www.manateechamber.com as well as using the same vendor categories for registration.

Our staff can assist you with your registration as needed. Our office hours are 8:00 A.M. to 5:00 P.M., Monday through Friday on regular business days. Please call (941) 749-3014 if you wish to have a purchasing staff member assist you.

Quick steps to online registration: www.mymanatee.org

A link to "Purchasing" is listed under the "Quick Links" on page one of the County Web Site.

On the left hand side of the Purchasing Web page, click on "Vendor Registration."

This will bring up the Vendor Registration form for online input. Please note that the definition of a "Local Business" changed on March 17, 2009. The Web page will be updated to include the current Law which has been provided in this section of the bid.

Thank you for reviewing this information and considering registering your business with Manatee County. Registration is not mandatory, however, by taking the time to register, you are helping the County to provide timely notifications of quotation, bid, and proposal opportunities to your business.

E.02 SECTION 2-26-6 LOCAL PREFERENCE, TIE BIDS, LOCAL BUSINESS DEFINED

- 1 Whenever a responsible local business bidder and a responsible non-local business bidder are found, upon the opening of bids, to have both submitted the lowest responsive bid, the bid of the local bidder shall be awarded the contract. Should more than one responsible local business bidder match the responsible non-local business bidder's lowest responsive bid, or should no responsible local business bidder match the lowest responsive bid but two or more responsible non-local business bidders submit lowest responsive bids for equal amounts, then the award of the contract shall be determined by a chance drawing, coin toss, or similar tie-breaking method conducted by the purchasing office and open to the public. Any bidders seeking to be recognized as local businesses for purposes of this local business preference provision may be required by the terms of the bid announcement to certify they meet the definition of local business set forth in this section, and to register as a local business with the county in the manner prescribed by the county to facilitate the county's ability to track the award of contracts to local businesses and to allow the county to provide future notifications to its local businesses concerning other bidding opportunities.
- Nothing herein shall be deemed to prohibit the inclusion of requirements with respect to operating and maintaining a local place of business in any invitation for bids when the bidder's location materially affects the provisions of the services or supplies that are required by the invitation.
- 3. Local business is defined as a business legally authorized to engage in the sale of the goods and/or services to be procured, and which certifies within its bid that for at least six (6) months prior to the announcement of the solicitation of bids it has maintained a physical place of business in Manatee, Desoto, Hardee, Hillsborough, Pinellas or Sarasota County with at least one full-time employee at that location.
- 4. Each solicitation for bids made by the county shall contain terms expressly describing the local business preference policies of the county, and shall provide that by electing to submit a bid pursuant to a request for bids, all bidders are deemed to understand and agree to those policies.
- 5. For all contracts for architecture, professional engineering, or other professional services governed by Florida Statute § 287.055, the Consultants' Competitive Negotiation Act, the county shall include the local business status of a firm among the factors considered when selecting which firms are "most highly qualified." In determining which firm is the "most qualified" for purposes of negotiating a satisfactory contract, preference shall be given to a local business where all other relevant factors are equal.
- 6. Local preference shall not apply to the following categories of contracts:

- a. Goods or services provided under a cooperative purchasing agreement or similar "piggyback" contract;
- Contracts for professional services subject to Florida Statute § 287.055, the Consultants' Competitive Negotiation Act, except as provided for in subsection (e) above;
- Purchases or contracts which are funded, in whole or in part, by a
 governmental or other funding entity, where the terms and
 conditions of receipt of the funds prohibit the preference;
- d. Purchases or contracts made pursuant to a non-competitive award process, unless otherwise provided by this section;
- e. Any bid announcement which specifically provides that the general local preference policies set forth in this section are suspended due to the unique nature of the goods or services sought, the existence of an emergency as found by either the county commission or county administrator, or where such suspension is, in the opinion of the county attorney, required by law.
- 7. To qualify for local preference under this section, a local business must certify to the County that it:
 - Has not within the five years prior to the bid announcement admitted guilt or been found guilty by any court or state or federal regulatory enforcement agency of violation of any criminal law, or a law or administrative regulation regarding fraud;
 - Is not currently subject to an unresolved citation or notice of violation of any Manatee County Code provision, except citations or notices which are the subject of a current legal appeal, as of the date of the bid announcement;
 - c. Is not delinquent in the payment of any fines, liens, assessments, fees or taxes to any governmental unit or taxing authority within Manatee County, except any such sums which are the subject of a current legal appeal.

Ref: Ordinance 09-21 and 09-23 **PASSED AND DULY ADOPTED** in open session, with a quorum present and voting, on the 17th day of March, 2009.

MANATEE COUNTY GOVERNMENT AFFIDAVIT AS TO LOCAL BUSINESS (Complete and Initial Items B-F)

AUTHORIZED REPRESENTATIVE

A.

I, [name], am the [title]
and the duly authorized representative of: [name of business], and that I possess direct personal knowledge to make informed responses to these certifications and the legal authority to make this Affidavit on behalf of myself and the business for which I am acting; and by electing to submit a bid pursuant to this Invitation for Bids, shall be deemed to understand and agree to the local business preference policies of Manatee County; and that I have the direct knowledge to state that this firm complies with all of the following conditions to be considered to be a Local Business as required by the Manatee County Code of Law, Section 2-26-6.
B. <u>PLACE OF BUSINESS</u> : I certify that the above business is legally authorized to engage in the sale of goods and/or services and has a physical place of business in Manatee, DeSoto, Hardee, Hillsborough, Pinellas or Sarasota County with at least one (1) fulltime employee at that location. The physical address of the location which meets the above criteria is: [Initial]
C. <u>BUSINESS HISTORY:</u> I certify that business operations began at the above physical address with at least one fulltime employee on [date] [Initial]
D. <u>CRIMINAL VIOLATIONS:</u> I certify that within the past five years of the date of this Bid announcement, this business has not admitted guilt nor been found guilty by any court or local, state or federal regulatory enforcement agency of violation of any criminal law or administrative regulation regarding fraud. [Initial]
E. <u>CITATIONS OR CODE VIOLATIONS:</u> I certify that this business is not currently subject to any unresolved citation or notice of violation of any Manatee County Code provision, with the exception of citations or notices which are the subject of a legal current appeal within the date of this bid announcement. [Initial]
F. <u>FEES AND TAXES:</u> I certify that within this business is not delinquent in the payment of fines, liens, assessments, fees or taxes to any governmental unit or taxing authority within Manatee County, with the exception of those which are the subject of a legal current appeal. [Initial]
Each of the above certifications is required to meet the qualification of "Local Business" under Manatee County Code of Law, 2-26-6.
Signature of Affiant
STATE OF FLORIDA, COUNTY OF
Sworn to (or affirmed) and subscribed before me this day of, 20, by (name of person making statement).
(Notary Seal) Signature of Notary:
Name of Notary (Typed or Printed):
Personally Known OR Produced Identification Type of Identification Produced
Submit executed copy to Manatee County Purchasing, 1112 Manatee Avenue W., Suite 803, Bradenton, FL 34205.

SECTION F: BASIS OF AWARD

F.01 BASIS OF AWARD

The award will be made to the two (2) most responsive, responsible bidders meeting all of the vendor qualifications, and have the lowest total price for the total of the combined costs of both recondition and rewind totals (Ref. page 50 of the Bid Form). Evaluation of methodology and quality of the vendors' submittal shall be determined solely by the Manatee County Utilities Department. Bid Prices shall include costs for furnishing all labor, equipment and/or materials for the completion of the Work in accordance with and in the manner set forth and described in this Invitation for Bid, to the County's satisfaction within the prescribed time.

It is the intent of the County to place orders with the lowest priced, responsive, responsible bidder who satisfies the above requirements; however, the County has reserved the right to place orders with the second low, responsive, responsible bidder in the event of an urgent, immediate need, in the event the availability of the service(s) requested cannot be met by the lowest priced vendor at the time of need, or when a second opinion of repair is requested, or when a second price quote is requested.

Award will be made on an "All or None Total Offer" basis. The County will either accept or reject the entire offer. The right is reserved to reject all bids if it is deemed impractical or not in the best interest of the County.

The County reserves the right to place orders with other vendors in the event of an urgent, immediate need, and/or delivery time and availability of service requested cannot be met by the lowest priced vendors at the time of need.

Manatee County reserves the right to visit bidder's premises for a walk-through inspection before a recommendation for award is made.

SECTION G: BID FORM (Submit in Triplicate)

RE: IFB 09-1403JS Repair and Refurbish Pumps and Pump Motors

Commencement of services shall be made not more than 10 (ten) calendar days after receipt of purchase order.

Warranty period for all equipment repaired shall be 12 (twelve) calendar months.

We propose to furnish all labor, materials and equipment to repair/refurbish/rewind pump motors and to repair/ refurbish pumps, as specified herein, at the following grand total offer (unit prices are itemized on the Bid Form).

We, the undersigned, hereby declare that we have carefully reviewed the bid documents, and with full knowledge and understanding of the aforementioned herewith submit this bid, meeting each and every specification, term, and condition contained in the Invitation for Bid. We understand that the bid specifications, terms, and conditions in their entirety shall be made a part of any agreement or contract between Manatee County and the successful bidder. Failure to comply shall result in contract default, whereupon, the defaulting contractor shall be required to pay for any and all reprocurement costs, damages, and attorney fees as incurred by the County.

Communications concerning this Bid shall be addressed as follows:

Contact Name	Contact Phone
Contact Email Address	
Company Name	Phone Number Fax Number
Address	City, State, Zip
Authorized Signature	Print Name and Title of Signer(s)
Date	
Acknowledge Addendum Nos.	Addendum Dates

						1		
NOTE: "M" or "P" designation in the "VOLTS" column indicates whether unit is a	idicates whet	her unit is	Ø		RECONDITIO	RECONDITION PUMP/ PUMP		
separate motor (M) or a motor that is an integral part of a pump (P).	a pump (P).				MO	MOTOR	REWIND	REWIND MOTOR
				EST.		EXTENDED		EXTENDED
DESCRIPTION	VOLTS RPM HP QTY.	RPM	퓽		UNIT PRICE	PRICE	UNIT PRICE	PRICE
LIFT STATIONS								
Motor Type: HORIZONTAL ODEN DRID BROOF								

design of a representation	M 460 M 230/460 M 230/460 M 230/460 M 230/460 M 230/460 M 230/460 M 2460 M 2460 M 2460	RPM RPM 1750 3600 1800 1725 1725 1725 1770 1200 1200		6 1 1 6 EST. QTY.	RECONDITION MC	RECONDITION PUMP/ PUMP MOTOR EXTENDED PRICE \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	UNIT F	REWIND MOTOR EXTENDED PRICE \$ \$ \$ \$ \$
143T	10000000000	3600	1.5	.	φ	φ	ω	φ
Manufacturer: MARATHON FJQ 56T1 7G5314E / FRAME 56-68		1725	<u>۔</u>	_ -	()	ч	₩ 6	€ €
Manufacturer: LEESON M6C17FB9K / FRAME D56		1725	0.75	6	€	\$	\$	\$
LIFT STATIONS EXTENDED TOTALS:						₩		\$
SOUTHWEST REGIONAL TREATMENT PLANT MODEL/FRAME TYPE: Manufacturer: USMTR								
	100	1170	20	10	e co	e 69	e 69	9 69
		1200	75	2	€ €	↔ €	↔ €	€ €
Start	1 1	1200	100	5	↔	\$	\$	₩
Part Winding Start 404 TP	M 460	1775	5 100	1 2	(A)	so so	so so	€A €A
364 TP		1780	60	з	S	co	€9	S
		3550	50	-	9 69	φ.	φ.	8
56 JF-GW	M 460	1750	3/4	_	es e	en e	6	es e
215 ST		1165	5	2	₩.	€9	₩.	₩.
		1160	5	ω	\$	€	€9	\$
Inverter Duty #5808 P TITAN	M 460	1180	350	3	\$	\$	\$	\$
215 TD		1725	10		φ.	₩	8	6
145 T	M 460	1725	2	4	\$	49	\$	\$

4	4	4	4	o	1.5	1/50	M TOO DC	CD6215
\$	4		\$	ω	5	1160		374D1W825
€	₩		₩	2	60	1725	M 460	VM3558T
€9	₩.	\$	\$	2	1.5	1725	M 460	145 TC
€9	₩		₩	2	60	1750		364-T
€9	↔		₩	2	15	1760	M 460	254-T TEFC-C-FACE
₩	\$		↔	2	1/3	1725	M 460	56 - C
€	₩.		₩.	2	1/2	1750	M 460	56 - C
€	₩		₩	2	60	1760	M 460	364-T
49	↔		↔	ω	_	1725	M 460	56-C 35A13-87
မာ	€9		€	ω	1/2	1750	M 100 DC	56-C CD3450
ક્ક	S		€9	ω	1/4	104	M 90 DC	74 JKO CD3450
ક્ક	₩		↔	_	1/2	1750	M 100 DC	56 C CD3450
49	4		€	_	3/4	1725	M 460	56
49	₩		€	_	0.5	1725	M 460	56 - C
€	↔		49	ω	1/2	1725	M 460	56 - C
€	€	\$	4	2	1/4	1725	M 460	TGT17NC1BU51
€	₩	₩	49	_	თ	1160	M 460	215 T SPEC 37A01W828
G	₩	\$	€	_	5	1188	M 460	215 T 37A01W828
49	₩	₩	€	2	2	1725	M 460	145 TC
								Manufacturer: BALDOR
₩.	↔	\$	₩	2	20	1175	200	55-326U
₩.	₩	₩	\$	2	100	1780	M 460	404 TP
49	₩	4	₩	_	50	1780	M 460	364 TPTE
49	€	\$	49	2	100	1780	M 460	405 VPTE
49	8	\$	es	_	125	1775	M 460	405 TPWP
\$	S	₩	49	_	125	1775		405 TPWP
₩.	\$	\$	₩.	3	15	1760	M 460	254 T TF-GDM2
₩.	\$	\$	\$	6	10	1725		215 TD ED-80-215TP
€9	€	₩	₩.	2	_	1750	M 460	ı
								പ
4	€	↔	₩	_	15	3480	M 460	
€	€	€9	€9	2	>	1745	M 460	Manufacturer: USEU 143 T #P630LT-2777
8	₩.	\$	₩	_	15	1775	M 460	Manufacturer: ASIAN - AMERICAN 254 T
es	₩	\$	₩.	_	15	1775	M 460	Manufacturer: PM Powermaster 254 T
ICE PRICE	UNIT PRICE	PRICE	UNIT PRICE	QTY.	Ŧ	RPM	VOLTS	DESCRIPTION
VEANING MICHON	7.0		I				a pullip (r).	separate motor (iii) of a motor triacts an integral part of a pump (r).
) n	ECONDITION PUMP/ PUMP	RECONDITIO		മ	ner unit is	dicates whetl	NOTE: "M" or "P" designation in the "VOLTS" column indicates whether unit is a
								S CONTRACTOR TO DO NO CONTRACTOR SERVICES

143 T M 460	365 TS TAFC M 460	Manufacturer: WESTNH M 460	Manufacturer: LIMITORQUE M 460	Manufacturer: ABS - SUBMERSIBLE P 460		3201,612 P 460	Manufacturer: FLYGT - SUBMERSIBLE P 460	2		HP10X1	M			254 T M 460	FB 143 TC M 460	405 TSD M 460	urer: RELIANCE	ı	Manufacturer: ALLCHA		ROMPTON	215 T 0050C-1AEB M 460	3	T TYPE K	T 54254A11Y12 M	Manufacturer: GENRL M 460	143 T M 460	Manufacturer: BALDOR CONT D. M. 460		DESCRIPTION	separate motor (M) or a motor that is an integral part of a pump (P).
1760	3560	1755	1730	1800	1750	1150	1800	1800	-	1100	1730	1725	1755	1740	1725	705		625		710		1800		1770	3530	1780	1725	1725		RPM	
3/4	75	20	1/3	1/2	20	35	ഗ	1.5	110	10	C)	0.65	7.5	10	_	30		25		25		ΟΊ	-	15	10	75	_	2		품	
4	ω	_	ω	10	თ	4	10	2	-	1 2	2	4	ы	2	2	ω		2		_		_	1	S	_	<u> </u>	2	2	3	EST.	
\$	€	€9	↔	₩	49	49	€	49	•	n un	4	49	49	€	69	49		€9		49		€9	•	A .	မှ	()	G	€	0	UNIT PRICE	MA
49	49	↔	↔	€9	49	()	69	49	•	0	4	49	49	49	ક્ક	49		\$		↔		\$	•	9	မှ	49	49	€		EXTENDED	MOLOX
49	49	↔	€	₩.	4	49	69	€9	•	n cn	8	49	છ	ક	49	49	•	€		↔		₩	•	9	\$	69	8	€9	0.11	UNIT PRICE	KEWIN
49	G	€	€	↔	4	\$	·	ss	•	A 64	4	5	\$	49	49	4		\$		49		€	4	÷9	8	€	S	↔		EXTENDED PRICE	KEWIND MOTOR

69	()	ω	↔	ω	36	1150	P 460	Manufacturer: BARNES 8SE36046HL
(A	€	€	(A	თ	50	1775	P 460	Manufacturer: US MOTOR (Hazardous Location) H04530 "INVERTER DUTY"
↔	↔	€	€	4	50	1165	P 460	Manufacturer: RELIANCE 01MUF83906G001SL
\$	\$	€9	€	5	20	1750	P 460	S6L2000M4-4
\$	\$		₩	10	50	1150	P 460	S8L5000M4-6
				ì				Manufacturer: HYDROMATIC
								MODEL/FRAME TYPE:
								Motor Type: SUBMERSIBLE
€	₩	€9	€	N	20	1175	M 460	
								Manufacturer: USELC
€9	ω	49	€	4	ഗ	1750	M 460	
								Manufacturer: EMRSN
₩	₩	4	€9	4	1.5	1745	M 460	145 TC N0J86-4265
								Manufacturer: STERLING
€9	₩	\$	\$	2	5	1740	M 460	184 T
) (6)		Manufacturer: LM
\$	\$	\$	↔	_	_	2100	M 460	-
								Manufacturer: DE LIMITORQUE
49	\$	\$	₩.	2	60	1770	M 460	364 TSDP
								Manufacturer: GOULDS
\$	\$	\$	S	ယ	125	3570	M 460	444 T 74106A3
			20					Manufacturer: SIEALL
€9	€	\$	\$	3	100	1780	M 460	Explosion Proof 405 T 8407
								Manufacturer: MAC
€9			\$	2	2	1165	M 460	184 TC B0026FLC2A0H
₩	₩	\$	₩.	_	7.5	1740	M 460	213 T BY754PGF2U3
								Manufacturer: TOSHIBA
\$	€	↔	€9	2	1/12	1725	M 460	48 3K515
								Manufacturer: DAYTON
€9	€9	€9	€	_	0.25	1725	M 460	Duff Norton FS6Y
								Manufacturer: COFMAN
€	€9	↔	↔		40	1755	M 460	
				0				Manufacturer: MARATHON
EXTENDED PRICE	UNIT PRICE	EXTENDED PRICE	UNIT PRICE	EST. QTY.	퓨	RPM	VOLTS	DESCRIPTION
REWIND MOTOR	REWIND	MOTOR	MO			9	a pump (P).	separate motor (M) or a motor that is an integral part of a pump (P)
		RECONDITION PUMP/ PUMP	RECONDITIO	-11-11-11-11-11-11-11-11-11-11-11-11-11	ש	her unit is	dicates whet	NOTE: "M" or "P" designation in the "VOLTS" column indicates whether unit is a

€9	₩	₩	€9	_	3/4	1800	M 460	Manufacturer: DETROIT HOIST 215 M6M19-14M25
ь	€	€	s	4	15	1720	M 460	284 LPIE DFT160M4THC
							- 1	Manufacturer: EURODRIVE
₩	₩.		₩	4	2	1730	M 460	FJ 145 T XT
\$	\$		\$	4	50	600-890	M 460	445 T 1MAE29559
€	49	49	49	ω	25	720	M 460	365 HP
€9	€9		₩	ω	125/94	1190/890	M 460	_
								Manufacturer: RELIANCE
\$	\$		₩.	_	5	1730		184 T TYPE TFL
\$	\$	\$	\$	2	5	1740	M 460	184 T
€	€	*	↔	_	7.5	3450	M 460	184 T 97164917
								Manufacturer: MARATHON
69	С	ω	€9	_	3/4	1750	P 460	Manufacturer: HYDROMATIC - SUBMERSIBLE SK75
8	₩		49	_	5.3	1725	M 460	
\$	€	49	49	ω	_	1725	M 460	-
4	€		8	ω	1/2	1750	M 100 DC	56 C 420D CD3475
\$	₩		\$	2	0.75	1756	M 460	C
↔	₩	₩	\$	2	3/4	1800	M 460	56 C VM-3542
\$	₩		\$	2	1/2	1750	M 100 DC	56 C CD3450
€9	\$	\$	\$	2	1/2	1725	M 460	56 C VM3538
		0						Manufacturer: BALDOR
€	₩.	₩.	\$	တ	σı	1700	P 460	CS3102
								Manufacturer: FLYGT - SUBMERSIBLE
								MODEL/FRAME TYPE:
								SOUTHEAST REGIONAL TREATMENT PLANT
4		€						EXTENDED TOTALS:
								SOUTHWEST REGIONAL TREATMENT PLANT
\$	\$	\$	\$	4	20	1750	P 460	6VC200M4-43
								Manufacturer: MYERS
\$	\$	\$	\$	4	12.7	1736	P 460	KRTU-F100-250-74
€	\$		\$	2	16.5	1736	P 460	Manufacturer: KSB KRTU-F100-250-74
PRICE	UNIT PRICE	PRICE	UNIT PRICE	QTY.	픇	RPM	VOLTS	DESCRIPTION
TVTTNDTD		ביייייייייייייייייייייייייייייייייייייי		1				
REWIND MOTOR	REWIN	MOTOR	MO		2	2	pump (P).	separate motor (M) or a motor that is an integral part of a pump (P).
		RECONDITION PUMP/ PUMP	RECONDITIO		ט	or unit is	dicates whet	NOTE: "M" or "P" designation in the "VOLTS" column indicates whether unit is a

ω ω ω	ω ω	<i>ω ω</i>	φ φ	2 4	5 1.5	1710 1735	M 460	
ω ω	€ €		с	1 2	150	1725 1775	M 460	E 143 T F0Z9A E 1443 T F0Z9A Manufacturer: USELEC 444 TPA Manufacturer: STFR
ω ω	σ σ	⇔ ₩	с я с	N N	1/2	1750 1725	M 460	143 T-6 C40HT Manufacturer: DAYTON F 56 C
60 60	⇔ €	↔ ₩	₩ ₩	4 2	5	3495	M 460	184 JM Manufacturer: USELC
• • •	ω (· • •	· 69	4	300	1185	M 460	Manufacturer: USMTR 5008 PM TITAN
ω ω	es es	.	ы	2	1.5	1740 1715	M 460	215 T XR3-10 Manufacturer: SPAR 145 T S108
₩ ₩	\$ \$	\$ \$	φ φ	1	1/2 75	1722 3570	M 460 M 460	Manufacturer: GENRL 56 365 TS 5K365BL115A
EXTENDED RICE PRICE	UNIT PRICE	EXTENDED PRICE	UNIT PRICE	EST. QTY.	HP	RPM	VOLTS	DESCRIPTION
REWIND MOTOR	Z Z	RECONDITION PUMP/ PUMP MOTOR	RECONDITIO MC	N	מ	ner unit is	dicates whet pump (P).	NOTE: "M" or "P" designation in the "VOLTS" column indicates whether unit is a separate motor (M) or a motor that is an integral part of a pump (P).

BID FORM

(Submit in Triplicate)

IFB #09-1403JS REPAIR / REFURBISH PUMP & PUMP MOTORS

DESCRIPTION Manufacturer: HS Manufacturer: USMTR Manufacturer: EMRSN Manufacturer: STER Manufacturer: RELIANCE Manufacturer: LIGHTING MITER Manufacturer: GENRL Manufacturer: RELIANCE Manufacturer: USELC Manufacturer: MARATHON Manufacturer: USELC CONT'D. Manufacturer: HYDROMATIC - SUBMERSIBLE Manufacturer: BALDOR Manufacturer: FLYGT - SUBMERSIBLE NORTHEAST REGIONAL TREATMENT PLANT separate motor (M) or a motor that is an integral part of a pump (P) NOTE: "M" or "P" designation in the "VOLTS" column indicates whether unit is a EXTENDED TOTALS: NORTHEAST REGIONAL TREATMENT PLANT ARGUS 55 HAD112MD 230 VDC 259CN410010 445 T 1MAE29559 56 XJ-65 215 T XRK215SC205 P14J 2403 MOO 2 Speed 5008 LP XSBL360 56 C 428D CD3475 MODEL/FRAME TYPE 324 TP VHS 145 TC 86-4261 284 LPTE DR121K 56 C 428D Spec 34-4418-1463 56 C VM3538 CS 3102 145 TC VM-8002 145 TC Spec. 36-52577106 M 230 DC M 460 M 460 M 460 M 460 ≤ ≤ M 460 M 460 M 460 3 Ζ Ζ ≤ U M 460 U VOLTS 460 460 460 460 460 460 460 460 600-890 1190/890 1175 1750 1710 1725 1725 1730 1750 1725 1725 1750 RPM 1770 1750 1756 1725 1725 1700 125/94 0.65 3/4 0.75 0.5 3/4 5.5 1.5 25 50 3/4 1/2 퓨 15 S 6 2 S QTY. EST. 4 ω N 2 4 2 N 2 N 44 2 2 N N 4 S 6 6 8 8 8 8 6 8 6 6 6 6 4 6 6 S UNIT PRICE RECONDITION PUMP/ PUMP MOTOR S 6 6 6 0 6 60 EXTENDED PRICE 6 S S 4 \$ 8 5 6 6 69 4 S 69 8 60 6 UNIT PRICE REWIND MOTOR 6 S 6 6 EXTENDED PRICE

NOTE: "M" or "P" designation in the "VOLTS" column indicates whether unit is a separate motor (M) or a motor that is an integral part of a numn (P)	dicates whet	ther unit is	Ø		RECONDITIO	RECONDITION PUMP/ PUMP	REWIND	REWIND MOTOR
				EST		EXTENDED		EXTENDED
DESCRIPTION	VOLTS	RPM	Ŧ	QTY.	UNIT PRICE	PRICE	UNIT PRICE	PRICE
"FUTURE MOTORS" FOR PLANT EXPANSIONS @								
SOUTHWEST & SOUTHEAST REGIONAL TREATMENT								
PLANTS								
MODEL/FRAME TYPE:								
	M 460	1800	70	ω	₩.	€9	€9	€
SUBMERSIBLE:	P 460	1200	60	သ	\$	₩.	\$	S
SUBMERSIBLE:	P 460	1800	10	ယ	S	\$	\$	\$
	M 460	3600	200	3	\$	\$	\$	\$
	M 460	1740	30	ယ	\$	\$	\$	\$
	M 460	500/1170	80	ယ	\$	\$	\$	\$
	M 460	300/700	75	ယ	\$	\$	₩.	\$
US MOTOR - (405 TP)	M 460	1780	150	4	\$	\$	\$	\$
	M 460	1200/700 125/65	125/65	з	₩	\$	\$	\$
	M 460	300/700	250	ω	\$	\$	\$	\$
SOUTHWEST & SOUTHEAST REGIONAL TREATMENT								
PLANTS EXTENDED TOTALS:						₩		4

IFB #09-1403JS REPAIR / REFURBISH PUMP & PUMP MOTORS

NOTE: "M" or "P" designation in the "VOLTS" column indicates whether unit is a separate motor (M) or a motor that is an integral part of a pump (P).	S" column indica	ates wheth	er unit is		RECONDITIO	TION PUMP/ PUMP MOTOR	REWIND	REWIND MOTOR
DESCRIPTION	VOLTS	PHASE	Ŧ	EST. QTY.	UNIT PRICE	EXTENDED PRICE	UNIT PRICE	EXTENDED PRICE
LIFT STATIONS								
MOTOR TYPE: SUBMERSIBLE								
MODEL/FRAME TYPE:								
Manufacturer: ABS								
AF 90-4-4	P 230	ω	12	N	€9	မှ	€9	69
AF15-4-4	P 208	ω	2.6	6	↔	€	φ.	φ.
EJ100D-4 MS	P 208	ω	10	4	↔	S	4	φ.
M105/4-23.60	P 230	ω	14.1	2	↔	€9	4	€9
M22/4-11.60	P 230	3	3	4	S	છ	↔	↔
M35-4-12.60	P 230	3	4.7	2	\$	\$	↔	↔
M46/4-21.60	P 230	3	6.2	4	\$	æ	↔	↔
M75/4-22.60	P 480	ω	10.1	2	₩	€9	↔	↔
M80/2-22.60	P 230	ယ	10.7	2	S	€9	↔	↔
M90/4-22.60	P 230	3	12.1	2	\$	€9	€	\$
PIRANHA 2D	P 230	3	2	2	\$	€9	₩.	↔
PIRANHA 3D	P 230	3	3.4	2	\$	49	\$	↔
PIRV2.5W	P 230	1	2.5	2	S	49	₩	↔
PIRV2D	P 230	3	2	2	\$	\$	₩.	\$
Manufacturer: BARNES								
3SE53	P 230	_	0.5	6	49	€	₩.	€9
4SE101	P 230	_	1.9	2	\$	₩.	₩.	₩.
4SE11334L	P 230	3	11.3	2	₩.	₩.	\$	↔
4SE1424L	P 230	_	1.4	6	₩	\$	\$	\$
4SE15034L	P 230	3	15	2	\$	€9	\$	₩.
4SE151	P 230	1	2	4	\$	\$	₩.	₩.
4SE153	P 230	З	2.8	4	\$	€9	\$	₩.
4SE1924L	P 230	1	1.9	6	\$	\$	₩.	\$
4SE1926L	P 230	1	1.9	2	\$	\$	₩.	æ
4SE201	P 230	1	2	4	\$	₩.	€9	\$
4SE203	P 230	ω	3.7	10	\$	\$	\$	₩.
4SE2824L	P 230	_	2.8	18	€	\$	\$	€9
4SE302DS	P 230	ω	5	œ	\$	\$	\$	€9
4SE3724L	P 230	_	3.7	4	4	€9	€	₩.

37

BIDDER

IFB #09-1403JS REPAIR / REFURBISH PUMP & PUMP MOTORS

HP	NOTE: "M" or "P" designation in the "VOLTS" column indicates whether unit is a separate motor (M) or a motor that is an integral part of a pump (P).	column indica	ites wheth	er unit is		RECONDITIO MC	TION PUMP/ PUMP MOTOR	REWIND	REWIND MOTOR
BARNES CONTD. P 230 1 5 2 \$	DESCRIPTION	VOLTS	PHASE	₹	EST. QTY.	UNIT PRICE	EXTENDED PRICE	UNIT PRICE	EXTENDED PRICE
LL P 230 1 5 2 8 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	Manufacturer: BARNES CONT'D.								
P 230	4SE5024L		1	5	2	₩.	€9	49	€9
P 230 3 27 2 S S S S S S S S S	4SE924L	N. 37	_	0.9	4	↔	↔	49	↔
P 230 3 15 2 \$ \$ \$ \$ \$ \$ \$ \$ \$	4SE-EDS		ω	2.7	2	₩.	↔	es	↔
P 230	4SEH1002		ω	15	2	↔	↔	€	↔
P 230	4SEH301		_	4.5	2	₩.	↔	€	↔
H4EA	4SEH502	18.75	3	7.5	4	₩.	₩	€9	€9
4AHL P 460 3 30 2 \$ \$ \$ 4HL P 460 3 30 2 \$ \$ \$ 4HL P 460 3 30 2 \$ \$ \$ 4HL P 460 3 30 2 \$ \$ \$ 4HL P 460 3 30 2 \$ \$ \$ 4HL P 460 3 30 7 \$ \$ \$ 4HL P 460 3 30 7 \$ \$ \$ 4HL P 460 3 48 2 \$ \$ \$ 4HL P 460 3 48 2 \$ \$ \$ 6152 P 230 3 2 2 \$ \$ \$ 11552 P 230 3 267 3 \$ \$ \$ 1220 P 230 3 <	4SEH752	- 1	ω	11.5	4	₩	€	↔	↔
4HL P 460 3 30 2 \$ \$ \$ 4HL P 460 3 36 7 \$ \$ \$ 4HL P 460 3 36 7 \$ \$ \$ 4HL P 460 3 36 7 \$ \$ \$ 4HL P 460 3 36 7 \$ \$ \$ 4HL P 460 3 36 7 \$ \$ \$ 4HL P 460 3 48 2 \$ \$ \$ 4HL P 230 3 2 4 \$ \$ \$ 651.52 P 230 3 2 4 \$ \$ \$ 11.552 P 230 1 2 2 \$ \$ \$ 15.522 P 230 1 2 2 \$ \$ \$ 165.52 P 230 3	4XSE30044EA		ω	30	2	\$	€	↔	↔
4HL P 460 3 36 7 \$ \$ \$ 4HL P 460 3 48 2 \$ \$ \$ 4HL P 460 3 48 2 \$ \$ \$ 4HL P 460 3 48 2 \$ \$ \$ 4HL P 460 3 48 2 \$ \$ \$ 61.52 P 230 3 2 2 \$ \$ \$ 661.52 P 230 3 2 2 4 \$ \$ \$ 667.2 P 230 1 2 4 \$ \$ \$ \$ 161.52 P 230 1 2 4 \$ \$ \$ \$ \$ 161.52 P 230 1 2 2 \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	6SE30044HL		ယ	30	2	S	₩.	↔	↔
4HL P 460 3 48 2 \$ \$ \$ EBARA P 230 3 2 2 \$ \$ \$ \$ 161.52 P 230 3 2 4 \$ \$ \$ \$ 1637.52 P 230 3 2 4 \$	6SE36044HL	100	3	36	7	₩.	₩	↔	↔
EBARA P 230 3 2 2 \$ \$ \$ 661.52 P 230 3 2 4 \$	6SE48044HL	100	ω	48	2	\$	₩.	↔	€
EBARA P 230 3 2 4 \$ \$ \$ 661.52 P 230 3 2 4 \$ \$ \$ \$ 661.52 P 230 3 2 4 \$<	SG203	200	ω	2	2	€9	€9	S	↔
61.52 P 230 3 2 4 \$ \$ \$ 65372 P 230 3 5 2 \$ \$ \$ 662.2 P 230 3 2 2 \$ \$ \$ 662.2 P 230 1 2 2 \$ \$ \$ 662.2 P 230 1 2 2 \$ \$ \$ 662.2 P 230 1 2 2 \$ \$ \$ 662.2 P 230 1 2 2 \$ \$ \$ 662.2 P 230 3 267 3 3 \$ \$ \$ 662.2 P 230 3 267 3 3 \$ \$ \$ 662.2 P 230 3 3 267 3 3 \$ \$ \$ 6000 P 230 3 3 2 3 \$ \$ \$ 6000 P 230 3 24.1 2 \$ \$ \$ 6000 P 230 3 15 2 \$ \$ \$ 7 P 230 3 15 2 \$									
6372 P 230 3 5 2 \$ \$ 652.2 P 230 3 2 2 \$ \$ \$ 15.552 P 230 1 2 4 \$ \$ \$ 161552 P 230 1 2 2 \$ \$ \$ DDSCA3 P 230 3 267 3 \$ \$ \$ 222 P 230 1 3 2 \$ \$ \$ 22552 P 230 1 2 2 \$ \$ \$ 22752 P 230 1 2 2 \$ \$ \$ 22752 P 230 1 2 2 \$ \$ \$ 22752 P 230 1 2 2 \$ \$ \$ 22852 P 230 3 7 2 3 \$ \$ 22852 P 230 3 7 2 3 \$ \$ 22852 P 230 3 7 2 3 \$ \$ 22953 P 230 3 10 2 3 \$ \$ 2396 P 230 3<	3		3	2	4	€9	₩	€9	₩.
65.2.2 P 230 3 2 2 \$ \$ \$ 31.5S2 P 230 1 2 4 \$ \$ \$ 31.5S2 P 230 1 2 4 \$ \$ \$ 161552 P 230 3 267 3 \$ \$ \$ 10DSCA3 P 230 3 267 3 \$ \$ \$ 2222 P 230 3 2 \$ \$ \$ 2222 P 230 3 3 2 \$ \$ \$ 2222 P 230 3 3 2 \$ \$ \$ 2223 P 230 3 7 2 \$ \$ \$ 2230 3 7 2 \$ \$ \$ 230 3 10 2 \$ \$ \$ 230 3 10 2 \$ \$ \$ 230 3 15 2 \$ \$ \$ 23 P 230 3 15 2 \$ \$ \$ 24 P 230 3 15 2 \$ \$ \$	100DFLU6372		3	5	2	\$	\$	\$	₩.
31.5S2 P 230 1 2 4 \$ \$ \$ 161552 P 230 1 2 2 \$ \$ \$ DDSCA3 P 230 3 267 3 \$ \$ \$ DDSCA3 P 230 3 267 3 \$ \$ \$ 222 P 230 1 3 2 \$ \$ \$ 222 P 230 1 2 2 \$ \$ \$ 224 P 230 3 7 2 \$ \$ \$ 240 P 230 3 24.1 2 \$ \$ \$ 250 P 230 3 10 2 \$ \$ \$ 250 P 230 3 10 2 \$ \$ \$ 250 P 230 3 10 2 \$ \$ \$ 250 P 230 3 16 2 \$ \$ \$ 250 P 230 3 15 2 \$ \$ \$ 250 P 230 3 16 2 \$ \$ \$ 250 P 230	100DLFU62.2	2.0	ယ	2	2	₩	₩.	€	\$
61552	32DGFU61.5S2		1	2	4	€	₩.	₩.	S
DDSCA3 P 480 3 267 3 \$ \$ \$ \$ \$ \$ P 230 3 3 2 \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ P 230 1 3 2 \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ P 230 1 3 2 \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ EMU P 230 1 2 2 \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ EMU P 230 3 7 2 \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ EMU P 230 3 24.1 2 \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ EMU P 230 3 24.1 2 \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ EMU P 230 3 10 2 \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ EMU P 230 3 10 2 \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	32DGU11 61552		1	2	2	\$	₩.	₩.	\$
2222 P 230 3 3 2 \$ \$ \$ 22.252 P 230 1 3 2 \$ \$ \$ 22.252 P 230 3 3 2 \$ \$ \$ 23.252 P 230 3 3 2 \$ \$ \$ 24.1 2 \$ \$ \$ \$ 25.252 P 230 3 24.1 2 \$ \$ \$ 25.252 P 230 3 10 2 \$ \$ \$ 26.252 P 230 3 15 2 \$ \$ \$ 27.252 P 230 3 15 2 \$ \$ \$ 28.362 P 230 3 15 2 \$ \$ \$ 29.252 P 230 3 15 2 \$ \$ \$ 29.252 P 230 3 4.9 2 \$ \$ \$ 29.252 P 230 3 8.1 2 \$ \$ \$ 29.252 P 230 3 8.1 2 \$ \$ \$ 30.362 P 230 <t< td=""><td>350 X 200DSCA3</td><td></td><td>ယ</td><td>267</td><td>ω</td><td>€9</td><td>s</td><td>₩.</td><td>€</td></t<>	350 X 200DSCA3		ယ	267	ω	€9	s	₩.	€
52.2S2 P 230 1 3 2 \$ \$ \$ \$ 2 P 230 3 3 2 \$ \$ \$ \$ EMU P 230 1 2 2 \$ \$ \$ \$ EMU P 230 3 7 2 \$ \$ \$ \$ EMU P 230 3 7 2 \$ \$ \$ \$ 138 P 230 3 10 2 \$ \$ \$ \$ 1138 P 230 3 10 2 \$ \$ \$ \$ 12 P 230 3 15 2 \$ \$ \$ \$ 12 P 230 3 15 2 \$ \$ \$ \$ 12 P 230 3 15 2 \$ \$ \$ \$ 13 P 230 3 15 2 \$ \$ \$ \$ 19 P 230 3 <	50DBUII6222		3	3	2	\$	\$	\$	€9
P 230 3 3 2 \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	80DLMU62.2S2		1	ယ	2	\$	\$	\$	\$
EMU P 230 1 2 2 \$ \$ \$ BMU P 230 3 7 2 \$ \$ \$ BMU P 230 3 7 2 \$ \$ \$ BMU P 230 3 7 2 \$ \$ \$ BMU P 230 3 10 2 \$ \$ \$ BMU P 230 3 10 2 \$ \$ \$ BMU P 230 3 15 2 \$ \$ \$ BMU P 230 3 15 2 \$ \$ \$ BMU P 230 3 15 2 \$ \$ \$ BMU P 230 3 15 2 \$ \$ \$ BMU P 230 3 15 2 \$ \$ \$ BMU P 230 3 15 2 \$ \$ \$ BMU P 230 3 8.1 <td< td=""><td>80DV62.2</td><td></td><td>3</td><td>3</td><td>2</td><td>\$</td><td>\$</td><td>\$</td><td>\$</td></td<>	80DV62.2		3	3	2	\$	\$	\$	\$
EMU P 230 3 7 2 \$ \$ 36 P 230 3 24.1 2 \$ \$ \$ 138 P 230 3 10 2 \$ \$ \$ 193 P 230 3 10 2 \$ \$ \$ 12 P 230 3 15 2 \$ \$ \$ 12 P 230 3 15 2 \$ \$ \$ 12 P 230 3 4.9 2 \$ \$ \$ 13 P 230 3 8.1 2 \$ \$ \$	DGFU		_	2	2	8	₩.	€9	₩.
P 230 3 7 2 \$ \$ \$ P 230 3 24.1 2 \$ \$ \$ P 230 3 10 2 \$ \$ \$ P 230 3 15 2 \$ \$ \$ P 230 3 4.9 2 \$ \$ \$ P 230 3 8.1 2 \$ \$ \$									
P 230 3 24.1 2 \$ \$ \$ 18 P 230 3 10 2 \$ \$ \$ 13 P 230 3 15 2 \$ \$ \$ 15 2 \$ \$ \$ \$ 16 2 \$ \$ \$ 17 10 2 3 4.9 2 3 4.9 3 4.9 3 4.9 3 4.9 3 4.9 3 4.9 4	F104-223		ω	7	2	\$	€	\$	€9
188 P 230 3 10 2 \$<	FA 154 336		ယ	24.1	2	\$	€	₩.	₩
P 230 3 10 2 \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	FA10.41-138		ယ	10	2	\$	₩.	\$	\$
P 230 3 15 2 \$ \$ \$ P 230 3 15 2 \$ \$ \$ P 230 3 4.9 2 \$ \$ \$ P 230 3 8.1 2 \$ \$ \$	FA10.41-193		ω	10	2	₩	₩.	₩.	49
P 230 3 15 2 \$ \$ \$ P 230 3 4.9 2 \$ \$ \$ P 230 3 8.1 2 \$ \$	FA100-422		ω	15	2	€	φ	φ	\$
P 230 3 4.9 2 \$ \$ \$ \$ \$	FA100-422		ω	15	2	₩.	€9	φ	49
P 230 3 8.1 2 \$ \$	FA100-622		ပ	4.9	2	₩.	S	₩.	₩
. === -	FA100-623		ω	8.1	2	\$	\$	\$	€

IFB #09-1403JS REPAIR / REFURBISH PUMP & PUMP MOTORS

NOTE: "M" or "P" designation in the "VOLTS" column indicates whether unit is a separate motor (M) or a motor that is an integral part of a pump (P).	S" column indic งtegral part of a	ates wheth pump (P).	er unit is		RECONDITIO	TION PUMP/ PUMP	REWIND	REWIND MOTOR
DESCRIPTION	VOLTS	PHASE	ŦP	EST.	UNIT PRICE	EXTENDED PRICE	UNIT PRICE	EXTENDED PRICE
Manufacturer: EMU CONT'D.								
	P 460	ω	25	2	€9	€9	€9	€
FA102-306	P 460	3	25	2	₩.	\$	\$	₩.
FA107-215	P 230	ω	15.4	2	€9	€9	↔	↔
FA154-290T	P 460	ω	40.2	2	₩.	\$	₩.	G
FA80-420.1	P 230	ω	7.5	2	€9	€9	S	€
FA-80-421.1	P 230	ω	10.6	4	€9	€9	s	₩.
Manufacturer: FLYGT								
1	P 230	ω	თ	2	€9	€9	€	49
3126-180	P 230	3	9.4	2	S	₩.	\$	\$
3127-181	P 230	3	7.5	2	\$	\$	\$	\$
4CP3085	P 230	_	2.3	2	εs	€9	€9	S
C3085-436	P 230	3	ω	2	S	₩.	(A)	\$
C3101-180	P 230	_	3.8	2	€	₩.	છ	₩.
C3101-434	P 230	ω	5	6	€9	€9	ь	49
C3126-180	P 230	သ	9.4	6	\$	\$	S	₩.
CT 3231.665	P 460	3	140	ယ	\$	\$	₩.	€9
CT 3231.700	P 460	3	185	3	\$	\$	\$	\$
CT 3231.700	P 460	3	250	3	\$	\$	\$	₩.
CT 3306.665	P 460	3	85	3	\$	\$	\$	\$
NP 3153 SH	P 460	3	23	2	\$	\$	\$	\$
Manufacturer: GOULD								
WS1512DXN	P 230	-	1.5	4	₩	₩	\$	₩.
WS2012DXN	P 230	1	2	4	↔	\$	\$	\$
Manufacturer: HOMA								
AK434-260/29P/C	P 460	ω	29	2	€	₩.	\$	€
AK434-270/34.5F/L	P 480	3	34.5	2	\$	₩.	\$	\$
AK434-280/39F/C	P 460	3	39.2	2	\$	₩.	\$	\$
AK434-315/56G/C	P 460	3	56	ω	€9	€9	€9	€
AKX1266-427/151H/C	P 460	3	151	ω	₩.	₩	₩.	€9
AM13650D/C/4/3-2	P 230	3	4	2	\$	\$	8	€9
AM434-250/13P/C	P 230	သ	13.6	2	₩.	₩.	₩.	€9
AMX434-142/2.5/DC	P 230	ω	4	6	\$	\$	\$	\$

IFB #09-1403JS REPAIR / REFURBISH PUMP & PUMP MOTORS

EST. UNIT PRICE PRICE S S S S S S S S S S S S S S S S S S S	NOTE: "M" or "P" designation in the "VOLTS" column indicates whether unit is a separate motor (M) or a motor that is an integral part of a pump (P).	" column indica egral part of a p	ates wheth oump (P).	er unit is		RECONDITIO MC	TION PUMP/ PUMP MOTOR	REWIND	REWIND MOTOR
HOMA CONTD. HOMA CONTD. Hosas Since Hosas	DESCRIPTION	VOLTS	PHASE	퓨	EST. QTY.	UNIT PRICE	EXTENDED PRICE	UNIT PRICE	EXTENDED PRICE
P 230 3 3.5 6 S S S S S S S S S S S S S S S S S S									
P 230 3 4 5 S S S S S S S S S S S S S S S S S S	AMX434-155/3.5D/C		ω	3.5	တ	₩	€	₩	€
P 230 3 4 6 S S S S S S S S S S S S S S S S S S	AMX434-155-40D-C		ω	ω	4	₩.	↔	↔	₩.
D 230 3 4 4 5 5 5 D 230 3 3.49 4 5 7 6 5	AMX434-155-40D-C		ω	4	6	S	ω	•	φ.
P 230 3 3.49 4 \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	AMX434-178/4.0D/C		ω	4	4	€	S	₩.	\$
P 230 3 4 2 \$ \$ \$ P 230 3 5.47 4 \$ \$ \$ P 230 3 7.51 10 \$ \$ \$ P 230 3 10.4 2 \$ \$ \$ P 230 3 10.4 2 \$ \$ \$ P 230 3 10.4 2 \$ \$ \$ P 230 3 10.4 4 \$ \$ \$ P 230 3 10.38 4 \$ \$ \$ \$ P 230 3 10.38 4 \$ \$ \$ \$ \$ P 230 3 10.38 4 \$ \$ \$ \$ \$ \$ \$ \$ \$	AMX434-184/3.5D/C		ω	3.49	4	\$	(₩.	\$
P 230 3 5.47 4 \$ \$ \$ P 230 3 7.51 2 \$ \$ \$ C P 230 3 7.54 2 \$ \$ \$ C P 230 3 10.4 2 \$ \$ \$ \$ C P 230 3 10.4 4 \$ \$ \$ \$ C P 230 3 10.4 4 \$ \$ \$ \$ C P 230 3 10.4 4 \$ \$ \$ \$ P 230 3 10.4 4 \$ \$ \$ \$ P 230 3 10.38 4 \$ \$ \$ \$ P 230 3 10.38 4 \$ \$ \$ \$ P 230 3 10.38 4 \$ \$ \$ \$ P 230 3 29 3 \$ \$ \$ \$ P 230 3 <t< td=""><td>AMX434-184/4D/C</td><td></td><td>ω</td><td>4</td><td>2</td><td>S</td><td>↔</td><td>₩.</td><td>\$</td></t<>	AMX434-184/4D/C		ω	4	2	S	↔	₩.	\$
P 230 3 5.5 10 \$ \$ \$ C P 230 3 7.51 2 \$ \$ \$ C P 230 3 10.4 4 \$ \$ \$ C P 230 3 10.4 4 \$ \$ \$ L P 230 3 10.38 4 \$ \$ \$ P 230 3 10.38 4 \$ \$ \$ \$ P 230 3 10.38 4 \$ \$ \$ \$ P 230 3 10.38 4 \$ \$ \$ \$ P 230 3 10.38 4 \$ \$ \$ \$ P 230 3 10.38 4 \$ \$ \$ \$ P 230 3 10.38 4 \$ \$ \$ \$ P 230 3 29 3 \$ \$ \$ \$ P 230 3 29 3 \$	AMX434-193/13P/C	- 1	ω	5.47	4	s	\$	ω	\$
P 230 3 7.51 2 \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	AMX434-193-5.T-C		ω	5.5	10	ક	€	₩.	€
CC P 230 3 10.4 2 \$	AMX434-206/7.5T/C		ω	7.51	2	₩	↔	₩.	\$
7.5 6 \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	AMX434-218/10.4TC		ယ	10.4	2	₩.	€	φ.	₩.
CC P 230 3 10 4 \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	AMX434-218/7.5T/C		ω	7.5	თ	\$	₩.	\$	\$
P 230	AMX434-228/10,4T/C		ω	10	4	€	₩.	\$	₩.
L P 230 3 10.4 4 \$ \$ \$ P 460 3 10 1 \$ \$ \$ P 230 3 10 2 \$ \$ \$ P 230 3 10.38 4 \$ \$ \$ P 230 3 13 4 \$ \$ \$ P 230 3 29 2 \$ \$ \$ P 230 3 20 12 \$ \$ \$ P 230 3 20 12 \$ \$ \$ P 230 3 20 12 \$ \$ \$ P 230 3 20 2 \$ \$ \$ P 480 3 39.2 2 \$ \$ \$ P 480 3 30 2 \$ \$ \$ P 480 3 30 2 \$ \$ \$	AMX434-228/13P/C		ယ	10.38	4	€	₩.	€	₩.
P 460 3 10 1 \$ \$ \$ P 230 3 10 2 \$ \$ \$ P 230 3 10.38 4 \$ \$ \$ P 230 3 10.38 4 \$ \$ \$ P 230 3 9.92 3 \$ \$ \$ P 230 3 2.9 2 \$ \$ \$ P 230 3 2.9 2 \$ \$ \$ P 230 3 2.9 2 \$ \$ \$ P 230 3 2.9 3 \$ \$ \$ P 230 3 2.5 3 \$ \$ \$ P 480 3 39.2 2 \$ \$ \$	AMX434-235/10.4T/L		သ	10.4	4	€Đ	₩	₩.	₩.
P 230 3 10 2 \$ \$ \$ P 230 3 10.38 4 \$ \$ \$ P 230 3 10.38 4 \$ \$ \$ P 230 3 9.92 3 \$ \$ \$ P 230 3 29 2 \$ \$ \$ P 230 3 20 12 \$ \$ \$ P 230 3 29 3 \$ \$ \$ P 230 3 25 3 \$ \$ \$ P 480 3 39.2 2 \$ \$ \$ P 480 3 30 2 \$ \$ \$ P	AMX434-235/10N/C		3	10	1	\$	\$	₩.	₩.
CC P 230 3 10.38 4 \$ \$ \$ \$ P 230 3 9.92 3 \$ \$ \$ \$ \$ P 230 3 13 4 \$ \$ \$ \$ \$ P 230 3 29 2 \$ \$ \$ \$ \$ P 230 3 20 12 \$ \$ \$ \$ \$ P 230 3 29 3 \$ \$ \$ \$ \$ P 230 3 29 3 \$ \$ \$ \$ \$ P 230 3 29 3 \$ \$ \$ \$ \$ P 230 3 29 3 \$ \$ \$ \$ \$ P 230 3 25 3 \$ \$ \$ \$ \$ P 480 3 39.2 2 \$ \$ \$ \$ P 230 3 15.3 2 \$	AMX434-235/10T/C	Same of	ယ	10	2	₩.	₩.	(S)	\$
CC P 230 3 9.92 3 \$ \$ \$ P 230 3 13 4 \$ \$ \$ P 230 3 29 2 \$ \$ \$ P 230 3 20 4 \$ \$ \$ P 230 3 20 12 \$ \$ \$ P 230 3 29 3 \$ \$ \$ P 230 3 25 3 \$ \$ \$ P 480 3 39.2 2 \$ \$ \$ P 480 3 30 2 \$ \$ \$ P 480 3 30 2 \$ \$ \$ P 480 3 30 2 \$ \$ \$	AMX434-235/13P/C		3	10.38	4	₩.	₩.	€	\$
P 230 3 13 4 \$ \$ \$ P 230 3 29 2 \$ \$ \$ P 230 3 29 2 \$ \$ \$ P 230 3 20 12 \$ \$ \$ P 230 3 29 3 \$ \$ \$ P 230 3 29 3 \$ \$ \$ P 230 3 29 3 \$ \$ \$ P 230 3 20 2 \$ \$ \$ P 480 3 39.2 2 \$ \$ \$ P 480 3 39.2 2 \$ \$ \$ P 480 3 30 2 \$ \$ \$ P 480 3 30 2 \$ \$ \$ P 460 3 30 2 \$ \$ \$ P 460 3 30 2 \$ \$ \$ P 460 <td>AMX434-250/10.4T/C</td> <td></td> <td>3</td> <td>9.92</td> <td>ω</td> <td>€9</td> <td>₩.</td> <td>₩</td> <td>(S)</td>	AMX434-250/10.4T/C		3	9.92	ω	€9	₩.	₩	(S)
P 230 3 29 2 \$ \$ \$ P 230 3 20 4 \$ \$ \$ P 230 3 20 12 \$ \$ \$ P 230 3 29 3 \$ \$ \$ P 230 3 25 3 \$ \$ \$ P 480 3 39.2 2 \$ \$ \$ P 230 3 15.3 2 \$ \$ \$ P 480 3 39.2 2 \$ \$ \$ P 480 3 30 2 \$ \$ \$ P 460 3 30 2 \$ \$ \$ P 460 3 38 2 \$ \$ \$ P 460<	AMX434-250/13P/C		3	13	4	49	€9	₩	S
P 230 3 20 4 \$ \$ \$ P 230 3 20 12 \$ \$ \$ P 230 3 29 3 \$ \$ \$ P 230 3 29 3 \$ \$ \$ P 230 3 29 3 \$ \$ \$ P 230 3 25 3 \$ \$ \$ P 480 3 39.2 2 \$ \$ \$ P 230 3 39.2 2 \$ \$ \$ P 480 3 39.2 2 \$ \$ \$ P 480 3 30 2 \$ \$ \$ P 460 3 30 2 \$ \$ \$ P 460 3 38 2 \$ \$ \$ P 460 3 38 2 \$ \$ \$	AMX444/28D/29PC		3	29	2	\$	S	\$	₩.
P 230 3 20 12 \$ \$ \$ P 230 3 29 3 \$ \$ \$ P 230 3 29 3 \$ \$ \$ P 230 3 29 3 \$ \$ \$ P 230 3 20 2 \$ \$ \$ P 480 3 39.2 2 \$ \$ \$ P 480 3 39.2 2 \$ \$ \$ P 480 3 15.3 2 \$ \$ \$ P 460 3 30 2 \$ \$ \$ P 460 3 30 2 \$ \$ \$ P 460 3 38 2 \$ \$ \$	AMX444-230/29P/C		3	20	4	\$	\$	\$	\$
P 230 3 29 3 \$ \$ \$ P 230 3 29 3 \$ \$ \$ P 230 3 29 3 \$ \$ \$ P 230 3 20 2 \$ \$ \$ P 480 3 39.2 2 \$ \$ \$ P 480 3 39.2 2 \$ \$ \$ P 480 3 15.3 2 \$ \$ \$ P 460 3 30 2 \$ \$ \$ P 460 3 38 2 \$ \$ \$	AMX444-240/20P/C		3	20	12	\$	₩.	\$	\$
P 230 3 29 3 \$ \$ \$ P 230 3 20 2 \$ \$ \$ P 230 3 25 3 \$ \$ \$ P 480 3 39.2 2 \$ \$ \$ P 460 3 15.3 2 \$ \$ \$ P 460 3 30 2 \$ \$ \$ P 460 3 30 2 \$ \$ \$ P 460 3 38 2 \$ \$ \$	AMX444-270-29P-C		3	29	3	\$	\$	\$	€
P 230 3 20 2 \$ \$ \$ P 230 3 25 3 \$ \$ \$ P 480 3 39.2 2 \$ \$ \$ P 460 3 15.3 2 \$ \$ \$ P 460 3 30 2 \$ \$ \$ P 460 3 38 2 \$ \$ \$	AMX641-280/29P/C		3	29	3	₩.	€9	\$	₩.
P 230 3 25 3 \$ \$ \$ P 480 3 39.2 2 \$ \$ \$ P 460 3 39.2 2 \$ \$ \$ P 230 3 15.3 2 \$ \$ \$ P 480 3 30 2 \$ \$ \$ P 460 3 30 2 \$ \$ \$ P 460 3 38 2 \$ \$ \$	AMX644-260/20P/C		3	20	2	₩.	€	₩.	₩.
P 480 3 39.2 2 \$ \$ \$ P 460 3 87 2 \$ \$ \$ P 230 3 15.3 2 \$ \$ \$ P 480 3 30 2 \$ \$ \$ P 460 3 30 2 \$ \$ \$ P 460 3 38 2 \$ \$ \$	AMX644-280/29P/C		3	25	3	\$	€9	\$	₩.
P 460 3 87 2 \$ \$ \$ P 230 3 15.3 2 \$ \$ \$ P 480 3 30 2 \$ \$ \$ P 460 3 30 2 \$ \$ \$ P 460 3 38 2 \$ \$ \$	AMX644-310/39F		3	39.2	2	\$	₩.	₩.	\$
P 230 3 15.3 2 \$ \$ \$ \$ \$ P 480 3 30 2 \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	AMX644-370/87G/C		ယ	87	2	€	₩.	₩.	49
P 480 3 30 2 \$ \$ \$ P 460 3 30 2 \$ \$ \$ \$	AMX646-330/153P		ω	15.3	2	€	\$	₩.	49
P 460 3 30 2 \$ \$ \$ P 460 3 38 2 \$ \$	AV432-185/30P/C		ယ	30	2	εs	49	\$	8
P 460 3 38 2 \$ \$	AV432-200/30/PC		ယ	30	2	εs	æ	\$	€9
	AV432-215/38P/C		သ	38	2	₩.	\$	₩.	₩.

IFB #09-1403JS REPAIR / REFURBISH PUMP & PUMP MOTORS

NOTE: "M" or "P" designation in the "VOLTS" column indicates whether unit is a separate motor (M) or a motor that is an integral part of a pump (P).	S" column indicategral part of a	ates wheth pump (P).	er unit is		RECONDITIO	TION PUMP/ PUMP MOTOR	REWINI	REWIND MOTOR
DESCRIPTION	VOLTS	PHASE	퓨	EST. QTY.	UNIT PRICE	EXTENDED PRICE	UNIT PRICE	EXTENDED PRICE
Manufacturer: HOMA CONT'D.								
GRP 118/3	P 230	သ	13.1	2	€9	↔	↔	es
GRP 118-3-C	P 230	3	13	2	₩	€9	\$	ક
Manufacturer: HYDROMATIC								
H4H1000M3-4	P 230	ω	10	2	ક્ક	49	€9	69
H4H1500M3-4	P 230	ω	15	4	↔	6	₩.	မ
H4Q2500M3-4	P 230	ω	25	ω	8	မ	8	မ
HPG200M2-2	P 230	_	2	4	€	မှ	မ	မ
HPG200M3-2	P 230	ω	2	2	€9	€	မ	6
HPG200M4-2	P 460	ω	2	2	€9	\$	49	8
HPGF500M3.4	P 230	3	5	4	\$	\$	₩.	es
HPGH300M3.2	P 230	3	ω	2	G	မာ	S	S
HPGH750M3-2	P 230	3	7.5	2	S	€9	€9	\$
S3HRC300M3-2	P 230	ယ	ယ	2	€9	€9	€9	49
S3HRC500M3-2	P 230	ယ	ა	2	€9	8	€9	4
S4A2500M4/4	P 460	3	25	2	₩.	ક	S	4
S4B2000M3-4	P 230	ω	20	4	€9	€9	49	φ.
S4B2500M4-4	P 460	ω	25	2	€	\$	49	4
S4B3000M4-4	P 460	3	30	10	\$	\$	↔	49
S4B4000M4-4	P 460	3	40	2	€9	€9	↔	S
S4B5000M4-4	P 460	3	50	4	S	€9	₩.	49
S4HRC1000M3-4	P 230	ω	10	2	\$	\$	49	₩.
S4HRC1500M3-2	P 230	ω	15	4	\$	\$	₩.	₩.
S4HRC750M3-2	P 230	3	7.5	6	S	€9	↔	↔
S4K2000M3-4	P 230	ယ	20	6	€9	↔	↔	(
S4K2500M4-4	P 460	3	25	6	₩.	↔	₩.	€
S4K3000M4-4	P 460	သ	30	6	₩.	₩	↔	€
S4K4000M4-4	P 460	3	40	12	S	S	₩.	€
S4L2000M3-4	P 230	ယ	20	14	₩	€	φ	€
S4L2500M4-4	P 460	ယ	25	6	↔	↔	φ	€
S4L3000M4-4	P 480	သ	30	8	₩	€9	₩.	φ.
S4L4000M4-4	P 460	3	40	4	₩.	€9	\$	€
S4L4800M4-4	P 480	ယ	48	ω	₩.	₩.	€	φ

BIDDER_

BID FORM (Submit in Triplicate)

NOTE: "M" or "P" designation in the "VOLTS" column indicates whether unit is a separate motor (M) or a motor that is an integral part of a pump (P).	S" column indica tegral part of a p	ates wheth	er unit is		RECONDITIO	TION PUMP/ PUMP MOTOR	REWIN	REWIND MOTOR
DESCRIPTION	VOLTS	PHASE	푹	EST. QTY.	UNIT PRICE	EXTENDED PRICE	UNIT PRICE	EXTENDED PRICE
Manufacturer: HYDROMATIC CONT'D.								
S4L750M3-4	P 230	ω	7.5	2	€	&	€9	€9
S4LHRC2000M3-4	P 460	ယ	20	2	↔	\$	\$	↔
S4LRC2000M3-4	P 230	ω	20	12	↔	မှ	S	φ.
S4LRC3000M3-4	P 230	ω	30	2	\$	€	\$	φ.
S4M1000M3-4	P 230	ω	6	32	↔	€	↔	φ.
S4M1000M4-4	P 460	ω	10	2	↔	မှ	မှ	ω.
S4M1500M3-4	P 230	ω	15	16	\$	\$	မာ	6
S4M1500M4-4	P 460	ω	15	2	(မ	ω	S
S4M300M3-4	P 230	ω	ω	2	↔	ક્ક	€	S
S4M750M3-4	P 230	ω	7.5	24	↔	ક	\$	€
S4MN150M2-6	P 230	_	1.5	2	\$	S	S	€
S4MN500M3-4	P 230	ω	ა	2	\$	€9	ક	\$
S4MRC1000M3-4	P 230	ω	10	2	₩.	€9	ક	4
S4MRCLC1000M3-4	P 230	ω	10	2	↔	€9	€9	\$
S4MX1000JC	P 230	သ	10	2	↔	€9	₩	\$
S4N1000M3-4	P 230	ω	6	4	↔	€9	€9	\$
S4N1500M3-4	P 230	ω	15	2	₩.	€9	₩.	\$
S4N150M2-6	P 230	_	1.5	2	\$	€9	₩	\$
S4N150M3-6	P 230	3	1.5	2	\$	\$	₩	S
S4N200M2.4	P 230	1	2	2	\$	\$	₩.	€
S4N200M2-6	P 230	1	2	4	\$	₩.	₩.	₩
S4N200M3-4	P 230	3	2	36	\$	\$	₩.	\$
S4N200M4-4	P 460	ဒ	2	2	\$	\$	\$	æ
S4N300M2.4	P 230	1	ယ	4	8	\$	\$	S
S4N300M3-4	P 230	3	သ	40	€9	€9	₩.	G
S4N300M3-6	P 230	ယ	ω	2	₩.	€	↔	€9
S4N500M2-4	P 230	_	თ	2	\$	€	€	6
S4N500M3-4	P 230	ω	თ	98	€9	€	4	မ
S4N600M3-4	P 230	ω	თ	6	မ	€	€	မ
S4N750M3-4	P 230	ω	7.5	22	S	€	↔	€
S4N75M3-6	P 230	သ	0.75	တ	ક	↔	↔	\$
S4NRC150M2-6	P 230	_	1.5	2	\$	↔	↔	€9

IFB #09-1403JS REPAIR / REFURBISH PUMP & PUMP MOTORS

\$	\$			2	2		P 230	SPG200M2-2
€9	↔			2	0.75	3	P 230	SH75M3-6
€9	₩			2	ω	3	P 230	SH300M3-4
↔	↔			ω	100	3	P 480	SD4T10000M4.4
\$	\$			ယ	40	3	P 480	S6LX4000F0
\$	\$	32		6	50	з	P 460	S6L5000M4-4
₩.	€9		82	12	48	3	P 480	S6L4800M4-4
€9	₩.			4	40	3	P 480	S6L4000M4-4
\$	\$			ω	20	ω	P 480	S6L2000M4-4
\$	₩			2	20	သ	P 230	S6L2000M3-4
€9	↔			4	15	ω	P 230	S6L1500M3-4
\$	₩.			2	40	3	P 460	S6A5000M4-4
\$	₩.			2	40	S	P 460	S6A4000M4-4
\$	₩	€	\$	2	30	3	P 230	S6A3000N3-4
€9	€9			5	25	3	P 460	S6A2500M4-4
\$	₩.			3	75	3	P 460	S4T7500M4-4
\$	₩.			2	60	ပ	P 460	S4T6000M4-4
\$	₩.			2	50	З	P 460	S4T5000M4-4
49	€9			2	100	3	P 460	S4T1000M4-4
S	₩.			10	30	3	P 460	S4Q3000M4-4
49	છ			10	25	3	P 460	S4Q2500M4-4
49	ક			4	20	3	P 460	S4Q2000M4-4
49	છ			တ	20	3	P 230	S4Q2000M3-4
€9	B			6	15	3	P 460	S4Q1500M4-4
€9	49			42	7.5	3	P 230	S4P750M3-4
4	€9	₩		18	თ	ω	P 230	S4P500M3-4
49	↔	s		30	15	ω	P 230	S4P1500M3-4
€9	G	€9		2	10	3	P 460	S4P1000M4-4
€9	æ	€		42	10	3	P 230	S4P1000M3-4
€9	€9	\$		2	5	သ	P 230	S4NX500M3-4
69	€	€		2	7.5	ω	P 230	Manufacturer: HYDROMATIC CONT'D. S4NRC750M3-2
PRICE	UNIT PRICE	PRICE	UNIT PRICE	QTY.	픙	PHASE	VOLTS	DESCRIPTION
REWIND MOTOR	REWIN	MOTOR			0 0 0 0	pump (P).	gral part of a p	a separate motor (M) or a motor that is an integral part of a pump (P)
		TION PUMP/ PUMP	RECONDITIO		pr init io	ates whether	column indica	NOTE: "M" or "P" designation in the "VOI TS" column indicates whether unit is

BIDDER_

BID FORM (Submit in Triplicate)

IFB 09-1403JS

NOTE: "M" or "P" designation in the "VOLTS" column indicates whether unit is a separate motor (M) or a motor that is an integral part of a pump (P).	" column indica egral part of a l	ates whethe	er unit is		RECONDITIO	TION PUMP/ PUMP MOTOR	REWIND	REWIND MOTOR
DESCRIPTION	VOLTS	PHASE	Ŧ	EST. QTY.	UNIT PRICE	EXTENDED PRICE	UNIT PRICE	EXTENDED PRICE
Manufacturer: HYDROMATIC CONT'D.								
SPG200M3-2	P 230	ω	2	œ	€9	€9	€	€9
SPG300M3-2	P 230	ω	ယ	2	€9	€9	₩.	₩.
SPGF500M3-4	P 230	ω	თ	2	€9	€9	₩.	(
SPGF750M3-4	P 230	ယ	7.5	2	€9	€9	₩.	₩.
SPGH500M3-2	P 230	ω	ა	4	↔	€9	49	€9
SPGH750M3-2	P 230	ω	7.5	7	€9	€	છ	€9
SPGL200M3-2	P 230	ω	2	6	€9	€9	ક	₩.
SPGL200M6-2	P 208	ω	2	2	€9	€9	છ	ь
Manufacturer: IMPEL								
LD100-104-205W	P 230	ω	10	2	4	4	₩.	€
LD-100-104-210W	P 230	သ	10	9	\$	\$	\$	S
LD-151-104-191W	P 230	သ	10	4	\$	₩.	\$	€9
LD-151-304-245W	P 230	3	30	4	\$	\$	\$	\$
LU-100-034-146W	P 230	ω	ω	2	₩	\$	₩.	₩.
LU-100-054-160W	P 230	ω	ω	2	₩	\$	\$	\$
LU-100-204-264W	P 480	3	20	3	₩	\$	\$	\$
Manufacturer: MARLOW				3				
4DWS1F3A2D1D	P 230		1.5	6	49	4	4	co
4DWSIF3A2E1D	P 230	_	5.63	6	49	S	4	69
Manufacturer: MYERS	D 320	ى س	<u></u>	ກ	A	A	A	A
4V15M6-23A	- 1	ω	1.5	4	φ.	φ.	4	ω.
4V30M4-23A	P 230	သ	ω	8	S	₩.	€9	€9
4V50M4-23A	P 230	3	5	6	\$	\$	€9	€9
4V75M4-23A	P 230	3	7.5	6	\$	\$	\$	₩.
4VH100-M4-23A	P 230	3	10	2	\$	\$	\$	€9
4VH75M4-23A	P 230	3	7.5	4	\$	\$	\$	€9
6VC150M4-23	P 230	3	15	2	\$	€	₩.	€9
6VC200M4-23	P 230	3	20	3	₩.	\$	\$	\$
6VH100-4-23	P 230	ယ	10	2	49	\$	\$	\$

IFB 09-1403JS

LIFT STATIONS EXTENDED TOTALS:	Manufacturer: PUMPEX K204-T-CA3391	8VL150M8-23	WGL20-21	WGL20	WGH30-23-30	6VH75M4-23A	6VH150M4-23A	Manufacturer: MYERS CONT'D.	DESCRIPTION		a separate motor (M) or a motor that is an integral part of a pump (P).	NOTE: "M" or "P" designation in the "VOLTS" column indicates whether unit is
	P 480	P 230	P 230	P 230	P 230	P 230	P 230		VOLTS		ral part of a p	column indica
	ω	3	1	3	ω	ω	ω		PHASE		oump (P).	ites wheth
	185	15	2	2	ω	7.5	15		Ŧ			er unit is
	ω	2	2	2	െ	2	2		QTY.	EST.		
	\$	↔	\$	₩	49	49	49		UNIT PRICE		MC	RECONDITIO
\$	\$	4	\$	₩	8	49	₩		PRICE	EXTENDED	MOTOR	NITION PUMP/ PUMP
	\$	€9	\$	€	€	49	49		UNIT PRICE		REWINI	
₩	€	49	\$	49	4	49	49		PRICE	EXTENDED	REWIND MOTOR	

BID FORM

(Submit in Triplicate)

IFB #09-1403.IS REPAIR / REFURBISH PUMP & PUMP MOTORS

	IFB #09-1403JS REPAIR / REFURBISH PUMP & PUM	EPAIR / R	EFURBIS	SH PUMP	& PUMP MOTORS	RS		
NOTE: "M" or "P" designation in the "VOLTS" column indicates whether unit is a	column indicates v	vhether ur	nit is a		RECONDITIO	NDITION PUMP/ PUMP		
separate motor (M) or a motor that is an integral part of a pump (P).	ral part of a pump (<u>,</u>			MO	MOTOR	REWIND MOTOR	MOTOR
DESCRIPTION	VOLTS	RPM	Ŧ	EST. QTY.	UNIT PRICE	EXTENDED PRICE	UNIT PRICE	EXTENDED PRICE
WATER TREATMENT PLANT								
Motor Type: VERTICAL								
MODEL/FRAME TYPE:								
Manufacturer: US ELECTRIC	100 ys							
215VP	M 230/460	1745	10	2	\$	\$	€9	€9
404 TPWPI	M 460	1775	100	1	\$	\$	\$	\$
445 TP	M 460	1780	200	5	\$	\$	\$	\$
Manufacturer: SIEMANS - ALLIS								
507UP	M 460	1180	350	5	₩.	€9	€9	€
Manufacturer: GENERAL ELECTRIC								
6326 P24	M 460	1180	350	5	\$	₩.	₩.	₩.
L326 TP16	M 460	1780	50	2	\$	\$	\$	\$
6318 P20	M 460	880	200	3	\$	\$	\$	₩.
8337 P 30	M 4160	1180	600	2	\$	\$	\$	\$
L5011VP30	M 4160	1185	500	3	\$	\$	\$	\$
L5011TP30	M 4160	895	250	3	\$	\$	\$	₩.
Manufacturer: BALDOR								
184 T C	M 230/460	1725	5	4	\$	\$	\$	₩.
145 T C	M 230/460	1725	2	2	↔	\$	\$	₩.
		1001			•	•	•	,

Manufacturer: USEM 405 T C V 326 T P 365 T P

Manufacturer: RELIANCE 254 T C

M 230/460

1760

15

2

M 460 M 460

1780 1775 1785

50 75

<u> →</u> ω

8 8

8 8

8 8

8 8

8

S

Manufacturer: US MOTORS 5809 PH

215 JMV Manufacturer: NORD

100 L

Manufacturer: MARATHON

184 T

56 C

M 208-230/460 M 230/460 M 230/460

1725 1725 1725

105

8 8

8 8

8 8

SOS

M 230/460 M 230/460

1725 1155

SO

စ 2

8

S

co co

\$ \$

M 230/460

1725

5

2

S

6

69

6

M 460

713

250

_

6

6

4

NOTE: "M" or "P" designation in the "VOLTS" column indicates whether unit is a separate motor (M) or a motor that is an integral part of a pump (P).	column indicates val part of a pump (I	vhether ur P).	nit is a		RECONDITIO MC	NDITION PUMP/ PUMP MOTOR	REWIND	REWIND MOTOR
Manufacturer: USEM CONT'D.								
	M 460	1780	100	_	49	€	₩.	€9
364 T P	M 460	1780	60	ω	↔	₩	↔	€
Manufacturer: SEW - EURODRIVE								
143T	M 230/460	1740	<u>-1</u>	2	€9	₩.	€	49
Manufacturer: ABS - SUBMERSIBLE								
AFP - 003	P 460	1750	ω	_	49	₩.	₩	€9
AFP - 004	P 460	1750	4	_	\$	\$	\$	\$
AFP 1040.1 - M35/4	P 460	1750	4.7	1	\$	\$	↔	\$
AFW 150-4-6	P 460	1750	20	1	\$	\$	\$	\$
AFP(K) 1547.2 - ME185/4 FM	P 460	1750	24.8	_	\$	\$	₩.	\$
Manufacturer: HYDROMATIC-SUBMERSIBLE								
5 S4L2000M4-4 87	P 460	1750	20	_	₩.	S	₩.	€9
S6A2500 M4-4	P 460	1750	25	2	\$	\$	\$	↔
Manufacturer: FLYGHT - SUBMERSIBLE								
3152 - 120	P 460	1750	20	2	₩	€	\$	\$
CP3102	P 460	1745	5	2	\$	\$	₩.	S
Motor Type: HORIZONTAL								
MODEL/FRAME TYPE:								
Manufacturer: MARATHON								
215 T	M 230/460	1745	10	_	\$	\$	€	\$
447 T S	M 460	1780	300	_	\$	₩	\$	\$
56 C	M 208-230/460	3450	0.75	2	\$	\$	\$	\$
56 C	M 230/460	1730	0.5	2	\$	\$	\$	\$
Manufacturer: RELIANCE				,				
254 T	M 230/460	1770	15	4	€	\$	\$	€9
L184 T	M 230/460	1750	5	3	\$	\$	\$	\$
256 T	M 230/460	1175	10	5	\$	\$	\$	S
284 T	M 230/460	885	10	2	\$	\$	\$	S
213 T	M 230/460	1170	ω	_	₩	\$	₩.	S
FC143TC	M 460	1725		_	49	\$	\$	\$

NOTE: "M" or "P" designation in the "VOLTS" column indicates whether unit is a separate motor (M) or a motor that is an integral part of a pump (P).	column indicates v al part of a pump (l	whether ur P).	it is a		RECONDITIO	NDITION PUMP/ PUMP MOTOR	REWIND	REWIND MOTOR
Manufacturer: WEG								
184 T	M 208-230/460	1750	ഗ	_	₩.	49	4	€9
284 T	M 460	1765	25	2	\$	\$	₩.	\$
W182/4T	M 460	3460	S)	_	\$	\$	\$	\$
Manufacturer: TECO					A CONTRACTOR OF THE PARTY OF TH			
256 T	M 230/460	1170	10	_	()	€9	₩	S
Manufacturer: US ELECTRIC								
286 T TE	M 230/460	1775	30	6	()	S	₩.	€9
1504 S	M 2300	1800	150	2	\$	S	\$	\$
445 T	M 460	1780	200	သ	\$	€9	\$	\$
Manufacturer: GENERAL ELECTRIC								
286 T	M 230/460	1175	20	6	\$	↔	₩	\$
145 T	M 115/230	1725	1.5	1	\$	\$	\$	\$
8155 S	M 2300	1765	300	1	\$	\$	\$	₩.
Manufacturer: US MOTORS								
447 T S	M 460	890	150	_	€9	€9	₩.	€9
445 T S	M 460	890	125	4	\$	\$	\$	\$
5006 S	M 2300	1785	150	4	\$	\$	\$	S
184 T - 20	M 230/460	1715	5	7	\$	\$	\$	S
184 T - 20	M 230/460	1735	5	1	\$	\$	\$	S
182 T - 20	M 230/460	1725	ဒ	4	\$	\$	\$	\$
184 T	M 208-230-460	1745	5	4	\$	\$	\$	↔
Manufacturer: SEW - EURODRIVE DT100LA		405-1995	5	4	ક	€9	€9	€9
Manufacturer: EATON 447 T DZ	M 460	1775	300	v	9	÷9	9	÷9
Manufacturer: TOSHIBA						Y		
145 T	M 230/460	1725	2	4	49	49	₩	€
Manufacturer: WESTINGHOUSE		7)		•	•	•)
184	M 240/480	1725	2	_	49	49	4	49

IFB #09-1403JS REPAIR / REFURBISH PUMP & PUMP MOTORS

NOTE: "M" or "P" designation in the "VOLTS" column indicates whether unit is a separate motor (M) or a motor that is an integral part of a pump (P).	S" column indicates w	vhether ui ⁹).	nit is a		RECONDITIO	NDITION PUMP/ PUMP MOTOR	REWIND	REWIND MOTOR
Manufacturer: BALDOR			,		•	,	•	•
184 T	M 208-230/460	1750	ז ת		A 6	9	А	A
184 T 640 M	M 230/460	1725	טו פ		59 (59 €	÷ •	A 6
ᆌ	M 208-230/460	1765	25	2	69	မှ	с	69
145 TC	M 460	3450	2	_	49	₩.	ω	φ.
BALDOR / OEM	M 460	1725	_	_	છ	₩.	€	49
BALDOR / OEM	M 460	1725	0.5	_	\$	\$	co	€9
BALDOR / OEM	M 460	1725	0.25	_	ક્ક	(↔	4
Manufacturer: DYNAMATIC								
364 TDZZ	M 460	1750	60	2	€9	₩	မ	ક્ક
Manufacturer: USEM								
213 T	M 208-230/460	1180	ω	_	€9	€9	€	€
56 - 6	M 230/460	1745	0.75	2	€9	₩.	မှ	↔
254 J M	M 208-230/460	1775	15	_	€9	€9	₩.	↔
286 J M	M 208-230/460	1775	30	2	\$	\$	s	4
Manufacturer: LEESON								
286 J M	M 230/460	1760	30	_	49	₩	€9	€9
56J	M 460	3450	1.5	16	\$	₩.	ક્ક	4
145 TC		3450	3	_	\$	\$	æ	↔
J145T	M 115/208-230	1140	_	4	\$	₩.	₩.	S
Manufacturer: INGERSOLL-RAND								
284 T S	M 230/460	3560	30	_	€9	S	₩	₩
215 T	M 230/460	1755	10	1	₩	\$	₩.	\$
Manufacturer: LIMITORQUE								
42	M 230/460	1730	0.2	19	€9	€	€	↔
42	M 230/460	1725	0.5	1	\$	₩.	€	€9
42	M 460	1730	0.33	3	€9	₩.	₩.	\$
42	M 460	1700	0.2	7	\$	₩.	↔	₩.
42	M 230/460	3400	0.4	13	₩.	₩.	↔	€
48	M 230/460	3450	1.97	2	\$	₩.	↔	\$
48	M 230/460	1740	1	2	\$	\$	₩.	\$
48	M 230/460	870	0.17	9	\$	\$	↔	S

IFB 09-1403JS

BID FORM (Submit in Triplicate)

\$					tals)	n & Rewind Tot	COMBINED COST: (Both Recondition & Rewind Totals)
\$	₩						RECONDITION & REWIND TOTALS:
\$	€						EXTENDED TOTALS:
							WATER TREATMENT PLANT
\$	\$	ક	6	1/50	1725	M 460	EIM / OEM
₩	\$	\$	7	1/12	1725	M 460	EIM / OEM
							Manufacturer: EIM
\$	\$	\$	1	2.6	1700	M 460	FE 56
\$	\$	\$	2	0.33	1700	M 115/230	F56
\$	\$	49	12	0.17	850	M 230/460	48
\$	\$	€9	2	1.6 Amps	1800	M 440	48
\$	\$	\$	_	0.33	1725	M 230/460	48
\$	\$	\$	S	0.49	1725	M 230/460	48
\$	\$	↔	5	0.4	3465	M 230/460	48
\$	€9	€9		1.64	1725	M 230/460	48
			0				Manufacturer: LIMITORQUE CONT'D.
REWIND MOTOR	MOTOR	MO			P).	l part of a pump (separate motor (M) or a motor that is an integral part of a pump (P)
	NDITION PUMP/ PUMP	RECONDITIO		it is a	vhether un	column indicates v	NOTE: "M" or "P" designation in the "VOLTS" column indicates whether unit is a

BID FORM

(Submit in Triplicate)

REPAIR / REFURBISH PUMP & PUMP MOTORS

DESCRIPTION	
PERCENTAGE OF MARKUP OVER ACTUAL COST:	
Bearings:	%
Parts:	%
HOURLY RATES:	
Regular	\$hr
*Overtime:	\$hr
Emergency Markup	%
Trip Charge: (flat rate to include travel, mileage and all other expenses)	\$
TDI (Tear Down Inspection) charge when pump is inspected but determination is made by County not to repair.	\$
* Overtime is defined as being between the hours of 5:01 F	

LOCAL ECONOMIC IMPACT (Provide the following details. You may attach an additional page with your response to these items if necessary):

Specify office and location of your primary place of business for:
County equipment pickup:
Repair of County equipment:
List the key personnel at your primary place of business.
For the remaining personnel, detail at what location(s) they will work and how they will provide support from that location.
Explain the direct economic benefit to Manatee County should your firm be awarded this bid. During the term of this contract, detail the employment, subcontracting and support services that may provide an economic benefit to Manatee County. For example, list any businesses from whom you purchase goods or services which are located in Manatee County, provide the number of your employees who reside in Manatee County or any other economic stimulus your firm may provide to Manatee County.

through Friday and any time Saturday, Sunday or during holidays observed by Manatee County.

Attachment A

STATEMENT OF NO BID

If you do not intend to bid please return this form immediately to:

Manatee County Purchasing 1112 Manatee Avenue West, Eighth Floor Bradenton, Florida 34205

We, the undersigned, have declined to bid on Bid No.: IFB 09-1403JS, Repair and Refurbish Pumps and Pump Motors, for the following reason(s): ____Specifications too restrictive, i.e., geared toward one brand or manufacturer. ___Insufficient time to respond We do not offer this product or service Our schedule would not permit us to perform Unable to meet specifications Unable to meet Bond requirement ____Specifications unclear (explain below) Unable to meet insurance requirements Remove us from your "Bidders List" Other (specify below) REMARKS:____ We understand that if we do not submit a Bid and this Statement of No Bid is not executed and returned, our name may be deleted from your Bidders List for this commodity or service. Company Name:________ Company Address: Telephone:______ Signature: ______ (Print or type name and title of above signer)

ATTACHMENT B

Drug Free Work Place Certification

SWORN STATEMENT PURSUANT TO SECTION 3-101(7)(B), MANATEE COUNTY PROCUREMENT CODE, ON DRUG FREE WORK PLACES

THIS FORM MUST BE SIGNED AND SWORN TO IN THE PRESENCE OF A NOTARY PUBLIC OR OTHER OFFICIAL AUTHORIZED TO ADMINISTER OATHS.

OTTILIN OFFIC	ICIAL AUTHORIZED TO ADMINISTER OATHS.	
This sworn stat	tatement is submitted to the Manatee County Board of County Comr [print in	missioners by dividual's name and title]
	For [name of entity submittir	
	[name of entity submitting	ng sworn statement]
whose busines	ess address is:	
and (if applicab	able) its Federal Employer Identification Number (FEIN) is	(If the entity has no
FEIN, include t	e the Social Security Number of the individual signing this sworn stat	ement:
improv lease, monies provide (1) pro	derstand that no person or entity shall be awarded or receive a convements, procurement of goods or services (including professional, franchise, concession or management agreement, or shall recessive unless such person or entity has submitted a written certification de a drug free work place by: providing a written statement to each employee notifying such emplacture, distribution, dispensation, possession or use of a controlle	al services) or a county ceive a grant of county to the County that it will ployee that the unlawful
by 89 or entit	393.02(4), Florida Statutes, as the same may be amended from time tity's work place is prohibited specifying the actions that will be take tion of such prohibition. Such written statement shall inform employed	e to time, in the person's n against employees for
	(i) the dangers of drug abuse in the work place;	
	(ii) the person's or entity's policy of maintaining a drug free envelopes, including but not limited to all locations where employeelating to any portion of such contract, business transaction or g	yees perform any task
	(iii) any available drug counseling, rehabilitation, and employe and	e assistance programs;
	(iv) the penalties that may be imposed upon employees for drug	abuse violations.

(2) Requiring the employee to sign a copy of such written statement to acknowledge his or her receipt of same and advice as to the specifics of such policy. Such person or entity shall retain the statements signed by its employees. Such person or entity shall also post in a prominent place at all of its work places a written statement of its policy containing the foregoing elements

(i) through (iv).

ATTACHMENT B, Con't.

- (3) Notifying the employee in the statement required by subsection (1) that as a condition of employment the employee will:
 - (i) abide by the terms of the statement; and
 - (ii) notify the employer of any criminal drug statute conviction for a violation occurring in the work place no later than five (5) days after such a conviction
- (4) Notifying the County within ten (10) days after receiving notice under subsection (3) from an employee or otherwise receiving actual notice of such conviction.
- (5) Imposing appropriate personnel action against such employee up to and including termination; or requiring such employee to satisfactorily participate in a drug abuse assistance or rehabilitation program approved for such purposes by a federal, state, or local health, law enforcement, or other appropriate agency.
- (6) Making a good faith effort to continue to maintain a drug free work place through implementation of sections (1) through (5) stated above.

I UNDERSTAND THAT THE SUBMISSION OF THIS FORM TO THE CONTRACTING OFFICER FOR MANATEE COUNTY IS VALID THROUGH DECEMBER 31 OF THE CALENDAR YEAR IN WHICH IT IS FILED. I ALSO UNDERSTAND THAT ANY CONTRACT OR BUSINESS TRANSACTION SHALL PROVIDE FOR SUSPENSION OF PAYMENTS, OR TERMINATION, OR BOTH, IF THE CONTRACTING OFFICER OR THE COUNTY ADMINISTRATOR DETERMINES THAT:

- (1) Such person or entity has made false certification.
- (2) Such person or entity violates such certification by failing to carry out the requirements of sections (1), (2), (3), (4), (5), or (6) or subsection 3-101(7)(B); or
- (3) Such a number of employees of such person or entity have been convicted of violations occurring in the work place as to indicate that such person or entity has failed to make a good faith effort to provide a drug free work place as required by subsection 3-101(7)(B).

		[Signature]		
STATE OF FLORIDA COUNTY OF				
Sworn to and subscribed before me this	day of		, 20	by
Personally known	OR Produced	identification		
			Туре	of identification]
		My commissio	n expir	es
Notary Public Signature				
[Print, type or stamp Commissioned name of	of Notary Public]			

ATTACHMENT C

PUBLIC CONTRACTING AND ENVIRONMENTAL CRIMES CERTIFICATION

SWORN STATEMENT PURSUANT TO ARTICLE 6, MANATEE COUNTY PURCHASING CODE

THIS FORM MUST BE SIGNED AND SWORN TO IN THE PRESENCE OF A NOTARY PUBLIC OR OTHER OFFICIAL AUTHORIZED TO ADMINISTER OATHS.

This sworn statement is submitted to the Manatee County Board of County Commissioners by
[print individual's name and title]
For
[name of entity submitting sworn statement]
whose business address is:
and (if applicable) its Federal Employer Identification Number (FEIN) is If the entity has no FEIN, include the Social Security Number of the individual signing this sworn statement:
I understand that no person or entity shall be awarded or receive a county contract for public improvements, procurement of goods or services (including professional services) or a county lease, franchise, concession or management agreement, or shall receive a grant of county monies unless such person or entity has submitted a written certification to the County that it has not:
(1) been convicted of bribery or attempting to bribe a public officer or employee of Manatee County, the State of Florida, or any other public entity, including, but not limited to the Government of the United States, any state, or any local government authority in the United States, in that officer's or employee's official capacity; or
(2) been convicted of an agreement or collusion among bidders or prospective bidders in restraint of freedom of competition, by agreement to bid a fixed price, or otherwise; or
(3) been convicted of a violation of an environmental law that, in the sole opinion of the County's Purchasing Director, reflects negatively upon the ability of the person or entity to conduct business in a responsible manner; or
(4) made an admission of guilt of such conduct described in items (1), (2) or (3) above, which is a matter of record, but has not been prosecuted for such conduct, or has made an admission of guilt of such conduct, which is a matter of record, pursuant to formal prosecution. An admission of guilt shall be construed to include a plea of nolo contendere; or
(5) where an officer, official, agent or employee of a business entity has been convicted of or has admitted guilt to any of the crimes set forth above on behalf of such and entity and pursuant to the direction or authorization of an official thereof (including the person committing the offense, if he is an official of the business entity), the business shall be chargeable with the conduct herein above set forth. A business entity shall be chargeable with the conduct of an affiliated entity, whether wholly owned, partially owned, or one which has common ownership or a common Board of Directors. For
purposes of this Form, business entities are affiliated if, directly or indirectly, one business entity controls or has the power to control another business entity, or if an individual or group of individuals controls or has the power to control both entities. Indicia of control shall include, without limitation, interlocking management or ownership, identity of interests amount family members, shared organization of a business entity following the ineligibility of a business entity

under this Article, or using substantially the same management, ownership or principles as the ineligible entity.

Any person or entity who claims that this Article is inapplicable to him/her/it because a conviction or judgment has been reversed by a court of competent jurisdiction, shall prove the same with documentation satisfactory to the County's Purchasing Director. Upon presentation of such satisfactory proof, the person or entity shall be allowed to contract with the County.

I UNDERSTAND THAT THE SUBMISSION OF THIS FORM TO THE CONTRACTING OFFICER FOR MANATEE COUNTY IS VALID THROUGH DECEMBER 31 OF THE CALENDAR YEAR IN WHICH IT IS FILED. I ALSO UNDERSTAND THAT ANY CONTRACT OR BUSINESS TRANSACTION SHALL PROVIDE FOR SUSPENSION OF PAYMENTS, OR TERMINATION, OR BOTH, IF THE CONTRACTING OFFICER OR THE COUNTY ADMINISTRATOR DETERMINES THAT SUCH PERSON OR ENTITY HAS MADE FALSE CERTIFICATION.

		[Signature]	
STATE OF FLORIDA COUNTY OF			
Sworn to and subscribed before me this	day of	, 200	by
Personally known OR Prod	duced identification_		entification]
Notary Public Signature		My commission expire	s
IPrint type or stamp Commissioned name	of Notary Public		

Signatory Requirement - In the case of a business entity other than a partnership or a corporation, this affidavit shall be executed by an authorized agent of the entity. In the case of a partnership, this affidavit shall be executed by the general partner(s). In the case of a corporation, this affidavit shall be executed by the corporate president.